

Progress Note

Visit Date: 2024-03-13 | Encounter Type: Office Visit | Patient: patient_009 | Provider: provider_002

Chief Complaint

Follow-up for chronic low back pain

History

Synthetic patient reports follow-up for chronic low back pain with onset noted during routine follow-up. No real person is represented.
Denies fever, acute neurologic deficit, or new trauma. Reports stable appetite and sleep.

Exam

Alert and oriented. Respirations nonlabored. Gait steady. No acute distress observed.

Assessment

chronic low back pain
Assessment text unique to record 3; no duplicated page content.

Plan

Plan text unique to record 3; follow-up interval differs.
Continue medication reconciliation and safety counseling.

Current Medications

Medication	Dose	Directions	Status
lisinopril	20 mg	once daily	active
metformin	500 mg	twice daily	active
atorvastatin	40 mg	nightly	active
albuterol inhaler	2 puffs	as needed	active

Progress Note

Visit Date: 2024-04-09 | Encounter Type: Office Visit | Patient: patient_008 | Provider: provider_005

Chief Complaint

Follow-up for type 2 diabetes mellitus

History

Synthetic patient reports follow-up for type 2 diabetes mellitus with onset noted during routine follow-up. No real person is represented.
Denies fever, acute neurologic deficit, or new trauma. Reports stable appetite and sleep.

Exam

Alert and oriented. Respirations nonlabored. Gait steady. No acute distress observed.

Assessment

type 2 diabetes mellitus
Assessment text unique to record 6; no duplicated page content.

Plan

Plan text unique to record 6; follow-up interval differs.
Continue medication reconciliation and safety counseling.

Current Medications

Medication	Dose	Directions	Status
lisinopril	20 mg	once daily	active
metformin	500 mg	twice daily	active
atorvastatin	40 mg	nightly	active
albuterol inhaler	2 puffs	as needed	active

Progress Note

Visit Date: 2024-05-06 | Encounter Type: Office Visit | Patient: patient_007 | Provider: provider_001

Chief Complaint

Follow-up for major depressive disorder

History

Synthetic patient reports follow-up for major depressive disorder with onset noted during routine follow-up. No real person is represented.
Denies fever, acute neurologic deficit, or new trauma. Reports stable appetite and sleep.

Exam

Alert and oriented. Respirations nonlabored. Gait steady. No acute distress observed.

Assessment

major depressive disorder
Assessment text unique to record 9; no duplicated page content.

Plan

Plan text unique to record 9; follow-up interval differs.
Continue medication reconciliation and safety counseling.

Current Medications

Medication	Dose	Directions	Status
lisinopril	20 mg	once daily	active
metformin	500 mg	twice daily	active
atorvastatin	40 mg	nightly	active
albuterol inhaler	2 puffs	as needed	active

Progress Note

Visit Date: 2024-06-02 | Encounter Type: Office Visit | Patient: patient_010 | Provider: provider_004

Chief Complaint

Follow-up for essential hypertension

History

Synthetic patient reports follow-up for essential hypertension with onset noted during routine follow-up. No real person is represented.
Denies fever, acute neurologic deficit, or new trauma. Reports stable appetite and sleep.

Exam

Alert and oriented. Respirations nonlabored. Gait steady. No acute distress observed.

Assessment

essential hypertension
Assessment text unique to record 12; no duplicated page content.

Plan

Plan text unique to record 12; follow-up interval differs.
Continue medication reconciliation and safety counseling.

Current Medications

Medication	Dose	Directions	Status
lisinopril	20 mg	once daily	active
metformin	500 mg	twice daily	active
atorvastatin	40 mg	nightly	active
albuterol inhaler	2 puffs	as needed	active

Progress Note

Visit Date: 2024-06-29 | Encounter Type: Office Visit | Patient: patient_009 | Provider: provider_007

Chief Complaint

Follow-up for COPD

History

Synthetic patient reports follow-up for copd with onset noted during routine follow-up. No real person is represented. Denies fever, acute neurologic deficit, or new trauma. Reports stable appetite and sleep.

Exam

Alert and oriented. Respirations nonlabored. Gait steady. No acute distress observed.

Assessment

COPD
Assessment text unique to record 15; no duplicated page content.

Plan

Plan text unique to record 15; follow-up interval differs.
Continue medication reconciliation and safety counseling.

Current Medications

Medication	Dose	Directions	Status
lisinopril	20 mg	once daily	active
metformin	500 mg	twice daily	active
atorvastatin	40 mg	nightly	active
albuterol inhaler	2 puffs	as needed	active

Progress Note

Visit Date: 2024-04-12 | Encounter Type: Office Visit | Patient: patient_008 | Provider: provider_005

Chief Complaint

Routine follow-up 4

History

Synthetic patient reports routine follow-up 4 with onset noted during routine follow-up. No real person is represented. Denies fever, acute neurologic deficit, or new trauma. Reports stable appetite and sleep.

Exam

Alert and oriented. Respirations nonlabored. Gait steady. No acute distress observed.

Assessment

major depressive disorder
Meaningful assessment is unique for medication-list trap page 4.

Plan

Plan contains unique counseling item 4; shared medication list should not dominate.
Continue medication reconciliation and safety counseling.

Current Medications

Medication	Dose	Directions	Status
lisinopril	20 mg	once daily	active
metformin	500 mg	twice daily	active
atorvastatin	40 mg	nightly	active
albuterol inhaler	2 puffs	as needed	active

Progress Note

Visit Date: 2024-05-22 | Encounter Type: Office Visit | Patient: patient_008 | Provider: provider_002

Chief Complaint

Routine follow-up 8

History

Synthetic patient reports routine follow-up 8 with onset noted during routine follow-up. No real person is represented. Denies fever, acute neurologic deficit, or new trauma. Reports stable appetite and sleep.

Exam

Alert and oriented. Respirations nonlabored. Gait steady. No acute distress observed.

Assessment

type 2 diabetes mellitus
Meaningful assessment is unique for medication-list trap page 8.

Plan

Plan contains unique counseling item 8; shared medication list should not dominate.
Continue medication reconciliation and safety counseling.

Current Medications

Medication	Dose	Directions	Status
lisinopril	20 mg	once daily	active
metformin	500 mg	twice daily	active
atorvastatin	40 mg	nightly	active
albuterol inhaler	2 puffs	as needed	active

Progress Note

Visit Date: 2024-07-01 | Encounter Type: Office Visit | Patient: patient_008 | Provider: provider_006

Chief Complaint

Routine follow-up 12

History

Synthetic patient reports routine follow-up 12 with onset noted during routine follow-up. No real person is represented. Denies fever, acute neurologic deficit, or new trauma. Reports stable appetite and sleep.

Exam

Alert and oriented. Respirations nonlabored. Gait steady. No acute distress observed.

Assessment

chronic obstructive pulmonary disease
Meaningful assessment is unique for medication-list trap page 12.

Plan

Plan contains unique counseling item 12; shared medication list should not dominate.
Continue medication reconciliation and safety counseling.

Current Medications

Medication	Dose	Directions	Status
lisinopril	20 mg	once daily	active
metformin	500 mg	twice daily	active
atorvastatin	40 mg	nightly	active
albuterol inhaler	2 puffs	as needed	active

Progress Note

Visit Date: 2024-08-10 | Encounter Type: Office Visit | Patient: patient_008 | Provider: provider_003

Chief Complaint

Routine follow-up 16

History

Synthetic patient reports routine follow-up 16 with onset noted during routine follow-up. No real person is represented. Denies fever, acute neurologic deficit, or new trauma. Reports stable appetite and sleep.

Exam

Alert and oriented. Respirations nonlabored. Gait steady. No acute distress observed.

Assessment

essential hypertension
Meaningful assessment is unique for medication-list trap page 16.

Plan

Plan contains unique counseling item 16; shared medication list should not dominate.
Continue medication reconciliation and safety counseling.

Current Medications

Medication	Dose	Directions	Status
lisinopril	20 mg	once daily	active
metformin	500 mg	twice daily	active
atorvastatin	40 mg	nightly	active
albuterol inhaler	2 puffs	as needed	active

Laboratory Results - CBC Panel

Collection Date: 2025-04-21 | Accession: SYN-LAB-0202 | Patient: patient_010 | Provider: provider_003

Specimen

Blood specimen received and processed in the synthetic laboratory workflow.

CBC Components

Component	Result	Units	Reference Range
WBC	6.5	10 ³ /uL	4.0-11.0
RBC	4.8	10 ⁶ /uL	4.2-5.8
Hemoglobin	14.4	g/dL	12.0-16.0
Hematocrit	42.0	%	36-46
Platelets	268	10 ³ /uL	150-400

Laboratory Results - CBC Panel

Collection Date: 2025-05-11 | Accession: SYN-LAB-0206 | Patient: patient_010 | Provider: provider_003

Specimen

Blood specimen received and processed in the synthetic laboratory workflow.

CBC Components

Component	Result	Units	Reference Range
WBC	7.3	10^3/uL	4.0-11.0
RBC	5.2	10^6/uL	4.2-5.8
Hemoglobin	15.6	g/dL	12.0-16.0
Hematocrit	43.6	%	36-46
Platelets	304	10^3/uL	150-400

Laboratory Results - CBC Panel

Collection Date: 2025-05-31 | Accession: SYN-LAB-0210 | Patient: patient_010 | Provider: provider_003

Specimen

Blood specimen received and processed in the synthetic laboratory workflow.

CBC Components

Component	Result	Units	Reference Range
WBC	8.1	10^3/uL	4.0-11.0
RBC	5.6	10^6/uL	4.2-5.8
Hemoglobin	16.8	g/dL	12.0-16.0
Hematocrit	45.2	%	36-46
Platelets	340	10^3/uL	150-400

Laboratory Results - CBC Panel

Collection Date: 2025-06-20 | Accession: SYN-LAB-0214 | Patient: patient_010 | Provider: provider_003

Specimen

Blood specimen received and processed in the synthetic laboratory workflow.

CBC Components

Component	Result	Units	Reference Range
WBC	8.9	10 ³ /uL	4.0-11.0
RBC	6.0	10 ⁶ /uL	4.2-5.8
Hemoglobin	18.0	g/dL	12.0-16.0
Hematocrit	46.8	%	36-46
Platelets	376	10 ³ /uL	150-400

Laboratory Results - CBC Panel

Collection Date: 2024-01-17 | Accession: SYN-LAB-0218 | Patient: patient_010 | Provider: provider_003

Specimen

Blood specimen received and processed in the synthetic laboratory workflow.

CBC Components

Component	Result	Units	Reference Range
WBC	9.7	10 ³ /uL	4.0-11.0
RBC	6.4	10 ⁶ /uL	4.2-5.8
Hemoglobin	19.2	g/dL	12.0-16.0
Hematocrit	48.4	%	36-46
Platelets	412	10 ³ /uL	150-400

MRI Lumbar Spine Report

Exam Date: 2025-03-28 | Exam ID: SYN-MRI-0252 | Patient: patient_011 | Provider: provider_002

Indication

Synthetic report for low back pain with intermittent leg symptoms.

Technique

Multiplanar multisequence MRI of the lumbar spine without contrast.

Findings

No acute fracture. Alignment is preserved. Small disc bulge at L5-S1.

Impression

Small L5-S1 disc bulge. No high-grade stenosis.

MRI Lumbar Spine Report

Exam Date: 2025-04-21 | Exam ID: SYN-MRI-0256 | Patient: patient_011 | Provider: provider_002

Indication

Synthetic report for low back pain with intermittent leg symptoms.

Technique

Multiplanar multisequence MRI of the lumbar spine without contrast.

Findings

No acute fracture. Alignment is preserved. Small disc bulge at L5-S1.

Impression

Small L5-S1 disc bulge. No high-grade stenosis.

MRI Lumbar Spine Report

Exam Date: 2025-05-15 | Exam ID: SYN-MRI-0260 | Patient: patient_011 | Provider: provider_002

Indication

Synthetic report for low back pain with intermittent leg symptoms.

Technique

Multiplanar multisequence MRI of the lumbar spine without contrast.

Findings

No acute fracture. Alignment is preserved. Small disc bulge at L5-S1.

Impression

Small L5-S1 disc bulge. No high-grade stenosis.

MRI Lumbar Spine Report

Exam Date: 2025-06-08 | Exam ID: SYN-MRI-0264 | Patient: patient_011 | Provider: provider_002

Indication

Synthetic report for low back pain with intermittent leg symptoms.

Technique

Multiplanar multisequence MRI of the lumbar spine without contrast.

Findings

No acute fracture. Alignment is preserved. Small disc bulge at L5-S1.

Impression

Small L5-S1 disc bulge. No high-grade stenosis.

SYNTHETIC RECORDS SEPARATOR

Records continue after this page.

Electronic Signature Page

Signed: 2024-02-26 | Patient: patient_007 | Provider: provider_005

Signature

/s/ Synthetic Provider
Electronically signed. Identity intentionally fabricated.

SYNTHETIC RECORDS SEPARATOR

Records continue after this page.

Progress Note

Visit Date: 2024-07-11 | Encounter Type: Office Visit | Patient: patient_019 | Provider: provider_006

Chief Complaint

Back pain follow-up

History

Synthetic patient reports back pain follow-up with onset noted during routine follow-up. No real person is represented. Denies fever, acute neurologic deficit, or new trauma. Reports stable appetite and sleep.

Exam

Alert and oriented. Respirations nonlabored. Gait steady. No acute distress observed.

Assessment

chronic low back pain
Patient denies chest pain and reports no falls.

Plan

Continue home exercise; follow up in eight weeks.
Continue medication reconciliation and safety counseling.

Current Medications

Medication	Dose	Directions	Status
lisinopril	20 mg	once daily	active
metformin	500 mg	twice daily	active
atorvastatin	40 mg	nightly	active
albuterol inhaler	2 puffs	as needed	active

Progress Note

Visit Date: 2024-08-15 | Encounter Type: Office Visit | Patient: patient_035 | Provider: provider_004

Chief Complaint

Template follow-up 6

History

Synthetic patient reports template follow-up 6 with onset noted during routine follow-up. No real person is represented. Denies fever, acute neurologic deficit, or new trauma. Reports stable appetite and sleep.

Exam

Alert and oriented. Respirations nonlabored. Gait steady. No acute distress observed.

Assessment

lumbar radiculopathy
Assessment sentence number 6 is unique and contains source-specific facts.

Plan

Plan sentence number 6 differs; schedule interval 7 weeks.
Continue medication reconciliation and safety counseling.

Current Medications

Medication	Dose	Directions	Status
lisinopril	20 mg	once daily	active
metformin	500 mg	twice daily	active
atorvastatin	40 mg	nightly	active
albuterol inhaler	2 puffs	as needed	active

Progress Note

Visit Date: 2024-09-02 | Encounter Type: Office Visit | Patient: patient_035 | Provider: provider_003

Chief Complaint

Template follow-up 12

History

Synthetic patient reports template follow-up 12 with onset noted during routine follow-up. No real person is represented.
Denies fever, acute neurologic deficit, or new trauma. Reports stable appetite and sleep.

Exam

Alert and oriented. Respirations nonlabored. Gait steady. No acute distress observed.

Assessment

chronic obstructive pulmonary disease
Assessment sentence number 12 is unique and contains source-specific facts.

Plan

Plan sentence number 12 differs; schedule interval 7 weeks.
Continue medication reconciliation and safety counseling.

Current Medications

Medication	Dose	Directions	Status
lisinopril	20 mg	once daily	active
metformin	500 mg	twice daily	active
atorvastatin	40 mg	nightly	active
albuterol inhaler	2 puffs	as needed	active

Progress Note

Visit Date: 2024-09-20 | Encounter Type: Office Visit | Patient: patient_035 | Provider: provider_002

Chief Complaint

Template follow-up 18

History

Synthetic patient reports template follow-up 18 with onset noted during routine follow-up. No real person is represented.
Denies fever, acute neurologic deficit, or new trauma. Reports stable appetite and sleep.

Exam

Alert and oriented. Respirations nonlabored. Gait steady. No acute distress observed.

Assessment

major depressive disorder
Assessment sentence number 18 is unique and contains source-specific facts.

Plan

Plan sentence number 18 differs; schedule interval 7 weeks.
Continue medication reconciliation and safety counseling.

Current Medications

Medication	Dose	Directions	Status
lisinopril	20 mg	once daily	active
metformin	500 mg	twice daily	active
atorvastatin	40 mg	nightly	active
albuterol inhaler	2 puffs	as needed	active

Progress Note

Visit Date: 2024-10-08 | Encounter Type: Office Visit | Patient: patient_035 | Provider: provider_001

Chief Complaint

Template follow-up 24

History

Synthetic patient reports template follow-up 24 with onset noted during routine follow-up. No real person is represented.
Denies fever, acute neurologic deficit, or new trauma. Reports stable appetite and sleep.

Exam

Alert and oriented. Respirations nonlabored. Gait steady. No acute distress observed.

Assessment

chronic low back pain
Assessment sentence number 24 is unique and contains source-specific facts.

Plan

Plan sentence number 24 differs; schedule interval 7 weeks.
Continue medication reconciliation and safety counseling.

Current Medications

Medication	Dose	Directions	Status
lisinopril	20 mg	once daily	active
metformin	500 mg	twice daily	active
atorvastatin	40 mg	nightly	active
albuterol inhaler	2 puffs	as needed	active

Progress Note

Visit Date: 2024-10-26 | Encounter Type: Office Visit | Patient: patient_035 | Provider: provider_007

Chief Complaint

Template follow-up 30

History

Synthetic patient reports template follow-up 30 with onset noted during routine follow-up. No real person is represented.
Denies fever, acute neurologic deficit, or new trauma. Reports stable appetite and sleep.

Exam

Alert and oriented. Respirations nonlabored. Gait steady. No acute distress observed.

Assessment

essential hypertension
Assessment sentence number 30 is unique and contains source-specific facts.

Plan

Plan sentence number 30 differs; schedule interval 7 weeks.
Continue medication reconciliation and safety counseling.

Current Medications

Medication	Dose	Directions	Status
lisinopril	20 mg	once daily	active
metformin	500 mg	twice daily	active
atorvastatin	40 mg	nightly	active
albuterol inhaler	2 puffs	as needed	active

Progress Note

Visit Date: 2024-11-13 | Encounter Type: Office Visit | Patient: patient_035 | Provider: provider_006

Chief Complaint

Template follow-up 36

History

Synthetic patient reports template follow-up 36 with onset noted during routine follow-up. No real person is represented.
Denies fever, acute neurologic deficit, or new trauma. Reports stable appetite and sleep.

Exam

Alert and oriented. Respirations nonlabored. Gait steady. No acute distress observed.

Assessment

type 2 diabetes mellitus
Assessment sentence number 36 is unique and contains source-specific facts.

Plan

Plan sentence number 36 differs; schedule interval 7 weeks.
Continue medication reconciliation and safety counseling.

Current Medications

Medication	Dose	Directions	Status
lisinopril	20 mg	once daily	active
metformin	500 mg	twice daily	active
atorvastatin	40 mg	nightly	active
albuterol inhaler	2 puffs	as needed	active

Progress Note

Visit Date: 2024-12-01 | Encounter Type: Office Visit | Patient: patient_035 | Provider: provider_005

Chief Complaint

Template follow-up 42

History

Synthetic patient reports template follow-up 42 with onset noted during routine follow-up. No real person is represented.
Denies fever, acute neurologic deficit, or new trauma. Reports stable appetite and sleep.

Exam

Alert and oriented. Respirations nonlabored. Gait steady. No acute distress observed.

Assessment

hyperlipidemia
Assessment sentence number 42 is unique and contains source-specific facts.

Plan

Plan sentence number 42 differs; schedule interval 7 weeks.
Continue medication reconciliation and safety counseling.

Current Medications

Medication	Dose	Directions	Status
lisinopril	20 mg	once daily	active
metformin	500 mg	twice daily	active
atorvastatin	40 mg	nightly	active
albuterol inhaler	2 puffs	as needed	active

Progress Note

Visit Date: 2024-12-19 | Encounter Type: Office Visit | Patient: patient_035 | Provider: provider_004

Chief Complaint

Template follow-up 48

History

Synthetic patient reports template follow-up 48 with onset noted during routine follow-up. No real person is represented.
Denies fever, acute neurologic deficit, or new trauma. Reports stable appetite and sleep.

Exam

Alert and oriented. Respirations nonlabored. Gait steady. No acute distress observed.

Assessment

lumbar radiculopathy
Assessment sentence number 48 is unique and contains source-specific facts.

Plan

Plan sentence number 48 differs; schedule interval 7 weeks.
Continue medication reconciliation and safety counseling.

Current Medications

Medication	Dose	Directions	Status
lisinopril	20 mg	once daily	active
metformin	500 mg	twice daily	active
atorvastatin	40 mg	nightly	active
albuterol inhaler	2 puffs	as needed	active

Progress Note

Visit Date: 2025-01-06 | Encounter Type: Office Visit | Patient: patient_035 | Provider: provider_003

Chief Complaint

Template follow-up 54

History

Synthetic patient reports template follow-up 54 with onset noted during routine follow-up. No real person is represented.
Denies fever, acute neurologic deficit, or new trauma. Reports stable appetite and sleep.

Exam

Alert and oriented. Respirations nonlabored. Gait steady. No acute distress observed.

Assessment

chronic obstructive pulmonary disease
Assessment sentence number 54 is unique and contains source-specific facts.

Plan

Plan sentence number 54 differs; schedule interval 7 weeks.
Continue medication reconciliation and safety counseling.

Current Medications

Medication	Dose	Directions	Status
lisinopril	20 mg	once daily	active
metformin	500 mg	twice daily	active
atorvastatin	40 mg	nightly	active
albuterol inhaler	2 puffs	as needed	active

Progress Note

Visit Date: 2025-01-24 | Encounter Type: Office Visit | Patient: patient_035 | Provider: provider_002

Chief Complaint

Template follow-up 60

History

Synthetic patient reports template follow-up 60 with onset noted during routine follow-up. No real person is represented.
Denies fever, acute neurologic deficit, or new trauma. Reports stable appetite and sleep.

Exam

Alert and oriented. Respirations nonlabored. Gait steady. No acute distress observed.

Assessment

major depressive disorder
Assessment sentence number 60 is unique and contains source-specific facts.

Plan

Plan sentence number 60 differs; schedule interval 7 weeks.
Continue medication reconciliation and safety counseling.

Current Medications

Medication	Dose	Directions	Status
lisinopril	20 mg	once daily	active
metformin	500 mg	twice daily	active
atorvastatin	40 mg	nightly	active
albuterol inhaler	2 puffs	as needed	active

Progress Note

Visit Date: 2025-02-11 | Encounter Type: Office Visit | Patient: patient_035 | Provider: provider_001

Chief Complaint

Template follow-up 66

History

Synthetic patient reports template follow-up 66 with onset noted during routine follow-up. No real person is represented.
Denies fever, acute neurologic deficit, or new trauma. Reports stable appetite and sleep.

Exam

Alert and oriented. Respirations nonlabored. Gait steady. No acute distress observed.

Assessment

chronic low back pain
Assessment sentence number 66 is unique and contains source-specific facts.

Plan

Plan sentence number 66 differs; schedule interval 7 weeks.
Continue medication reconciliation and safety counseling.

Current Medications

Medication	Dose	Directions	Status
lisinopril	20 mg	once daily	active
metformin	500 mg	twice daily	active
atorvastatin	40 mg	nightly	active
albuterol inhaler	2 puffs	as needed	active

Medication List

Medication Review Date: 2024-11-10 | Patient: patient_042 | Provider: provider_001

Medication Reconciliation

The medication list below is synthetic and used only for duplicate-detection testing.

Context

Medication review context differs for standalone med list page 3.

Active Medications

Medication	Dose	Frequency	Status
lisinopril	20 mg	once daily	active
metformin	500 mg	twice daily	active
atorvastatin	40 mg	nightly	active
albuterol inhaler	2 puffs	as needed	active

Medication List

Medication Review Date: 2024-11-14 | Patient: patient_042 | Provider: provider_001

Medication Reconciliation

The medication list below is synthetic and used only for duplicate-detection testing.

Context

Medication review context differs for standalone med list page 7.

Active Medications

Medication	Dose	Frequency	Status
lisinopril	20 mg	once daily	active
metformin	500 mg	twice daily	active
atorvastatin	40 mg	nightly	active
albuterol inhaler	2 puffs	as needed	active

Medication List

Medication Review Date: 2024-11-18 | Patient: patient_042 | Provider: provider_001

Medication Reconciliation

The medication list below is synthetic and used only for duplicate-detection testing.

Context

Medication review context differs for standalone med list page 11.

Active Medications

Medication	Dose	Frequency	Status
lisinopril	20 mg	once daily	active
metformin	500 mg	twice daily	active
atorvastatin	40 mg	nightly	active
albuterol inhaler	2 puffs	as needed	active
gabapentin	200 mg	nightly	active

Medication List

Medication Review Date: 2024-11-22 | Patient: patient_042 | Provider: provider_001

Medication Reconciliation

The medication list below is synthetic and used only for duplicate-detection testing.

Context

Medication review context differs for standalone med list page 15.

Active Medications

Medication	Dose	Frequency	Status
lisinopril	20 mg	once daily	active
metformin	500 mg	twice daily	active
atorvastatin	40 mg	nightly	active
albuterol inhaler	2 puffs	as needed	active

Medication List

Medication Review Date: 2024-11-26 | Patient: patient_042 | Provider: provider_001

Medication Reconciliation

The medication list below is synthetic and used only for duplicate-detection testing.

Context

Medication review context differs for standalone med list page 19.

Active Medications

Medication	Dose	Frequency	Status
lisinopril	20 mg	once daily	active
metformin	500 mg	twice daily	active
atorvastatin	40 mg	nightly	active
albuterol inhaler	2 puffs	as needed	active

Medication List

Medication Review Date: 2024-11-30 | Patient: patient_042 | Provider: provider_001

Medication Reconciliation

The medication list below is synthetic and used only for duplicate-detection testing.

Context

Medication review context differs for standalone med list page 23.

Active Medications

Medication	Dose	Frequency	Status
lisinopril	20 mg	once daily	active
metformin	500 mg	twice daily	active
atorvastatin	40 mg	nightly	active
albuterol inhaler	2 puffs	as needed	active

MRI Lumbar Spine Report

Exam Date: 2024-11-28 | Exam ID: SYN-MRI-5002 | Patient: patient_057 | Provider: provider_002

Indication

Synthetic report for low back pain with intermittent leg symptoms.

Technique

Multiplanar multisequence MRI of the lumbar spine without contrast.

Findings

Mild chronic compression deformity at T12 without marrow edema.

Impression

Chronic T12 compression deformity. No acute osseous finding.

MRI Lumbar Spine Report

Exam Date: 2024-12-22 | Exam ID: SYN-MRI-5006 | Patient: patient_057 | Provider: provider_002

Indication

Synthetic report for low back pain with intermittent leg symptoms.

Technique

Multiplanar multisequence MRI of the lumbar spine without contrast.

Findings

Mild chronic compression deformity at T12 without marrow edema.

Impression

Chronic T12 compression deformity. No acute osseous finding.

MRI Lumbar Spine Report

Exam Date: 2025-01-15 | Exam ID: SYN-MRI-5010 | Patient: patient_057 | Provider: provider_002

Indication

Synthetic report for low back pain with intermittent leg symptoms.

Technique

Multiplanar multisequence MRI of the lumbar spine without contrast.

Findings

Mild chronic compression deformity at T12 without marrow edema.

Impression

Chronic T12 compression deformity. No acute osseous finding.

MRI Lumbar Spine Report

Exam Date: 2025-02-08 | Exam ID: SYN-MRI-5014 | Patient: patient_057 | Provider: provider_002

Indication

Synthetic report for low back pain with intermittent leg symptoms.

Technique

Multiplanar multisequence MRI of the lumbar spine without contrast.

Findings

Mild chronic compression deformity at T12 without marrow edema.

Impression

Chronic T12 compression deformity. No acute osseous finding.

MRI Lumbar Spine Report

Exam Date: 2025-03-04 | Exam ID: SYN-MRI-5018 | Patient: patient_057 | Provider: provider_002

Indication

Synthetic report for low back pain with intermittent leg symptoms.

Technique

Multiplanar multisequence MRI of the lumbar spine without contrast.

Findings

Mild chronic compression deformity at T12 without marrow edema.

Impression

Chronic T12 compression deformity. No acute osseous finding.

MRI Lumbar Spine Report

Exam Date: 2025-03-28 | Exam ID: SYN-MRI-5022 | Patient: patient_057 | Provider: provider_002

Indication

Synthetic report for low back pain with intermittent leg symptoms.

Technique

Multiplanar multisequence MRI of the lumbar spine without contrast.

Findings

Mild chronic compression deformity at T12 without marrow edema.

Impression

Chronic T12 compression deformity. No acute osseous finding.