






S20 Figure. Leading−edge overlap between the legs. Every pathway that fgsea calls at FDR < 0.05 in both training contrasts, in the same direction (71, each a main set after collapse in at least one leg). Bars split each pathway's leading−edge proteins into those shared by both legs and those in one leg only; lowest overlap at the bottom of each collection. Leading edges move with small ranking changes, so this describes and does not test. Data: leading_edge sheet of 07_leading_edge.xlsx.





S21 Figure (page 1 of 12). Leading edges by leg, one Venn per pathway in the order of S20. Areas follow the counts of proteins in each leg's leading edge only and in both; the proteins shared by both legs are listed under each title. Data: proteins sheet of 07_leading_edge.xlsx.
















S21 Figure (page 2 of 12). Leading edges by leg, one Venn per pathway in the order of S20. Areas follow the counts of proteins in each leg's leading edge only and in both; the proteins shared by both legs are listed under each title. Data: proteins sheet of 07_leading_edge.xlsx.




S21 Figure (page 3 of 12). Leading edges by leg, one Venn per pathway in the order of S20. Areas follow the counts of proteins in each leg's leading edge only and in both; the proteins shared by both legs are listed under each title. Data: proteins sheet of 07_leading_edge.xlsx.



S21 Figure (page 4 of 12). Leading edges by leg, one Venn per pathway in the order of S20. Areas follow the counts of proteins in each leg's leading edge only and in both; the proteins shared by both legs are listed under each title. Data: proteins sheet of 07_leading_edge.xlsx.


Mitochondrion Organization

ACAD9 AFG3L2 AIFM1 ATP5F1D ATP5IF1 ATPAF1 BAX CCDC93 CHCHD2 CHCHD3
CLPP COA4 COA6 COA7 COX17 COX7A1 DAP3 ENDOG GHITM HAX1 HMGCL HSD17B10
HSPA9 HSPD1 HTRA2 LETM1 LONP1 LYRM7 MARCKS MICOS13 MTCH2 MTX1 NDUFAF2
NDUFAF3 NDUFAF4 NDUFC2 NDUFS1 NDUFS3 NDUFS4 NDUFS6 NDUFS8 OPA1 OPA3
OXA1L PHB2 PNPT1 POLDIP2 PPIF PRDX3 SAMM50 SLC25A4 SLIRP SMIM20 SOD2
SSBP1 STOML2 SUPV3L1 TACO1 TIMM13 TIMM50 TIMM8A TMEM11 TMEM70 UQCRFS1
VAT1 VDAC2




Mitochondrial Translation

DAP3 GFM1 MALSU1 MRPL1 MRPL11 MRPL12 MRPL13 MRPL14 MRPL15 MRPL2 MRPL22
MRPL33 MRPL38 MRPL39 MRPL40 MRPL44 MRPL46 MRPL49 MRPL50 MRPL53 MRPL9
MRPS16 MRPS18B MRPS22 MRPS23 MRPS24 MRPS27 MRPS28 MRPS30 MRPS34 MRPS35
MRPS9 MRRF MT-CO3 MT-ND1 NDUFAB1 OXA1L PTCD3 TSFM TUFM




Regulation Of PD-L1 CD274 Post Translational Modification

CUL1 ERLIN2 PRKAG3 PSMA1 PSMA3 PSMA4 PSMA5 PSMA6 PSMB1 PSMB2 PSMB3
PSMB4 PSMB5 PSMB6 PSMC2 PSMC5 RPN1 RPN2 STT3A




Mitochondrial Respiratory Chain Complex Assembly

ACAD9 AIFM1 ATP5F1D ATPAF1 CHCHD7 COA4 COA6 COA7 COX11 COX17 COX20
COX7A1 FXN LYRM7 NDUFAF2 NDUFAF3 NDUFAF4 NDUFC2 NDUFS1 NDUFS3 NDUFS4
NDUFS6 NDUFS8 OXA1L SDHAF2 SMIM20 TACO1 TMEM70 UQCC1 UQCRFS1




Intracellular Signaling By Second Messengers

AGO2 CAMK2A CDKN1B GRB2 LAMTOR1 PIK3R1 PPP2CA PPP2R5A PRKAR2A PSMA1
PSMA3 PSMA4 PSMA5 PSMA6 PSMB1 PSMB2 PSMB3 PSMB4 PSMB5 PSMB6 PSMC2
PSMC5 RBBP7 STUB1




Nucleotide Excision Repair


COPS2 COPS4 COPS7A COPS8 GPS1 PCNA POLR2H POLR2I RAD23A RPA1 UBE2V2
USP7




S21 Figure (page 5 of 12). Leading edges by leg, one Venn per pathway in the order of S20. Areas follow the counts of proteins in each leg's leading edge only and in both; the proteins shared by both legs are listed under each title. Data: proteins sheet of 07_leading_edge.xlsx.




S21 Figure (page 6 of 12). Leading edges by leg, one Venn per pathway in the order of S20. Areas follow the counts of proteins in each leg's leading edge only and in both; the proteins shared by both legs are listed under each title. Data: proteins sheet of 07_leading_edge.xlsx.




S21 Figure (page 7 of 12). Leading edges by leg, one Venn per pathway in the order of S20. Areas follow the counts of proteins in each leg's leading edge only and in both; the proteins shared by both legs are listed under each title. Data: proteins sheet of 07_leading_edge.xlsx.




S21 Figure (page 8 of 12). Leading edges by leg, one Venn per pathway in the order of S20. Areas follow the counts of proteins in each leg's leading edge only and in both; the proteins shared by both legs are listed under each title. Data: proteins sheet of 07_leading_edge.xlsx.




S21 Figure (page 9 of 12). Leading edges by leg, one Venn per pathway in the order of S20. Areas follow the counts of proteins in each leg's leading edge only and in both; the proteins shared by both legs are listed under each title. Data: proteins sheet of 07_leading_edge.xlsx.




S21 Figure (page 10 of 12). Leading edges by leg, one Venn per pathway in the order of S20. Areas follow the counts of proteins in each leg's leading edge only and in both; the proteins shared by both legs are listed under each title. Data: proteins sheet of 07_leading_edge.xlsx.




S21 Figure (page 11 of 12). Leading edges by leg, one Venn per pathway in the order of S20. Areas follow the counts of proteins in each leg's leading edge only and in both; the proteins shared by both legs are listed under each title. Data: proteins sheet of 07_leading_edge.xlsx.




S21 Figure (page 12 of 12). Leading edges by leg, one Venn per pathway in the order of S20. Areas follow the counts of proteins in each leg's leading edge only and in both; the proteins shared by both legs are listed under each title. Data: proteins sheet of 07_leading_edge.xlsx.




S22 Figure (page 1 of 4). GO:BP pathways both legs move, broken into their tested child terms. Bars count the parent's leading−edge proteins in each child, BFR to the left and HLRT to the right. Child terms overlap, so the counts are not tested. Data: go_children sheet of 07_leading_edge.xlsx.



S22 Figure (page 2 of 4). GO:BP pathways both legs move, broken into their tested child terms. Bars count the parent's leading−edge proteins in each child, BFR to the left and HLRT to the right. Child terms overlap, so the counts are not tested. Data: go_children sheet of 07_leading_edge.xlsx.



S22 Figure (page 3 of 4). GO:BP pathways both legs move, broken into their tested child terms. Bars count the parent's leading−edge proteins in each child, BFR to the left and HLRT to the right. Child terms overlap, so the counts are not tested. Data: go_children sheet of 07_leading_edge.xlsx.



S22 Figure (page 4 of 4). GO:BP pathways both legs move, broken into their tested child terms. Bars count the parent's leading−edge proteins in each child, BFR to the left and HLRT to the right. Child terms overlap, so the counts are not tested. Data: go_children sheet of 07_leading_edge.xlsx.