


Mitochondrial protein enrichment by arm and time
BFR
HLRT
MPE, % of summed dpcQuant protein values
40
30
20
T1
T2
T1
T2



Complexes I to V, standard and mitochondria−normalised fits
signed −log10 FDR
−1
0
1
2
standard fit
CI subunits
CII subunits
CIII subunits
CIV subunits
CV subunits
0.11
0.019
0.85
0.46
0.73
0.013
0.12
0.85
0.61
0.73
0.0046
0.014
0.85
0.9
0.73
0.031
0.01
0.85
0.61
0.73
0.0046
0.016
0.85
0.87
0.73
mitochondria−normalised fit
CI subunits
CII subunits
CIII subunits
CIV subunits
CV subunits
0.69
0.44
0.94
0.055
0.88
0.69
0.87
0.98
0.64
0.88
0.69
0.44
0.94
0.64
0.88
0.69
0.44
0.94
0.29
0.88
0.69
0.75
0.94
0.92
0.88
BFR_Post−Pre
HLRT_Post−Pre
BFR_Pre−HLRT_Pre
BFR_Post−HLRT_Post
Modality_x_Time_Interaction

Mitochondria−normalised proteins

BFR_Post−Pre




HLRT_Post−Pre



NES

−3 −2 −1 0 1 2 3


BFR_Post−HLRT_Post



NES

−3 −2 −1 0 1 2 3

Modality_x_Time_Interaction



NES

−3 −2 −1 0 1 2 3