


BFR_Post-HLRT_Post
GOBP, fgsea, BH within contrast



Ten strongest of 52 collapse survivors, ranked by adjusted p. Size is gene count, colour is $-\log_{10}$ FDR. Table: [c_data/s](#)

BFR_Post-Pre

GOBP, fgsea, BH within contrast



Ten strongest of 88 collapse survivors, ranked by adjusted p. Size is gene count, colour is $-\log_{10}$ FDR. Table: [c_data/set_tests.csv](#)

HLRT_Post-Pre


GOBP, fgsea, BH within contrast



Ten strongest of 68 collapse survivors, ranked by adjusted p. Size is gene count, colour is $-\log_{10}$ FDR. Table: c_data/set_tests.csv.

Modality_x_Time_Interaction


GOBP, fgsea, BH within contrast



All of 10 collapse survivors, ranked by adjusted p. Size is gene count, colour is $-\log_{10}$ FDR. Table: c_data/set_tests.csv.


Significant sets before and after collapse

fgsea at FDR 0.05, then collapsePathways



collapsePathways re-tests each significant set conditioned on a stronger set's leading edge and keeps it only if it stands alone. Table: c_data/set_tests.csv.

BFR_Post-HLRT_Post
GO_Slim, fgsea, BH within contrast



All of 4 collapse survivors, ranked by adjusted p. Size is gene count, colour is $-\log_{10}$ FDR. Table: c_data/set_tests.csv.

BFR_Post-Pre
GO_Slim, fgsea, BH within contrast

Nucleobase-Containing Small Molecule Metabo...

Protein Maturation

Nervous System Process

Mitotic Cell Cycle

DNA Repair


-2

-1

0

1


normalised enrichment score



All of 5 collapse survivors, ranked by adjusted p. Size is gene count, colour is $-\log_{10} \text{FDR}$. Table: c_data/get_tests.

HLRT_Post-Pre


GO_Slim, fgsea, BH within contrast



All of 1 collapse survivor, ranked by adjusted p. Size is gene count, colour is $-\log_{10}$ FDR. Table: c_data/set_tests.csv.


Modality_x_Time_Interaction

GO_Slim, fgsea, BH within contrast



All of 2 collapse survivors, ranked by adjusted p. Size is gene count, colour is –log₁₀ FDR. Table: c_data/set_tests.csv.


BFR_Post-HLRT_Post
GOBP, fgsea, BH within contrast



Ten strongest of 27 collapse survivors, ranked by adjusted p. Size is gene count, colour is –log₁₀ FDR. Table: c_data/set_tests.csv.

BFR_Post-Pre


GOBP, fgsea, BH within contrast



Ten strongest of 50 collapse survivors, ranked by adjusted p. Size is gene count, colour is $-\log_{10}$ FDR. Table: c_data/set_t

HLRT_Post-Pre


GOBP, fgsea, BH within contrast



Ten strongest of 39 collapse survivors, ranked by adjusted p. Size is gene count, colour is $-\log_{10}$ FDR. Table: c_data/se

Modality_x_Time_Interaction

GOBP, fgsea, BH within contrast




All of 7 collapse survivors, ranked by adjusted p. Size is gene count, colour is –log₁₀ FDR. Table: c_data/set_tests.csv.


BFR_Post-HLRT_Post

Hallmark, fgsea, BH within contrast

genes



$-\log_{10}$ FDR



Bile Acid Metabolism

FA Metabolism

EMT

-2

-1

0

1


2

normalised enrichment score

All of 3 collapse survivors, ranked by adjusted p. Size is gene count, colour is $-\log_{10}$ FDR. Table: c_data/set_tests.csv.


BFR_Post-Pre

Hallmark, fgsea, BH within contrast



HLRT_Post-Pre

Hallmark, fgsea, BH within contrast



All of 3 collapse survivors, ranked by adjusted p. Size is gene count, colour is $-\log_{10}$ FDR. Table: c_data/set_tests.csv.

Modality_x_Time_Interaction

Hallmark, fgsea, BH within contrast

Heme Metabolism

0.0

0.5

1.0

1.5

normalised enrichment score

$-\log_{10}$ FDR

1.654373


genes

65

All of 1 collapse survivor, ranked by adjusted p. Size is gene count, colour is $-\log_{10}$ FDR. Table: c_data/set_tests.csv.

BFR_Post-HLRT_Post

KEGG_Legacy, fgsea, BH within contrast



All of 6 collapse survivors, ranked by adjusted p. Size is gene count, colour is $-\log_{10}$ FDR. Table: c_data/set_tests.csv.

BFR_Post-Pre

KEGG_Legacy, fgsea, BH within contrast

Aminoacyl tRNA Biosynthesis

MAPK Signaling


Spliceosome

Oocyte Meiosis

Dilated Cardiomyopathy

ARVC

genes



$-\log_{10}$ FDR




normalised enrichment score

All of 6 collapse survivors, ranked by adjusted p. Size is gene count, colour is $-\log_{10}$ FDR. Table: c_data/set_tests.csv.


HLRT_Post-Pre

KEGG_Legacy, fgsea, BH within contrast

genes



$-\log_{10}$ FDR



normalised enrichment score

All of 7 collapse survivors, ranked by adjusted p. Size is gene count, colour is $-\log_{10}$ FDR. Table: c_data/set_tests.csv.

Huntingtons Disease

OXPHOS

Alzheimers Disease

Vegf Signaling

Glycerophospholipid Metabolism

Dilated Cardiomyopathy

ARVC

BFR_Post-HLRT_Post


Reactome, fgsea, BH within contrast



Ten strongest of 12 collapse survivors, ranked by adjusted p. Size is gene count, colour is –log₁₀ FDR. Table: c_data/s

BFR_Post-Pre


Reactome, fgsea, BH within contrast



Ten strongest of 23 collapse survivors, ranked by adjusted p. Size is gene count, colour is $-\log_{10}$ FDR. Table: c_data/set_tests.cs

HLRT_Post-Pre

Reactome, fgsea, BH within contrast



Ten strongest of 18 collapse survivors, ranked by adjusted p. Size is gene count, colour is –log₁₀ FDR. Table: c_data/