



BFR minus high load, within participant

Spearman, differential analysis, 32 paired participants



Training response against phenotype, all legs

Spearman, pooled analysis, 65 legs, both arms pooled




Strongest 2 set-outcome pairs per collection of 270 reaching nominal p. Lines are fitted within each arm; the header r is the pooled correlation that selected the panel. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO


Nominal hits relative to chance, by collection

paired Wilcoxon per set, 5 collections, uncorrected p


Pre to post, BFR




Pre to post, HL




Baseline BFR vs HL (control)



Post BFR vs HL




Change, BFR vs HL



0 2 4 6 8
observed nominal hits / chance expectation
Bar length is observed nominal hits divided by the count that collection returns under the null. Red clears 1, grey does not

Change, BFR vs HL


singscore per set, 32 paired participants, AUC with direction fixed



Strongest 2 sets per collection of 43 reaching nominal p. Red separates higher in BFR, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test. Nominal p, uncorrected. Each

Post BFR vs HL


singscore per set, 32 paired participants, AUC with direction fixed



Strongest 2 sets per collection of 94 reaching nominal p. Red separates higher in BFR, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test. Nominal p, uncorrected

Pre to post, BFR


singscore per set, 32 paired legs, AUC with direction fixed



Strongest 2 sets per collection of 391 reaching nominal p. Red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test. Nominal p, uncorrected

Pre to post, HL

singscore per set, 33 paired legs, AUC with direction fixed



Strongest 2 sets per collection of 389 reaching nominal p. Red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test. Nominal p, uncorrected