



Training, BFR leg: T1 vs T2


32 participants; component 1: 1000 proteins, CV BER 0.18















Training, HLRT leg: T1 vs T2


33 participants; component 1: 20 proteins, CV BER 0.01















BFR vs HLRT, before training


33 participants; component 1: 5 proteins, CV BER 0.39















BFR vs HLRT, after training


32 participants; component 1: 500 proteins, CV BER 0.44















BFR vs HLRT, training change


32 participants; component 1: 50 proteins, CV BER 0.46













Training panels by WGCNA module (main network)
Training, BFR leg: T1 vs T2
unassigned
M1 GOBP|GOBP_MUSCLE_CELL_DIFFERENTIATION
M3 Reactome|REACTOME_AEROBIC_RESPIRATION_AND_RESPIRATORY_ELECTRON_TRANSPORT
M7 GOBP|GOBP_CARBOHYDRATE_DERIVATIVE_CATABOLIC_PROCESS
M2 GO_Slim|CELL_MOTILITY
M6 GOBP|GOBP_CILIUM_OR_FLAGELLUM_DEPENDENT_CELL_MOTILITY
M11 no set
M4 GOBP|GOBP_ATP_SYNTHESIS_COUPLED_ELECTRON_TRANSPORT
M9 GOBP|GOBP_MITOCHONDRIAL_GENE_EXPRESSION
M8 GOBP|GOBP_CALCIUM_ION_TRANSMEMBRANE_TRANSPORT
0
50
100
150
200
Training, HLRT leg: T1 vs T2
M3 Reactome|REACTOME_AEROBIC_RESPIRATION_AND_RESPIRATORY_ELECTRON_TRANSPORT
M2 GO_Slim|CELL_MOTILITY
M6 GOBP|GOBP_CILIUM_OR_FLAGELLUM_DEPENDENT_CELL_MOTILITY
M9 GOBP|GOBP_MITOCHONDRIAL_GENE_EXPRESSION
M8 GOBP|GOBP_CALCIUM_ION_TRANSMEMBRANE_TRANSPORT
M22 no set
0
2
4
6
Panel proteins (component 1)