





change in phenotype




change in set score, T2 - T1, one point per leg


S16 Figure (page 1 of 2). Training response against phenotype, all legs, KEGG_Legacy. All 17 KEGG_Legacy set-outcome pairs whose Spearman correlation reaches nominal p in the pooled analysis (65 legs, both arms pooled), smallest p first. Lines are fitted within each arm; the header r is the pooled correlation and the inset gives it within each arm. q from BH within collection and outcome. Nominal p, uncorrected: chance alone returns 4.7 of the 94 KEGG_Legacy sets. Data: set_association and set_by_arm sheets of 05_classify_and_associate_sets.xlsx.



S16 Figure (page 2 of 2). Training response against phenotype, all legs, KEGG_Legacy. All 17 KEGG_Legacy set-outcome pairs whose Spearman correlation reaches nominal p in the pooled analysis (65 legs, both arms pooled), smallest p first. Lines are fitted within each arm; the header r is the pooled correlation and the inset gives it within each arm. q from BH within collection and outcome. Nominal p, uncorrected: chance alone returns 4.7 of the 94 KEGG_Legacy sets. Data: set_association and set_by_arm sheets of 05_classify_and_associate_sets.xlsx.



S17 Figure (page 1 of 2). BFR minus HLRT, within participant, KEGG_Legacy. All 21 KEGG_Legacy set-outcome pairs whose Spearman correlation reaches nominal p in the differential analysis (32 paired participants), smallest p first. Lines are fitted within each arm; the header r is the differential correlation and the inset gives it within each arm. q from BH within collection and outcome. Nominal p , uncorrected: chance alone returns 4.7 of the 94 KEGG_Legacy sets. Data: set_association and set_by_arm sheets of 05_classify_and_associate_sets.xlsx.



S17 Figure (page 2 of 2). BFR minus HLRT, within participant, KEGG_Legacy. All 21 KEGG_Legacy set-outcome pairs whose Spearman correlation reaches nominal p in the differential analysis (32 paired participants), smallest p first. Lines are fitted within each arm; the header r is the differential correlation and the inset gives it within each arm. q from BH within collection and outcome. Nominal p, uncorrected: chance alone returns 4.7 of the 94 KEGG_Legacy sets. Data: set_association and set_by_arm sheets of 05_classify_and_associate_sets.xlsx.