







S12 Figure (page 1 of 2). Pre to post, BFR, GO\_Slim. ROC curves for all 22 GO\_Slim sets whose singscore separates the groups at nominal p, across 32 paired legs, smallest p first. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected: chance alone returns 3.0 of the 59 GO\_Slim sets. Data: set\_auc sheet of 05\_classify\_and\_associate\_sets.xlsx.




S12 Figure (page 2 of 2). Pre to post, BFR, GO\_Slim. ROC curves for all 22 GO\_Slim sets whose singscore separates the groups at nominal p, across 32 paired legs, smallest p first. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected: chance alone returns 3.0 of the 59 GO\_Slim sets. Data: set\_auc sheet of 05\_classify\_and\_associate\_sets.xlsx.




S13 Figure (page 1 of 2). Pre to post, HLRT, GO\_Slim. ROC curves for all 14 GO\_Slim sets whose sing score separates the groups at nominal p, across 33 paired legs, smallest p first. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected: chance alone returns 3.0 of the 59 GO\_Slim sets. Data: set\_auc sheet of 05\_classify\_and\_associate\_sets.xlsx.



S13 Figure (page 2 of 2). Pre to post, HLRT, GO\_Slim. ROC curves for all 14 GO\_Slim sets whose singscore separates the groups at nominal p, across 33 paired legs, smallest p first. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected: chance alone returns 3.0 of the 59 GO\_Slim sets. Data: set\_auc sheet of 05\_classify\_and\_associate\_sets.xlsx.



S14 Figure. Post BFR vs HLRT, GO\_Slim. ROC curves for all 2 GO\_Slim sets whose singscore separates the groups at nominal p, across 32 paired participants, smallest p first. AUC has its direction fixed: red separates higher in BFR, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected: chance alone returns 3.0 of the 59 GO\_Slim sets. Data: set\_auc sheet of 05\_classify\_and\_associate\_sets.xlsx.



S15 Figure. Change, BFR vs HLRT, GO\_Slim. ROC curves for all 2 GO\_Slim sets whose singscore separates the groups at nominal p, across 32 paired participants, smallest p first. AUC has its direction fixed: red separates higher in BFR, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected: chance alone returns 3.0 of the 59 GO\_Slim sets. Data: set\_auc sheet of 05\_classify\_and\_associate\_sets.xlsx.