






BFR
HLRT
GOBP: Response To Xenobiotic Stimulus
vs rf_csa r = −0.45 p 0.00021 q 0.29
BFR n=32 r=−0.61 p=0.000
HLRT n=33 r=−0.32 p=0.074
GOBP: Positive Regulation Of Actin Filament Polymerization
vs vl_csa r = −0.40 p 0.0012 q 0.89
BFR n=32 r=−0.34 p=0.059
HLRT n=33 r=−0.48 p=0.005
GOBP: Mitochondrial Electron Transport Cytochrome C To Oxygen
vs vl_echo r = −0.39 p 0.0013 q 1
BFR n=32 r=−0.30 p=0.094
HLRT n=33 r=−0.48 p=0.006
GOBP: Positive Regulation Of Protein Polymerization
vs vl_csa r = −0.39 p 0.0015 q 0.89
BFR n=32 r=−0.24 p=0.189
HLRT n=33 r=−0.56 p=0.001
GOBP: Signal Transduction In Response To DNA Damage
vs rf_echo r = −0.38 p 0.0017 q 1
BFR n=32 r=−0.54 p=0.002
HLRT n=33 r=−0.18 p=0.308
GOBP: Regulation Of Steroid Biosynthetic Process
vs vl_echo r = −0.38 p 0.0022 q 1
BFR n=32 r=−0.47 p=0.007
HLRT n=33 r=−0.26 p=0.151
GOBP: Nuclear Chromosome Segregation
vs rf_echo r = +0.37 p 0.0028 q 1
BFR n=32 r=+0.42 p=0.017
HLRT n=33 r=+0.25 p=0.154
GOBP: Mitotic Nuclear Division
vs rf_echo r = +0.36 p 0.0036 q 1
BFR n=32 r=+0.24 p=0.185
HLRT n=33 r=+0.42 p=0.015
GOBP: Positive Regulation Of Lipid Localization
vs vl_csa r = +0.36 p 0.0037 q 0.89
BFR n=32 r=+0.23 p=0.201
HLRT n=33 r=+0.47 p=0.006
GOBP: Sodium Ion Transmembrane Transport
vs vl_csa r = −0.36 p 0.0038 q 0.89
BFR n=32 r=−0.27 p=0.134
HLRT n=33 r=−0.49 p=0.004
GOBP: Regulation Of Sodium Ion Transport
vs vl_csa r = −0.35 p 0.0038 q 0.89
BFR n=32 r=−0.39 p=0.029
HLRT n=33 r=−0.34 p=0.051
GOBP: Regulation Of Lipid Biosynthetic Process
vs vl_echo r = −0.35 p 0.004 q 1
BFR n=32 r=−0.39 p=0.027
HLRT n=33 r=−0.35 p=0.044
change in phenotype
change in set score, T2 − T1, one point per leg



BFR
HLRT
GOBP: Learning
vs rf_csa r = +0.35 p 0.004 q 0.96
BFR n=32 r=+0.19 p=0.309
HLRT n=33 r=+0.44 p=0.011
GOBP: Phosphatidylinositol Biosynthetic Process
vs rf_csa r = −0.35 p 0.0042 q 0.96
BFR n=32 r=−0.50 p=0.004
HLRT n=33 r=−0.21 p=0.231
GOBP: Regulation Of Steroid Metabolic Process
vs vl_echo r = −0.35 p 0.0048 q 1
BFR n=32 r=−0.48 p=0.006
HLRT n=33 r=−0.17 p=0.341
GOBP: Monosaccharide Catabolic Process
vs rf_csa r = −0.34 p 0.0052 q 0.96
BFR n=32 r=−0.23 p=0.201
HLRT n=33 r=−0.37 p=0.033
GOBP: Regulation Of Actin Filament Polymerization
vs vl_csa r = −0.34 p 0.0054 q 0.89
BFR n=32 r=−0.25 p=0.160
HLRT n=33 r=−0.42 p=0.016
GOBP: Negative Regulation Of Protein Localization
vs rf_csa r = −0.34 p 0.0055 q 0.96
BFR n=32 r=−0.45 p=0.011
HLRT n=33 r=−0.24 p=0.170
GOBP: Sterol Biosynthetic Process
vs vl_echo r = −0.34 p 0.0058 q 1
BFR n=32 r=−0.26 p=0.153
HLRT n=33 r=−0.46 p=0.007
GOBP: Mitotic Sister Chromatid Segregation
vs rf_echo r = +0.34 p 0.0059 q 1
BFR n=32 r=+0.29 p=0.111
HLRT n=33 r=+0.33 p=0.062
GOBP: Regulation Of Protein Polymerization
vs vl_csa r = −0.34 p 0.0064 q 0.89
BFR n=32 r=−0.22 p=0.216
HLRT n=33 r=−0.44 p=0.010
GOBP: Oligodendrocyte Differentiation
vs rf_echo r = +0.33 p 0.0067 q 1
BFR n=32 r=+0.14 p=0.449
HLRT n=33 r=+0.47 p=0.006
GOBP: Metaphase Chromosome Alignment
vs rf_echo r = +0.33 p 0.0067 q 1
BFR n=32 r=+0.26 p=0.145
HLRT n=33 r=+0.33 p=0.064
GOBP: Prostanoid Metabolic Process
vs rf_echo r = −0.33 p 0.0068 q 1
BFR n=32 r=−0.43 p=0.015
HLRT n=33 r=−0.24 p=0.179
change in phenotype
change in set score, T2 − T1, one point per leg



BFR
HLRT
GOBP: Regulation Of Receptor Mediated Endocytosis
vs vl_csa r = −0.33 p 0.0068 q 0.89
BFR n=32 r=−0.51 p=0.003
HLRT n=33 r=−0.22 p=0.225
GOBP: Myeloid Cell Differentiation
vs rf_echo r = +0.33 p 0.0068 q 1
BFR n=32 r=+0.28 p=0.125
HLRT n=33 r=+0.45 p=0.010
GOBP: Actin Filament Polymerization
vs vl_csa r = −0.33 p 0.0076 q 0.89
BFR n=32 r=−0.28 p=0.116
HLRT n=33 r=−0.40 p=0.022
GOBP: Blastocyst Development
vs vl_echo r = +0.32 p 0.0096 q 1
BFR n=32 r=+0.32 p=0.073
HLRT n=33 r=+0.37 p=0.034
GOBP: Stress Granule Assembly
vs vl_csa r = −0.32 p 0.01 q 0.89
BFR n=32 r=−0.28 p=0.120
HLRT n=33 r=−0.43 p=0.013
GOBP: Positive Regulation Of Cytoskeleton Organization
vs vl_csa r = −0.32 p 0.01 q 0.89
BFR n=32 r=−0.19 p=0.308
HLRT n=33 r=−0.48 p=0.005
GOBP: Regulation Of Lipid Localization
vs vl_csa r = +0.32 p 0.01 q 0.89
BFR n=32 r=−0.04 p=0.815
HLRT n=33 r=+0.60 p=0.000
GOBP: Modification Of Postsynaptic Structure
vs vl_csa r = −0.31 p 0.011 q 0.89
BFR n=32 r=−0.25 p=0.172
HLRT n=33 r=−0.35 p=0.047
GOBP: Chromosome Localization
vs rf_echo r = +0.32 p 0.011 q 1
BFR n=32 r=+0.32 p=0.071
HLRT n=33 r=+0.21 p=0.230
GOBP: Response To Alcohol
vs rf_echo r = −0.31 p 0.011 q 1
BFR n=32 r=−0.17 p=0.356
HLRT n=33 r=−0.46 p=0.008
GOBP: Ameboidal Type Cell Migration
vs rf_csa r = −0.31 p 0.011 q 0.96
BFR n=32 r=−0.39 p=0.029
HLRT n=33 r=−0.21 p=0.231
GOBP: Protein Tetramerization
vs vl_echo r = +0.31 p 0.011 q 1
BFR n=32 r=+0.20 p=0.262
HLRT n=33 r=+0.40 p=0.024
change in phenotype
change in set score, T2 − T1, one point per leg



BFR
HLRT
GOBP: Placenta Development
vs vl_csa r = −0.31 p 0.011 q 0.89
BFR n=32 r=−0.36 p=0.042
HLRT n=33 r=−0.31 p=0.083
GOBP: Regulation Of Monoatomic Ion Transmembrane Transport
vs vl_csa r = −0.31 p 0.012 q 0.89
BFR n=32 r=−0.11 p=0.540
HLRT n=33 r=−0.53 p=0.002
GOBP: Hippocampus Development
vs rf_echo r = −0.31 p 0.012 q 1
BFR n=32 r=−0.29 p=0.107
HLRT n=33 r=−0.22 p=0.212
GOBP: Purine Nucleoside Monophosphate Biosynthetic Process
vs rf_csa r = −0.31 p 0.012 q 0.96
BFR n=32 r=−0.34 p=0.059
HLRT n=33 r=−0.28 p=0.117
GOBP: Positive Regulation Of Lipid Biosynthetic Process
vs vl_echo r = −0.31 p 0.012 q 1
BFR n=32 r=−0.26 p=0.143
HLRT n=33 r=−0.35 p=0.045
GOBP: Tissue Migration
vs rf_csa r = −0.31 p 0.012 q 0.96
BFR n=32 r=−0.36 p=0.046
HLRT n=33 r=−0.25 p=0.166
GOBP: Nucleoside Monophosphate Biosynthetic Process
vs rf_csa r = −0.31 p 0.013 q 0.96
BFR n=32 r=−0.36 p=0.046
HLRT n=33 r=−0.26 p=0.136
GOBP: Steroid Metabolic Process
vs rf_echo r = −0.31 p 0.013 q 1
BFR n=32 r=−0.32 p=0.072
HLRT n=33 r=−0.33 p=0.064
GOBP: Regulation Of Striated Muscle Contraction
vs vl_csa r = −0.31 p 0.013 q 0.89
BFR n=32 r=−0.09 p=0.639
HLRT n=33 r=−0.48 p=0.005
GOBP: Nutrient Storage
vs vl_echo r = −0.31 p 0.013 q 1
BFR n=32 r=−0.36 p=0.046
HLRT n=33 r=−0.30 p=0.085
GOBP: Positive Regulation Of Viral Process
vs vl_echo r = +0.31 p 0.013 q 1
BFR n=32 r=+0.04 p=0.848
HLRT n=33 r=+0.50 p=0.003
GOBP: Cellular Response To Xenobiotic Stimulus
vs rf_csa r = −0.31 p 0.013 q 0.96
BFR n=32 r=−0.40 p=0.022
HLRT n=33 r=−0.27 p=0.125
change in phenotype
change in set score, T2 − T1, one point per leg



BFR
HLRT
GOBP: Regulation Of Membrane Depolarization
vs rf_echo r = +0.31 p 0.014 q 1
BFR n=32 r=+0.03 p=0.859
HLRT n=33 r=+0.62 p=0.000
GOBP: Ribonucleoside Monophosphate Biosynthetic Process
vs rf_csa r = −0.31 p 0.014 q 0.96
BFR n=32 r=−0.35 p=0.052
HLRT n=33 r=−0.25 p=0.157
GOBP: Response To Bmp
vs rf_echo r = −0.31 p 0.014 q 1
BFR n=32 r=−0.13 p=0.482
HLRT n=33 r=−0.41 p=0.017
GOBP: Alcohol Metabolic Process
vs rf_echo r = −0.31 p 0.014 q 1
BFR n=32 r=−0.45 p=0.010
HLRT n=33 r=−0.29 p=0.102
GOBP: Cellular Response To Topologically Incorrect Protein
vs vl_csa r = −0.30 p 0.014 q 0.89
BFR n=32 r=−0.29 p=0.108
HLRT n=33 r=−0.33 p=0.059
GOBP: Regulation Of Protein Stability
vs rf_csa r = −0.30 p 0.014 q 0.96
BFR n=32 r=−0.26 p=0.153
HLRT n=33 r=−0.32 p=0.069
GOBP: Actin Polymerization Or Depolymerization
vs vl_csa r = −0.30 p 0.014 q 0.89
BFR n=32 r=−0.26 p=0.157
HLRT n=33 r=−0.40 p=0.023
GOBP: Regulation Of Lipid Metabolic Process
vs vl_echo r = −0.30 p 0.014 q 1
BFR n=32 r=−0.36 p=0.046
HLRT n=33 r=−0.29 p=0.107
GOBP: Negative Regulation Of Lipid Metabolic Process
vs vl_echo r = −0.30 p 0.015 q 1
BFR n=32 r=−0.44 p=0.013
HLRT n=33 r=−0.17 p=0.329
GOBP: Protein K48 Linked Ubiquitination
vs rf_csa r = −0.30 p 0.015 q 0.96
BFR n=32 r=−0.33 p=0.070
HLRT n=33 r=−0.24 p=0.170
GOBP: Regulation Of Actin Filament Length
vs vl_csa r = −0.30 p 0.015 q 0.89
BFR n=32 r=−0.18 p=0.336
HLRT n=33 r=−0.40 p=0.021
GOBP: Steroid Metabolic Process
vs vl_echo r = −0.30 p 0.015 q 1
BFR n=32 r=−0.29 p=0.105
HLRT n=33 r=−0.33 p=0.058
change in phenotype
change in set score, T2 − T1, one point per leg



BFR
HLRT
GOBP: Protein Stabilization
vs rf_csa r = −0.30 p 0.015 q 0.96
BFR n=32 r=−0.18 p=0.316
HLRT n=33 r=−0.36 p=0.041
GOBP: Heart Process
vs vl_csa r = −0.30 p 0.015 q 0.89
BFR n=32 r=−0.12 p=0.528
HLRT n=33 r=−0.46 p=0.007
GOBP: Embryo Implantation
vs vl_echo r = −0.30 p 0.015 q 1
BFR n=32 r=−0.24 p=0.178
HLRT n=33 r=−0.37 p=0.037
GOBP: Cardiac Muscle Cell Action Potential
vs vl_csa r = −0.30 p 0.016 q 0.89
BFR n=32 r=−0.15 p=0.405
HLRT n=33 r=−0.44 p=0.011
GOBP: Regulation Of mRNA Splicing Via Spliceosome
vs vl_echo r = −0.30 p 0.016 q 1
BFR n=32 r=−0.38 p=0.034
HLRT n=33 r=−0.23 p=0.199
GOBP: Nuclear Export
vs vl_echo r = −0.30 p 0.016 q 1
BFR n=32 r=−0.42 p=0.019
HLRT n=33 r=−0.19 p=0.284
GOBP: Regulation Of Cell Cycle Checkpoint
vs rf_echo r = −0.30 p 0.016 q 1
BFR n=32 r=−0.34 p=0.054
HLRT n=33 r=−0.20 p=0.264
GOBP: Modified Amino Acid Metabolic Process
vs vl_csa r = +0.30 p 0.016 q 0.89
BFR n=32 r=+0.24 p=0.186
HLRT n=33 r=+0.37 p=0.037
GOBP: Sister Chromatid Segregation
vs rf_echo r = +0.30 p 0.016 q 1
BFR n=32 r=+0.22 p=0.225
HLRT n=33 r=+0.32 p=0.068
GOBP: Protein Modification By Small Protein Removal
vs rf_csa r = −0.30 p 0.017 q 0.96
BFR n=32 r=−0.28 p=0.116
HLRT n=33 r=−0.22 p=0.225
GOBP: Regulation Of Release Of Sequestered Calcium Ion Into Cytosol
vs vl_csa r = −0.30 p 0.017 q 0.89
BFR n=32 r=−0.31 p=0.082
HLRT n=33 r=−0.27 p=0.129
GOBP: Mitochondrial Gene Expression
vs rf_csa r = +0.30 p 0.017 q 0.96
BFR n=32 r=+0.29 p=0.113
HLRT n=33 r=+0.27 p=0.129
change in phenotype
change in set score, T2 − T1, one point per leg



BFR
HLRT
GOBP: Modification Of Postsynaptic Structure
vs rf_csa r = −0.29 p 0.017 q 0.96
BFR n=32 r=−0.31 p=0.080
HLRT n=33 r=−0.24 p=0.174
GOBP: Imp Metabolic Process
vs rf_csa r = −0.29 p 0.017 q 0.96
BFR n=32 r=−0.34 p=0.056
HLRT n=33 r=−0.24 p=0.174
GOBP: Limbic System Development
vs rf_echo r = −0.29 p 0.018 q 1
BFR n=32 r=−0.43 p=0.014
HLRT n=33 r=−0.11 p=0.530
GOBP: Lymphocyte Mediated Immunity
vs vl_csa r = +0.29 p 0.018 q 0.89
BFR n=32 r=+0.17 p=0.354
HLRT n=33 r=+0.43 p=0.013
GOBP: Regulation Of Heart Contraction
vs vl_csa r = −0.29 p 0.018 q 0.89
BFR n=32 r=−0.17 p=0.362
HLRT n=33 r=−0.44 p=0.011
GOBP: Negative Regulation Of Protein Containing Complex Disassembly
vs vl_csa r = −0.29 p 0.018 q 0.89
BFR n=32 r=−0.09 p=0.614
HLRT n=33 r=−0.41 p=0.018
GOBP: DNA Integrity Checkpoint Signaling
vs rf_echo r = −0.29 p 0.018 q 1
BFR n=32 r=−0.41 p=0.020
HLRT n=33 r=−0.14 p=0.429
GOBP: Protein Polymerization
vs vl_csa r = −0.29 p 0.019 q 0.89
BFR n=32 r=−0.23 p=0.202
HLRT n=33 r=−0.37 p=0.037
GOBP: Response To Topologically Incorrect Protein
vs vl_csa r = −0.29 p 0.019 q 0.89
BFR n=32 r=−0.31 p=0.089
HLRT n=33 r=−0.27 p=0.136
GOBP: Neuron Projection Guidance
vs vl_csa r = −0.29 p 0.019 q 0.89
BFR n=32 r=−0.24 p=0.186
HLRT n=33 r=−0.36 p=0.040
GOBP: Negative Regulation Of Protein Catabolic Process
vs vl_echo r = +0.29 p 0.019 q 1
BFR n=32 r=+0.07 p=0.713
HLRT n=33 r=+0.49 p=0.004
GOBP: Synapse Assembly
vs vl_csa r = −0.29 p 0.02 q 0.92
BFR n=32 r=−0.44 p=0.013
HLRT n=33 r=−0.24 p=0.176
change in phenotype
change in set score, T2 − T1, one point per leg



BFR
HLRT
GOBP: Myeloid Cell Homeostasis
vs rf_echo r = +0.29 p 0.02 q 1
BFR n=32 r=+0.25 p=0.159
HLRT n=33 r=+0.32 p=0.068
GOBP: Regulation Of Bmp Signaling Pathway
vs rf_echo r = −0.29 p 0.021 q 1
BFR n=32 r=−0.02 p=0.913
HLRT n=33 r=−0.49 p=0.004
GOBP: Ribosomal Small Subunit Biogenesis
vs rf_echo r = +0.29 p 0.021 q 1
BFR n=32 r=+0.38 p=0.031
HLRT n=33 r=+0.20 p=0.255
GOBP: Erythrocyte Homeostasis
vs rf_echo r = +0.29 p 0.021 q 1
BFR n=32 r=+0.28 p=0.122
HLRT n=33 r=+0.24 p=0.177
GOBP: Smooth Muscle Contraction
vs vl_echo r = +0.29 p 0.021 q 1
BFR n=32 r=−0.01 p=0.970
HLRT n=33 r=+0.53 p=0.002
GOBP: Regulation Of Response To Cytokine Stimulus
vs rf_echo r = −0.29 p 0.021 q 1
BFR n=32 r=−0.41 p=0.022
HLRT n=33 r=−0.14 p=0.442
GOBP: Positive Regulation Of Lipid Metabolic Process
vs vl_echo r = −0.29 p 0.021 q 1
BFR n=32 r=−0.31 p=0.086
HLRT n=33 r=−0.30 p=0.087
GOBP: T Helper 17 Type Immune Response
vs vl_csa r = +0.29 p 0.021 q 0.93
BFR n=32 r=+0.21 p=0.256
HLRT n=33 r=+0.37 p=0.035
GOBP: Response To Calcium Ion
vs rf_echo r = +0.29 p 0.021 q 1
BFR n=32 r=+0.20 p=0.272
HLRT n=33 r=+0.43 p=0.012
GOBP: Adult Behavior
vs rf_csa r = −0.29 p 0.021 q 0.96
BFR n=32 r=−0.39 p=0.030
HLRT n=33 r=−0.19 p=0.279
GOBP: Spindle Assembly
vs rf_echo r = +0.29 p 0.022 q 1
BFR n=32 r=+0.18 p=0.312
HLRT n=33 r=+0.34 p=0.052
GOBP: Detection Of Abiotic Stimulus
vs rf_echo r = +0.28 p 0.022 q 1
BFR n=32 r=+0.27 p=0.130
HLRT n=33 r=+0.33 p=0.065
change in phenotype
change in set score, T2 − T1, one point per leg



BFR
HLRT
GOBP: Positive Regulation Of Lipid Localization
vs vl_echo r = −0.28 p 0.022 q 1
BFR n=32 r=−0.43 p=0.015
HLRT n=33 r=−0.18 p=0.321
GOBP: Mitochondrial Translation
vs rf_csa r = +0.28 p 0.022 q 0.96
BFR n=32 r=+0.26 p=0.154
HLRT n=33 r=+0.25 p=0.156
GOBP: Negative Regulation Of mRNA Metabolic Process
vs vl_echo r = −0.28 p 0.022 q 1
BFR n=32 r=−0.43 p=0.014
HLRT n=33 r=−0.15 p=0.407
GOBP: Adenylate Cyclase Activating G Protein Coupled Receptor Signaling Pathway
vs rf_echo r = −0.28 p 0.023 q 1
BFR n=32 r=−0.13 p=0.465
HLRT n=33 r=−0.39 p=0.026
GOBP: Negative Regulation Of Actin Filament Polymerization
vs vl_csa r = −0.28 p 0.024 q 0.95
BFR n=32 r=−0.09 p=0.627
HLRT n=33 r=−0.43 p=0.014
GOBP: Cellular Response To Peptide Hormone Stimulus
vs rf_csa r = −0.28 p 0.024 q 0.96
BFR n=32 r=−0.31 p=0.084
HLRT n=33 r=−0.21 p=0.245
GOBP: Regulation Of Actin Filament Organization
vs vl_csa r = −0.28 p 0.024 q 0.95
BFR n=32 r=−0.21 p=0.250
HLRT n=33 r=−0.33 p=0.059
GOBP: Tissue Migration
vs vl_csa r = −0.28 p 0.024 q 0.95
BFR n=32 r=−0.32 p=0.076
HLRT n=33 r=−0.29 p=0.107
GOBP: Negative Regulation Of Actin Filament Depolymerization
vs vl_csa r = −0.28 p 0.025 q 0.95
BFR n=32 r=−0.09 p=0.635
HLRT n=33 r=−0.42 p=0.016
GOBP: Mitotic Spindle Assembly
vs rf_echo r = +0.28 p 0.025 q 1
BFR n=32 r=+0.18 p=0.319
HLRT n=33 r=+0.30 p=0.094
GOBP: Negative Regulation Of Small Molecule Metabolic Process
vs vl_echo r = −0.28 p 0.026 q 1
BFR n=32 r=−0.22 p=0.230
HLRT n=33 r=−0.32 p=0.072
GOBP: Response To Interleukin 1
vs rf_csa r = −0.28 p 0.026 q 0.96
BFR n=32 r=−0.26 p=0.157
HLRT n=33 r=−0.32 p=0.069
change in phenotype
change in set score, T2 − T1, one point per leg



BFR
HLRT
GOBP: Regulation Of DNA Binding Transcription Factor Activity
vs rf_echo r = +0.28 p 0.026 q 1
BFR n=32 r=+0.12 p=0.499
HLRT n=33 r=+0.46 p=0.007
GOBP: Carbohydrate Derivative Catabolic Process
vs rf_csa r = −0.28 p 0.026 q 0.96
BFR n=32 r=−0.27 p=0.131
HLRT n=33 r=−0.30 p=0.085
GOBP: Positive Regulation Of Viral Process
vs rf_echo r = +0.28 p 0.027 q 1
BFR n=32 r=+0.12 p=0.494
HLRT n=33 r=+0.39 p=0.024
GOBP: Spliceosomal Complex Assembly
vs rf_csa r = +0.28 p 0.027 q 0.96
BFR n=32 r=+0.29 p=0.108
HLRT n=33 r=+0.26 p=0.140
GOBP: Regulation Of Transmembrane Transporter Activity
vs vl_csa r = −0.27 p 0.027 q 0.95
BFR n=32 r=−0.42 p=0.018
HLRT n=33 r=−0.10 p=0.574
GOBP: Multicellular Organismal Level Chemical Homeostasis
vs vl_echo r = −0.27 p 0.027 q 1
BFR n=32 r=−0.40 p=0.024
HLRT n=33 r=−0.21 p=0.230
GOBP: Organophosphate Catabolic Process
vs rf_csa r = −0.27 p 0.028 q 0.96
BFR n=32 r=−0.27 p=0.138
HLRT n=33 r=−0.23 p=0.194
GOBP: Sodium Ion Transport
vs vl_csa r = −0.27 p 0.028 q 0.95
BFR n=32 r=−0.15 p=0.421
HLRT n=33 r=−0.39 p=0.025
GOBP: Negative Regulation Of RNA Catabolic Process
vs vl_echo r = −0.27 p 0.028 q 1
BFR n=32 r=−0.30 p=0.100
HLRT n=33 r=−0.22 p=0.207
GOBP: Steroid Biosynthetic Process
vs vl_echo r = −0.27 p 0.028 q 1
BFR n=32 r=−0.24 p=0.188
HLRT n=33 r=−0.37 p=0.036
GOBP: Myoblast Differentiation
vs rf_csa r = −0.27 p 0.029 q 0.96
BFR n=32 r=−0.14 p=0.433
HLRT n=33 r=−0.41 p=0.019
GOBP: Peptide Metabolic Process
vs vl_echo r = +0.27 p 0.029 q 1
BFR n=32 r=−0.03 p=0.855
HLRT n=33 r=+0.44 p=0.010
change in phenotype
change in set score, T2 − T1, one point per leg



BFR
HLRT
GOBP: Action Potential
vs vl_csa r = −0.27 p 0.029 q 0.95
BFR n=32 r=−0.19 p=0.305
HLRT n=33 r=−0.36 p=0.039
GOBP: Nucleoside Metabolic Process
vs rf_csa r = −0.27 p 0.03 q 0.96
BFR n=32 r=−0.43 p=0.015
HLRT n=33 r=−0.07 p=0.707
GOBP: Response To Tumor Necrosis Factor
vs vl_csa r = −0.27 p 0.031 q 0.95
BFR n=32 r=−0.31 p=0.084
HLRT n=33 r=−0.24 p=0.179
GOBP: Positive Regulation Of Transmembrane Receptor Protein Serine Threonine Kinase Signaling Pathway
vs vl_csa r = −0.27 p 0.031 q 0.95
BFR n=32 r=−0.25 p=0.176
HLRT n=33 r=−0.34 p=0.056
GOBP: Neuron Projection Organization
vs vl_csa r = −0.27 p 0.031 q 0.95
BFR n=32 r=−0.32 p=0.079
HLRT n=33 r=−0.29 p=0.098
GOBP: Regulation Of mRNA Processing
vs vl_echo r = −0.27 p 0.032 q 1
BFR n=32 r=−0.38 p=0.033
HLRT n=33 r=−0.19 p=0.280
GOBP: Regulation Of RNA Splicing
vs vl_echo r = −0.27 p 0.033 q 1
BFR n=32 r=−0.40 p=0.024
HLRT n=33 r=−0.11 p=0.555
GOBP: mRNA Transport
vs vl_echo r = −0.27 p 0.033 q 1
BFR n=32 r=−0.26 p=0.150
HLRT n=33 r=−0.23 p=0.197
GOBP: Purine Nucleoside Monophosphate Metabolic Process
vs rf_csa r = −0.26 p 0.033 q 0.96
BFR n=32 r=−0.42 p=0.019
HLRT n=33 r=−0.12 p=0.489
GOBP: Regulation Of Blood Circulation
vs vl_csa r = −0.26 p 0.034 q 0.95
BFR n=32 r=−0.14 p=0.442
HLRT n=33 r=−0.39 p=0.025
GOBP: Xenobiotic Metabolic Process
vs rf_csa r = −0.26 p 0.034 q 0.96
BFR n=32 r=−0.43 p=0.014
HLRT n=33 r=−0.11 p=0.550
GOBP: Negative Regulation Of Proteolysis
vs vl_csa r = −0.26 p 0.034 q 0.95
BFR n=32 r=−0.18 p=0.334
HLRT n=33 r=−0.34 p=0.057
change in phenotype
change in set score, T2 − T1, one point per leg



BFR
HLRT
GOBP: Regulation Of Oxidative Stress Induced Intrinsic Apoptotic Signaling Pathway
vs rf_echo r = +0.26 p 0.034 q 1
BFR n=32 r=+0.24 p=0.180
HLRT n=33 r=+0.30 p=0.095
GOBP: Adult Locomotory Behavior
vs rf_csa r = −0.26 p 0.034 q 0.96
BFR n=32 r=−0.24 p=0.184
HLRT n=33 r=−0.27 p=0.130
GOBP: Cellular Response To Unfolded Protein
vs vl_csa r = −0.26 p 0.034 q 0.95
BFR n=32 r=−0.31 p=0.089
HLRT n=33 r=−0.24 p=0.169
GOBP: CD8 Positive Alpha Beta T Cell Activation
vs rf_csa r = −0.26 p 0.035 q 0.96
BFR n=32 r=−0.45 p=0.011
HLRT n=33 r=−0.19 p=0.300
GOBP: Actin Filament Depolymerization
vs vl_csa r = −0.26 p 0.035 q 0.95
BFR n=32 r=−0.09 p=0.622
HLRT n=33 r=−0.39 p=0.025
GOBP: Fibroblast Migration
vs vl_csa r = −0.26 p 0.035 q 0.95
BFR n=32 r=−0.20 p=0.266
HLRT n=33 r=−0.39 p=0.025
GOBP: Negative Regulation Of Oxidative Stress Induced Intrinsic Apoptotic Signaling Pathway
vs rf_echo r = +0.26 p 0.035 q 1
BFR n=32 r=+0.12 p=0.521
HLRT n=33 r=+0.40 p=0.023
GOBP: Adaptive Immune Response Based On Somatic Recombination Of Immune Receptors Built From Immunoglobulin Superfamily Domains
vs vl_csa r = +0.26 p 0.035 q 0.95
BFR n=32 r=+0.09 p=0.632
HLRT n=33 r=+0.41 p=0.020
GOBP: Regulation Of Viral Process
vs vl_echo r = +0.26 p 0.036 q 1
BFR n=32 r=+0.05 p=0.774
HLRT n=33 r=+0.43 p=0.014
GOBP: Lipid Droplet Organization
vs rf_csa r = −0.26 p 0.036 q 0.96
BFR n=32 r=−0.29 p=0.107
HLRT n=33 r=−0.21 p=0.240
GOBP: Positive Regulation Of WNT Signaling Pathway
vs vl_csa r = −0.26 p 0.036 q 0.95
BFR n=32 r=−0.42 p=0.017
HLRT n=33 r=−0.08 p=0.639
GOBP: Amp Metabolic Process
vs rf_csa r = −0.26 p 0.036 q 0.96
BFR n=32 r=−0.36 p=0.044
HLRT n=33 r=−0.18 p=0.326
change in phenotype
change in set score, T2 − T1, one point per leg



BFR
HLRT
GOBP: Positive Regulation Of Canonical WNT Signaling Pathway
vs rf_csa r = −0.26 p 0.037 q 0.96
BFR n=32 r=−0.24 p=0.192
HLRT n=33 r=−0.26 p=0.151
GOBP: Regulation Of Protein Depolymerization
vs vl_csa r = −0.26 p 0.037 q 0.95
BFR n=32 r=−0.08 p=0.645
HLRT n=33 r=−0.40 p=0.023
GOBP: Negative Regulation Of Proteolysis
vs vl_echo r = +0.26 p 0.037 q 1
BFR n=32 r=−0.13 p=0.472
HLRT n=33 r=+0.59 p=0.000
GOBP: Lipoprotein Metabolic Process
vs rf_csa r = −0.26 p 0.037 q 0.96
BFR n=32 r=−0.30 p=0.095
HLRT n=33 r=−0.24 p=0.171
GOBP: Lamellipodium Assembly
vs rf_csa r = −0.26 p 0.038 q 0.96
BFR n=32 r=−0.26 p=0.145
HLRT n=33 r=−0.16 p=0.375
GOBP: Response To Activity
vs rf_csa r = −0.26 p 0.038 q 0.96
BFR n=32 r=−0.26 p=0.145
HLRT n=33 r=−0.22 p=0.228
GOBP: Release Of Cytochrome C From Mitochondria
vs rf_echo r = −0.26 p 0.038 q 1
BFR n=32 r=−0.31 p=0.087
HLRT n=33 r=−0.25 p=0.161
GOBP: Amino Acid Activation
vs vl_csa r = +0.26 p 0.039 q 0.95
BFR n=32 r=+0.25 p=0.161
HLRT n=33 r=+0.31 p=0.082
GOBP: Regulation Of Actin Filament Based Process
vs vl_csa r = −0.26 p 0.039 q 0.95
BFR n=32 r=−0.21 p=0.242
HLRT n=33 r=−0.33 p=0.060
GOBP: Response To Tumor Necrosis Factor
vs rf_csa r = −0.26 p 0.039 q 0.96
BFR n=32 r=−0.30 p=0.098
HLRT n=33 r=−0.24 p=0.178
GOBP: Cellular Response To Alcohol
vs vl_echo r = −0.26 p 0.039 q 1
BFR n=32 r=−0.54 p=0.002
HLRT n=33 r=+0.03 p=0.862
GOBP: Ribonucleotide Catabolic Process
vs rf_csa r = −0.26 p 0.039 q 0.96
BFR n=32 r=−0.24 p=0.183
HLRT n=33 r=−0.26 p=0.150
change in phenotype
change in set score, T2 − T1, one point per leg



BFR
HLRT
GOBP: Regulation Of Cytokinesis
vs rf_csa r = −0.26 p 0.039 q 0.96
BFR n=32 r=−0.34 p=0.061
HLRT n=33 r=−0.12 p=0.505
GOBP: Response To Starvation
vs rf_csa r = −0.26 p 0.039 q 0.96
BFR n=32 r=−0.22 p=0.233
HLRT n=33 r=−0.24 p=0.174
GOBP: Response To Estradiol
vs vl_echo r = +0.26 p 0.04 q 1
BFR n=32 r=+0.15 p=0.416
HLRT n=33 r=+0.37 p=0.037
GOBP: Cellular Response To Ketone
vs rf_echo r = −0.26 p 0.04 q 1
BFR n=32 r=−0.29 p=0.110
HLRT n=33 r=−0.23 p=0.198
GOBP: Regulation Of Potassium Ion Transport
vs rf_echo r = +0.26 p 0.04 q 1
BFR n=32 r=+0.27 p=0.132
HLRT n=33 r=+0.35 p=0.044
GOBP: Regulation Of Cell Cycle Phase Transition
vs vl_csa r = +0.26 p 0.04 q 0.95
BFR n=32 r=+0.26 p=0.143
HLRT n=33 r=+0.27 p=0.130
GOBP: Positive Regulation Of Lipid Transport
vs rf_csa r = +0.26 p 0.041 q 0.96
BFR n=32 r=+0.21 p=0.243
HLRT n=33 r=+0.31 p=0.075
GOBP: Neural Crest Cell Differentiation
vs vl_echo r = +0.26 p 0.041 q 1
BFR n=32 r=+0.32 p=0.078
HLRT n=33 r=+0.27 p=0.126
GOBP: Regulation Of Receptor Internalization
vs vl_csa r = −0.25 p 0.041 q 0.95
BFR n=32 r=−0.36 p=0.045
HLRT n=33 r=−0.19 p=0.284
GOBP: Regulation Of Vacuole Organization
vs rf_csa r = −0.25 p 0.041 q 0.96
BFR n=32 r=−0.25 p=0.167
HLRT n=33 r=−0.21 p=0.242
GOBP: Nucleoside Phosphate Catabolic Process
vs rf_csa r = −0.25 p 0.041 q 0.96
BFR n=32 r=−0.27 p=0.129
HLRT n=33 r=−0.25 p=0.167
GOBP: Regulation Of Muscle Contraction
vs vl_csa r = −0.25 p 0.042 q 0.95
BFR n=32 r=−0.04 p=0.833
HLRT n=33 r=−0.44 p=0.012
change in phenotype
change in set score, T2 − T1, one point per leg



BFR
HLRT
GOBP: Cardiac Muscle Cell Contraction
vs vl_csa r = −0.25 p 0.042 q 0.95
BFR n=32 r=−0.11 p=0.545
HLRT n=33 r=−0.44 p=0.012
GOBP: Intrinsic Apoptotic Signaling Pathway In Response To Oxidative Stress
vs rf_echo r = +0.25 p 0.042 q 1
BFR n=32 r=+0.18 p=0.317
HLRT n=33 r=+0.30 p=0.088
GOBP: Regulation Of Autophagosome Assembly
vs rf_csa r = −0.25 p 0.042 q 0.96
BFR n=32 r=−0.26 p=0.148
HLRT n=33 r=−0.22 p=0.217
GOBP: Homeostasis Of Number Of Cells
vs rf_echo r = +0.25 p 0.043 q 1
BFR n=32 r=+0.12 p=0.526
HLRT n=33 r=+0.41 p=0.020
GOBP: Regulation Of Translation
vs vl_echo r = −0.25 p 0.043 q 1
BFR n=32 r=−0.17 p=0.339
HLRT n=33 r=−0.29 p=0.097
GOBP: Regulation Of Inflammatory Response
vs vl_echo r = +0.25 p 0.043 q 1
BFR n=32 r=+0.16 p=0.394
HLRT n=33 r=+0.36 p=0.043
GOBP: Cardiac Muscle Contraction
vs vl_csa r = −0.25 p 0.043 q 0.95
BFR n=32 r=−0.03 p=0.850
HLRT n=33 r=−0.44 p=0.012
GOBP: Mesoderm Development
vs vl_echo r = −0.25 p 0.043 q 1
BFR n=32 r=−0.38 p=0.032
HLRT n=33 r=−0.17 p=0.352
GOBP: Glucose Catabolic Process
vs rf_csa r = −0.25 p 0.043 q 0.96
BFR n=32 r=−0.22 p=0.232
HLRT n=33 r=−0.21 p=0.235
GOBP: Regulation Of Monoatomic Ion Transmembrane Transport
vs rf_csa r = −0.25 p 0.043 q 0.96
BFR n=32 r=−0.36 p=0.044
HLRT n=33 r=−0.13 p=0.468
GOBP: Positive Regulation Of Telomere Maintenance
vs rf_csa r = −0.25 p 0.043 q 0.96
BFR n=32 r=−0.15 p=0.427
HLRT n=33 r=−0.30 p=0.086
GOBP: Striated Muscle Cell Differentiation
vs vl_csa r = −0.25 p 0.043 q 0.95
BFR n=32 r=−0.06 p=0.761
HLRT n=33 r=−0.46 p=0.007
change in phenotype
change in set score, T2 − T1, one point per leg



BFR
HLRT
GOBP: Muscle Cell Differentiation
vs vl_csa r = −0.25 p 0.043 q 0.95
BFR n=32 r=−0.05 p=0.784
HLRT n=33 r=−0.43 p=0.014
GOBP: Prostanoid Metabolic Process
vs vl_csa r = +0.25 p 0.044 q 0.95
BFR n=32 r=−0.05 p=0.780
HLRT n=33 r=+0.52 p=0.002
GOBP: Amino Acid Metabolic Process
vs vl_csa r = +0.25 p 0.044 q 0.95
BFR n=32 r=+0.13 p=0.477
HLRT n=33 r=+0.44 p=0.011
GOBP: Cell Communication Involved In Cardiac Conduction
vs vl_csa r = −0.25 p 0.044 q 0.95
BFR n=32 r=−0.23 p=0.208
HLRT n=33 r=−0.28 p=0.120
GOBP: Monosaccharide Metabolic Process
vs vl_echo r = +0.25 p 0.045 q 1
BFR n=32 r=+0.21 p=0.248
HLRT n=33 r=+0.22 p=0.224
GOBP: Regulation Of Cardiac Muscle Contraction By Calcium Ion Signaling
vs vl_csa r = −0.25 p 0.045 q 0.95
BFR n=32 r=−0.16 p=0.387
HLRT n=33 r=−0.29 p=0.102
GOBP: Protein Depolymerization
vs vl_csa r = −0.25 p 0.045 q 0.95
BFR n=32 r=−0.09 p=0.635
HLRT n=33 r=−0.39 p=0.028
GOBP: Endoplasmic Reticulum Organization
vs vl_csa r = −0.25 p 0.046 q 0.95
BFR n=32 r=−0.20 p=0.274
HLRT n=33 r=−0.30 p=0.087
GOBP: Response To Topologically Incorrect Protein
vs rf_csa r = −0.25 p 0.046 q 0.96
BFR n=32 r=−0.19 p=0.307
HLRT n=33 r=−0.24 p=0.173
GOBP: Membraneless Organelle Assembly
vs rf_echo r = +0.25 p 0.046 q 1
BFR n=32 r=+0.41 p=0.021
HLRT n=33 r=+0.10 p=0.579
GOBP: Cellular Response To Heat
vs vl_echo r = −0.25 p 0.046 q 1
BFR n=32 r=−0.14 p=0.442
HLRT n=33 r=−0.32 p=0.067
GOBP: Unsaturated Fatty Acid Metabolic Process
vs rf_echo r = −0.25 p 0.046 q 1
BFR n=32 r=−0.39 p=0.030
HLRT n=33 r=−0.12 p=0.499
change in phenotype
change in set score, T2 − T1, one point per leg



BFR
HLRT
GOBP: Lipid Localization
vs vl_csa r = +0.25 p 0.046 q 0.95
BFR n=32 r=+0.01 p=0.969
HLRT n=33 r=+0.47 p=0.006
GOBP: Extrinsic Apoptotic Signaling Pathway
vs vl_echo r = −0.25 p 0.046 q 1
BFR n=32 r=−0.24 p=0.183
HLRT n=33 r=−0.30 p=0.089
GOBP: Glycolytic Process Through Glucose 6 Phosphate
vs rf_csa r = −0.25 p 0.047 q 0.96
BFR n=32 r=−0.30 p=0.099
HLRT n=33 r=−0.20 p=0.274
GOBP: Cell Substrate Junction Organization
vs vl_csa r = −0.25 p 0.047 q 0.95
BFR n=32 r=−0.20 p=0.262
HLRT n=33 r=−0.37 p=0.037
GOBP: Regulation Of Reactive Oxygen Species Metabolic Process
vs rf_echo r = −0.25 p 0.047 q 1
BFR n=32 r=−0.21 p=0.253
HLRT n=33 r=−0.33 p=0.065
GOBP: Protein Polyubiquitination
vs rf_csa r = −0.25 p 0.047 q 0.96
BFR n=32 r=−0.34 p=0.058
HLRT n=33 r=−0.12 p=0.519
GOBP: Modification Of Synaptic Structure
vs vl_csa r = −0.25 p 0.048 q 0.95
BFR n=32 r=−0.28 p=0.120
HLRT n=33 r=−0.25 p=0.154
GOBP: Negative Regulation Of mRNA Catabolic Process
vs vl_echo r = −0.25 p 0.048 q 1
BFR n=32 r=−0.27 p=0.134
HLRT n=33 r=−0.21 p=0.230
GOBP: Actin Mediated Cell Contraction
vs rf_echo r = +0.25 p 0.048 q 1
BFR n=32 r=+0.27 p=0.135
HLRT n=33 r=+0.19 p=0.295
GOBP: Positive Regulation Of Lipid Transport
vs vl_csa r = +0.25 p 0.048 q 0.95
BFR n=32 r=+0.14 p=0.443
HLRT n=33 r=+0.36 p=0.041
GOBP: Apoptotic Mitochondrial Changes
vs rf_echo r = −0.25 p 0.048 q 1
BFR n=32 r=−0.20 p=0.264
HLRT n=33 r=−0.28 p=0.108
GOBP: Muscle Contraction
vs vl_csa r = −0.25 p 0.049 q 0.95
BFR n=32 r=−0.01 p=0.974
HLRT n=33 r=−0.54 p=0.002
change in phenotype
change in set score, T2 − T1, one point per leg



BFR
HLRT
GOBP: Regulation Of Actomyosin Structure Organization
vs vl_csa r = −0.25 p 0.049 q 0.95
BFR n=32 r=−0.21 p=0.256
HLRT n=33 r=−0.28 p=0.119
GOBP: Tube Formation
vs rf_csa r = −0.24 p 0.049 q 0.96
BFR n=32 r=−0.20 p=0.274
HLRT n=33 r=−0.27 p=0.135
GOBP: Lamellipodium Organization
vs rf_csa r = −0.24 p 0.05 q 0.96
BFR n=32 r=−0.31 p=0.090
HLRT n=33 r=−0.23 p=0.199
GOBP: Response To Estradiol
vs rf_csa r = −0.24 p 0.05 q 0.96
BFR n=32 r=−0.22 p=0.215
HLRT n=33 r=−0.28 p=0.116
change in phenotype
change in set score, T2 − T1, one point per leg



BFR − HLRT
GOBP: Prostanoid Metabolic Process
vs rf_echo r = −0.66 p 6e−05 q 0.081
GOBP: Negative Regulation Of Cytoskeleton Organization
vs rf_echo r = +0.57 p 0.00082 q 0.49
GOBP: Negative Regulation Of Supramolecular Fiber Organization
vs rf_echo r = +0.55 p 0.0014 q 0.49
GOBP: Regulation Of Membrane Depolarization
vs rf_echo r = +0.55 p 0.0014 q 0.49
GOBP: Chromosome Localization
vs rf_csa r = +0.54 p 0.0015 q 1
GOBP: Positive Regulation Of Reactive Oxygen Species Metabolic Process
vs vl_echo r = −0.54 p 0.0015 q 0.96
GOBP: Response To Endoplasmic Reticulum Stress
vs rf_csa r = −0.53 p 0.0022 q 1
GOBP: Negative Regulation Of Small Molecule Metabolic Process
vs vl_echo r = −0.52 p 0.0025 q 0.96
GOBP: Response To Carbohydrate
vs vl_csa r = −0.52 p 0.0026 q 1
GOBP: Unsaturated Fatty Acid Metabolic Process
vs rf_echo r = −0.52 p 0.0026 q 0.7
GOBP: Response To Alcohol
vs vl_echo r = −0.51 p 0.003 q 0.96
GOBP: Response To Activity
vs rf_echo r = +0.51 p 0.0031 q 0.71
change in phenotype, BFR minus HLRT
change in set score, T2 − T1, BFR minus HLRT, one point per participant



BFR − HLRT
GOBP: Response To Monosaccharide
vs vl_csa r = −0.51 p 0.0032 q 1
GOBP: Rescue Of Stalled Ribosome
vs vl_echo r = +0.50 p 0.0038 q 0.96
GOBP: Peptide Transport
vs rf_csa r = −0.50 p 0.004 q 1
GOBP: Positive Regulation Of Lipid Localization
vs vl_echo r = −0.50 p 0.0042 q 0.96
GOBP: Negative Regulation Of Organelle Organization
vs rf_echo r = +0.48 p 0.0055 q 0.87
GOBP: Regulation Of Steroid Biosynthetic Process
vs vl_echo r = −0.48 p 0.0058 q 0.96
GOBP: Dephosphorylation
vs rf_echo r = −0.48 p 0.006 q 0.87
GOBP: Long Term Synaptic Potentiation
vs vl_echo r = +0.48 p 0.0064 q 0.96
GOBP: Membrane Lipid Biosynthetic Process
vs rf_echo r = +0.48 p 0.0065 q 0.87
GOBP: Positive Regulation Of Synaptic Transmission
vs vl_echo r = +0.47 p 0.0066 q 0.96
GOBP: Regulation Of Lipid Biosynthetic Process
vs vl_echo r = −0.47 p 0.0068 q 0.96
GOBP: Hippocampus Development
vs rf_echo r = −0.47 p 0.0071 q 0.87
change in phenotype, BFR minus HLRT
change in set score, T2 − T1, BFR minus HLRT, one point per participant



BFR − HLRT
GOBP: Negative Regulation Of Neuron Projection Development
vs rf_echo r = −0.47 p 0.0072 q 0.87
GOBP: Regulation Of Steroid Metabolic Process
vs vl_echo r = −0.47 p 0.0077 q 0.96
GOBP: Negative Regulation Of Phosphorus Metabolic Process
vs vl_echo r = −0.47 p 0.0078 q 0.96
GOBP: Ribonucleotide Catabolic Process
vs rf_echo r = +0.46 p 0.0081 q 0.87
GOBP: Focal Adhesion Assembly
vs rf_echo r = +0.46 p 0.0083 q 0.87
GOBP: Intrinsic Apoptotic Signaling Pathway
vs rf_csa r = −0.46 p 0.0084 q 1
GOBP: Protein Processing
vs rf_csa r = −0.46 p 0.0087 q 1
GOBP: Steroid Metabolic Process
vs vl_echo r = −0.46 p 0.0094 q 0.96
GOBP: Cell Cycle G2 M Phase Transition
vs rf_csa r = +0.45 p 0.01 q 1
GOBP: Regulation Of Protein Maturation
vs rf_csa r = −0.45 p 0.011 q 1
GOBP: Glycolytic Process Through Glucose 6 Phosphate
vs vl_echo r = +0.45 p 0.011 q 0.96
GOBP: Regulation Of Protein Stability
vs vl_csa r = −0.45 p 0.011 q 1
change in phenotype, BFR minus HLRT
change in set score, T2 − T1, BFR minus HLRT, one point per participant



BFR − HLRT
GOBP: Carbohydrate Homeostasis
vs rf_echo r = +0.44 p 0.011 q 1
GOBP: Regulation Of Small Molecule Metabolic Process
vs vl_echo r = −0.44 p 0.012 q 0.96
GOBP: Hormone Transport
vs rf_csa r = −0.44 p 0.012 q 1
GOBP: Regulation Of Nitric Oxide Metabolic Process
vs vl_echo r = −0.44 p 0.012 q 0.96
GOBP: Icosanoid Metabolic Process
vs rf_echo r = −0.44 p 0.012 q 1
GOBP: Negative Regulation Of Protein Localization
vs rf_csa r = −0.44 p 0.012 q 1
GOBP: Response To Carbohydrate
vs rf_echo r = +0.44 p 0.012 q 1
GOBP: Cellular Response To Osmotic Stress
vs rf_csa r = −0.44 p 0.013 q 1
GOBP: Membrane Lipid Metabolic Process
vs rf_echo r = +0.44 p 0.013 q 1
GOBP: Nadplus Metabolic Process
vs vl_echo r = −0.44 p 0.013 q 0.96
GOBP: Neuromuscular Junction Development
vs rf_csa r = +0.44 p 0.013 q 1
GOBP: Amide Transport
vs rf_csa r = −0.43 p 0.014 q 1
change in phenotype, BFR minus HLRT
change in set score, T2 − T1, BFR minus HLRT, one point per participant



BFR − HLRT
GOBP: Regulation Of Epithelial Cell Proliferation
vs rf_csa r = +0.43 p 0.014 q 1
GOBP: Regulation Of Supramolecular Fiber Organization
vs rf_echo r = +0.43 p 0.014 q 1
GOBP: Response To Purine Containing Compound
vs rf_csa r = −0.43 p 0.014 q 1
GOBP: Membrane Lipid Biosynthetic Process
vs vl_csa r = −0.43 p 0.014 q 1
GOBP: Reactive Oxygen Species Metabolic Process
vs vl_echo r = −0.43 p 0.014 q 0.96
GOBP: Regulation Of Plasma Lipoprotein Particle Levels
vs vl_echo r = −0.43 p 0.015 q 0.96
GOBP: Metaphase Chromosome Alignment
vs rf_csa r = +0.43 p 0.015 q 1
GOBP: Monosaccharide Catabolic Process
vs rf_echo r = +0.43 p 0.015 q 1
GOBP: Neutrophil Migration
vs vl_echo r = −0.43 p 0.015 q 0.96
GOBP: Cardiac Muscle Cell Contraction
vs vl_csa r = −0.43 p 0.016 q 1
GOBP: Ribosome Disassembly
vs vl_echo r = +0.42 p 0.016 q 0.96
GOBP: Sterol Transport
vs vl_echo r = −0.42 p 0.016 q 0.96
change in phenotype, BFR minus HLRT
change in set score, T2 − T1, BFR minus HLRT, one point per participant



BFR − HLRT
GOBP: Regulation Of Lipid Localization
vs vl_echo r = −0.42 p 0.016 q 0.96
GOBP: Regulation Of Circadian Rhythm
vs rf_csa r = −0.42 p 0.016 q 1
GOBP: Nuclear Chromosome Segregation
vs rf_echo r = +0.42 p 0.017 q 1
GOBP: Cellular Response To Biotic Stimulus
vs vl_echo r = −0.42 p 0.017 q 0.96
GOBP: Nutrient Storage
vs vl_echo r = −0.42 p 0.017 q 0.96
GOBP: Circadian Rhythm
vs rf_csa r = −0.42 p 0.017 q 1
GOBP: Mesoderm Development
vs vl_echo r = −0.42 p 0.018 q 0.96
GOBP: Protein Transmembrane Transport
vs rf_csa r = −0.42 p 0.018 q 1
GOBP: Membrane Depolarization
vs rf_echo r = +0.42 p 0.018 q 1
GOBP: Regulation Of Non Canonical Nf Kappab Signal Transduction
vs rf_csa r = +0.42 p 0.019 q 1
GOBP: Olefinic Compound Metabolic Process
vs vl_echo r = −0.41 p 0.019 q 0.96
GOBP: Regulation Of Lipid Metabolic Process
vs vl_echo r = −0.41 p 0.019 q 0.96
change in phenotype, BFR minus HLRT
change in set score, T2 − T1, BFR minus HLRT, one point per participant



BFR − HLRT
GOBP: Viral Budding
vs vl_csa r = +0.41 p 0.02 q 1
GOBP: Regulation Of Actomyosin Structure Organization
vs rf_echo r = +0.41 p 0.02 q 1
GOBP: Response To Monosaccharide
vs rf_echo r = +0.41 p 0.02 q 1
GOBP: Mitotic Metaphase Chromosome Alignment
vs rf_csa r = +0.41 p 0.02 q 1
GOBP: Regulation Of Reactive Oxygen Species Metabolic Process
vs vl_echo r = −0.41 p 0.021 q 0.96
GOBP: Blastocyst Development
vs rf_csa r = −0.41 p 0.021 q 1
GOBP: Response To Starvation
vs vl_csa r = −0.41 p 0.021 q 1
GOBP: Intrinsic Apoptotic Signaling Pathway By p53 Class Mediator
vs rf_csa r = −0.41 p 0.021 q 1
GOBP: Fatty Acid Metabolic Process
vs vl_echo r = −0.41 p 0.021 q 0.96
GOBP: Sphingolipid Metabolic Process
vs rf_echo r = +0.41 p 0.021 q 1
GOBP: Regulation Of Response To Endoplasmic Reticulum Stress
vs rf_csa r = −0.41 p 0.022 q 1
GOBP: Regulation Of Rho Protein Signal Transduction
vs rf_echo r = +0.41 p 0.022 q 1
change in phenotype, BFR minus HLRT
change in set score, T2 − T1, BFR minus HLRT, one point per participant



BFR − HLRT
GOBP: Virion Assembly
vs vl_csa r = +0.41 p 0.022 q 1
GOBP: Response To Mechanical Stimulus
vs vl_csa r = −0.40 p 0.023 q 1
GOBP: Cellular Response To Alcohol
vs vl_echo r = −0.40 p 0.023 q 0.96
GOBP: Morphogenesis Of Embryonic Epithelium
vs rf_echo r = −0.40 p 0.023 q 1
GOBP: Modification Of Postsynaptic Structure
vs rf_echo r = +0.40 p 0.024 q 1
GOBP: Stress Fiber Assembly
vs rf_echo r = +0.40 p 0.025 q 1
GOBP: Non Canonical Nf Kappab Signal Transduction
vs rf_csa r = +0.40 p 0.025 q 1
GOBP: Positive Regulation Of Mitotic Cell Cycle
vs vl_echo r = +0.40 p 0.025 q 0.96
GOBP: T Helper 17 Type Immune Response
vs rf_csa r = −0.40 p 0.025 q 1
GOBP: Negative Regulation Of Extrinsic Apoptotic Signaling Pathway
vs rf_echo r = +0.40 p 0.025 q 1
GOBP: Heterochromatin Organization
vs rf_csa r = +0.40 p 0.026 q 1
GOBP: Embryonic Epithelial Tube Formation
vs rf_echo r = −0.40 p 0.026 q 1
change in phenotype, BFR minus HLRT
change in set score, T2 − T1, BFR minus HLRT, one point per participant



BFR − HLRT
GOBP: Membrane Biogenesis
vs rf_csa r = +0.40 p 0.026 q 1
GOBP: Muscle Hypertrophy
vs rf_echo r = +0.39 p 0.026 q 1
GOBP: Regulation Of Actin Filament Organization
vs rf_echo r = +0.39 p 0.026 q 1
GOBP: Regulation Of Amide Metabolic Process
vs vl_csa r = −0.39 p 0.027 q 1
GOBP: Glucose Catabolic Process
vs rf_echo r = +0.39 p 0.027 q 1
GOBP: Positive Regulation Of Endothelial Cell Migration
vs vl_csa r = −0.39 p 0.027 q 1
GOBP: Regulation Of Synaptic Plasticity
vs vl_echo r = +0.39 p 0.027 q 0.96
GOBP: Regulation Of Monoatomic Ion Transmembrane Transport
vs vl_csa r = −0.39 p 0.028 q 1
GOBP: Response To Purine Containing Compound
vs vl_csa r = −0.39 p 0.028 q 1
GOBP: Actin Filament Based Movement
vs vl_echo r = +0.39 p 0.029 q 0.96
GOBP: Rhythmic Process
vs rf_csa r = −0.39 p 0.029 q 1
GOBP: Blood Vessel Endothelial Cell Migration
vs vl_echo r = −0.39 p 0.029 q 0.96
change in phenotype, BFR minus HLRT
change in set score, T2 − T1, BFR minus HLRT, one point per participant



BFR − HLRT
GOBP: Negative Regulation Of Locomotion
vs vl_echo r = −0.39 p 0.029 q 0.96
GOBP: Striated Muscle Adaptation
vs rf_echo r = +0.39 p 0.029 q 1
GOBP: Positive Regulation Of Intrinsic Apoptotic Signaling Pathway
vs vl_csa r = −0.39 p 0.029 q 1
GOBP: Positive Regulation Of Proteasomal Protein Catabolic Process
vs rf_csa r = −0.39 p 0.029 q 1
GOBP: Positive Regulation Of Leukocyte Chemotaxis
vs vl_echo r = −0.39 p 0.03 q 0.96
GOBP: Cardiac Chamber Morphogenesis
vs vl_echo r = +0.39 p 0.03 q 0.96
GOBP: Cardiac Muscle Tissue Morphogenesis
vs vl_echo r = +0.39 p 0.03 q 0.96
GOBP: Glycolytic Process Through Fructose 6 Phosphate
vs vl_echo r = +0.39 p 0.03 q 0.96
GOBP: Protein Depolymerization
vs rf_echo r = +0.38 p 0.031 q 1
GOBP: Membrane Lipid Metabolic Process
vs vl_csa r = −0.38 p 0.031 q 1
GOBP: Response To Hydrogen Peroxide
vs vl_csa r = −0.38 p 0.031 q 1
GOBP: Regulation Of G Protein Coupled Receptor Signaling Pathway
vs vl_echo r = −0.38 p 0.032 q 0.96
change in phenotype, BFR minus HLRT
change in set score, T2 − T1, BFR minus HLRT, one point per participant



BFR − HLRT
GOBP: Monocarboxylic Acid Biosynthetic Process
vs vl_echo r = −0.38 p 0.032 q 0.96
GOBP: Actin Filament Organization
vs rf_echo r = +0.38 p 0.033 q 1
GOBP: Regulation Of Ketone Metabolic Process
vs vl_echo r = −0.38 p 0.033 q 0.96
GOBP: Cell Substrate Junction Organization
vs rf_echo r = +0.38 p 0.033 q 1
GOBP: Epithelial Cell Proliferation
vs rf_csa r = +0.38 p 0.033 q 1
GOBP: Purine Nucleoside Monophosphate Metabolic Process
vs rf_csa r = −0.38 p 0.033 q 1
GOBP: Regulation Of Transmembrane Transporter Activity
vs vl_csa r = −0.38 p 0.033 q 1
GOBP: Positive Regulation Of Lipid Transport
vs vl_echo r = −0.38 p 0.033 q 0.96
GOBP: Regulation Of Monoatomic Ion Transport
vs vl_csa r = −0.38 p 0.034 q 1
GOBP: Response To Ketone
vs rf_echo r = −0.38 p 0.034 q 1
GOBP: Protein Import Into Mitochondrial Matrix
vs rf_csa r = −0.38 p 0.034 q 1
GOBP: Negative Regulation Of Cell Projection Organization
vs rf_echo r = −0.38 p 0.034 q 1
change in phenotype, BFR minus HLRT
change in set score, T2 − T1, BFR minus HLRT, one point per participant


BFR − HLRT
GOBP: Granulocyte Migration
vs vl_echo r = −0.38 p 0.035 q 0.96
GOBP: Positive Regulation Of Protein Ubiquitination
vs vl_echo r = +0.38 p 0.035 q 0.96
GOBP: Unsaturated Fatty Acid Metabolic Process
vs vl_echo r = −0.38 p 0.035 q 0.96
GOBP: Regulation Of Cell Morphogenesis
vs vl_csa r = −0.37 p 0.035 q 1
GOBP: Protein Targeting To Membrane
vs vl_echo r = +0.37 p 0.036 q 0.96
GOBP: Regulation Of ATP Dependent Activity
vs rf_echo r = +0.37 p 0.036 q 1
GOBP: Regulation Of Muscle Hypertrophy
vs rf_csa r = +0.37 p 0.036 q 1
GOBP: Mitotic Sister Chromatid Segregation
vs rf_echo r = +0.37 p 0.036 q 1
GOBP: Negative Regulation Of Nervous System Development
vs rf_echo r = −0.37 p 0.036 q 1
GOBP: Pyridine Containing Compound Catabolic Process
vs rf_echo r = +0.37 p 0.036 q 1
GOBP: Response To Alcohol
vs rf_echo r = −0.37 p 0.036 q 1
GOBP: Regulation Of Actin Filament Bundle Assembly
vs rf_echo r = +0.37 p 0.036 q 1
change in phenotype, BFR minus HLRT
change in set score, T2 − T1, BFR minus HLRT, one point per participant


BFR − HLRT
GOBP: Neuron Projection Organization
vs vl_echo r = +0.37 p 0.036 q 0.96
GOBP: Nucleoside Diphosphate Catabolic Process
vs rf_echo r = +0.37 p 0.036 q 1
GOBP: Glucose Metabolic Process
vs rf_echo r = +0.37 p 0.037 q 1
GOBP: Nuclear Chromosome Segregation
vs rf_csa r = +0.37 p 0.037 q 1
GOBP: Fatty Acid Biosynthetic Process
vs vl_echo r = −0.37 p 0.038 q 0.96
GOBP: Actin Mediated Cell Contraction
vs vl_echo r = +0.37 p 0.038 q 0.96
GOBP: Protein Folding
vs rf_echo r = −0.37 p 0.038 q 1
GOBP: Actomyosin Structure Organization
vs rf_echo r = +0.37 p 0.039 q 1
GOBP: Lipid Homeostasis
vs vl_echo r = −0.37 p 0.039 q 0.96
GOBP: Tube Formation
vs rf_echo r = −0.37 p 0.039 q 1
GOBP: Biological Process Involved In Symbiotic Interaction
vs rf_csa r = +0.37 p 0.039 q 1
GOBP: Regulation Of Actin Filament Based Process
vs rf_echo r = +0.37 p 0.039 q 1
change in phenotype, BFR minus HLRT
change in set score, T2 − T1, BFR minus HLRT, one point per participant


BFR − HLRT
GOBP: Cellular Response To Ketone
vs rf_echo r = −0.37 p 0.04 q 1
GOBP: Import Across Plasma Membrane
vs vl_csa r = −0.37 p 0.04 q 1
GOBP: Positive Regulation Of Cell Cycle Phase Transition
vs vl_echo r = +0.37 p 0.04 q 0.96
GOBP: Spliceosomal Complex Assembly
vs rf_csa r = +0.36 p 0.041 q 1
GOBP: Monocarboxylic Acid Transport
vs vl_csa r = −0.36 p 0.041 q 1
GOBP: Positive Regulation Of Leukocyte Migration
vs vl_echo r = −0.36 p 0.041 q 0.96
GOBP: Regulation Of Epithelial Cell Proliferation
vs vl_echo r = −0.36 p 0.042 q 0.96
GOBP: Multicellular Organismal Response To Stress
vs vl_echo r = −0.36 p 0.042 q 0.96
GOBP: Response To Amino Acid Starvation
vs rf_csa r = −0.36 p 0.042 q 1
GOBP: Membrane Fission
vs vl_echo r = −0.36 p 0.042 q 0.96
GOBP: Membrane Repolarization
vs vl_csa r = −0.36 p 0.043 q 1
GOBP: Basement Membrane Organization
vs rf_csa r = +0.36 p 0.043 q 1
change in phenotype, BFR minus HLRT
change in set score, T2 − T1, BFR minus HLRT, one point per participant


BFR − HLRT
GOBP: Negative Regulation Of Catalytic Activity
vs vl_echo r = −0.36 p 0.043 q 0.96
GOBP: Negative Regulation Of Torc1 Signaling
vs rf_csa r = −0.36 p 0.043 q 1
GOBP: Carbohydrate Catabolic Process
vs rf_echo r = +0.36 p 0.044 q 1
GOBP: Developmental Growth Involved In Morphogenesis
vs vl_echo r = +0.36 p 0.044 q 0.96
GOBP: Microtubule Based Transport
vs rf_csa r = +0.36 p 0.045 q 1
GOBP: Limbic System Development
vs rf_csa r = −0.36 p 0.045 q 1
GOBP: Mitotic Nuclear Division
vs rf_echo r = +0.36 p 0.046 q 1
GOBP: Primary Alcohol Metabolic Process
vs vl_echo r = −0.36 p 0.046 q 0.96
GOBP: Retrograde Vesicle Mediated Transport Golgi To Endoplasmic Reticulum
vs vl_echo r = −0.36 p 0.046 q 0.96
GOBP: Positive Regulation Of Phosphorus Metabolic Process
vs rf_echo r = +0.36 p 0.046 q 1
GOBP: Regulation Of Protein Polymerization
vs rf_echo r = +0.36 p 0.046 q 1
GOBP: Reactive Nitrogen Species Metabolic Process
vs vl_echo r = −0.36 p 0.047 q 0.96
change in phenotype, BFR minus HLRT
change in set score, T2 − T1, BFR minus HLRT, one point per participant


BFR − HLRT
GOBP: Action Potential
vs vl_csa r = −0.35 p 0.047 q 1
GOBP: Regulation Of Nervous System Development
vs rf_echo r = −0.35 p 0.047 q 1
GOBP: Negative Regulation Of Protein Polymerization
vs rf_echo r = +0.35 p 0.047 q 1
GOBP: Icosanoid Metabolic Process
vs vl_echo r = −0.35 p 0.047 q 0.96
GOBP: Cardiac Ventricle Morphogenesis
vs vl_echo r = +0.35 p 0.047 q 0.96
GOBP: Regulation Of Actin Filament Length
vs rf_echo r = +0.35 p 0.047 q 1
GOBP: Limbic System Development
vs rf_echo r = −0.35 p 0.048 q 1
GOBP: Response To Bmp
vs rf_echo r = −0.35 p 0.048 q 1
GOBP: Response To Leukemia Inhibitory Factor
vs rf_csa r = −0.35 p 0.048 q 1
GOBP: Regulation Of Centrosome Cycle
vs vl_csa r = +0.35 p 0.049 q 1
GOBP: Cellular Response To Nutrient Levels
vs rf_echo r = +0.35 p 0.05 q 1
GOBP: Glucose Catabolic Process
vs vl_echo r = +0.35 p 0.05 q 0.96
change in phenotype, BFR minus HLRT
change in set score, T2 − T1, BFR minus HLRT, one point per participant