

BFR minus HLRT, within participant

Spearman, differential analysis, 32 paired participants

BFR HLRT




All 303 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header r is the differential correlation, q from BH within collection and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430.

BFR minus HLRT, within participant

Spearman, differential analysis, 32 paired participants

BFR HLRT




All 303 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header r is the differential correlation, q from BH within collection and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430.

BFR minus HLRT, within participant

Spearman, differential analysis, 32 paired participants

BFR HLRT




All 303 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header r is the differential correlation, q from BH within collection and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430.

BFR minus HLRT, within participant

Spearman, differential analysis, 32 paired participants

BFR HLRT



All 303 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header r is the differential correlation, q from BH within collection and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430.

BFR minus HLRT, within participant

Spearman, differential analysis, 32 paired participants

BFR HLRT



All 303 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header r is the differential correlation, q from BH within collection and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430.

BFR minus HLRT, within participant

Spearman, differential analysis, 32 paired participants

BFR HLRT




All 303 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header r is the differential correlation, q from BH within collection and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430.

BFR minus HLRT, within participant

Spearman, differential analysis, 32 paired participants

BFR HLRT


change in phenotype



All 303 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header r is the differential correlation, q from BH within collection and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430.

BFR minus HLRT, within participant


Spearman, differential analysis, 32 paired participants



All 303 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header r is the differential correlation, q from BH within collection and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430.

BFR minus HLRT, within participant

Spearman, differential analysis, 32 paired participants



All 303 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header r is the differential correlation, q from BH within collection and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430.

BFR minus HLRT, within participant

Spearman, differential analysis, 32 paired participants



change in phenotype




All 303 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header r is the differential correlation, q from BH within collection and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430.

BFR minus HLRT, within participant

Spearman, differential analysis, 32 paired participants

BFR HLRT




All 303 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header r is the differential correlation, q from BH within collection and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430.

BFR minus HLRT, within participant

Spearman, differential analysis, 32 paired participants

BFR HLRT



All 303 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header r is the differential correlation, q from BH within collection and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430.

BFR minus HLRT, within participant

Spearman, differential analysis, 32 paired participants

BFR HLRT




All 303 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header r is the differential correlation, q from BH within collection and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430.

BFR minus HLRT, within participant

Spearman, differential analysis, 32 paired participants

BFR HLRT



All 303 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header r is the differential correlation, q from BH within collection and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430.

BFR minus HLRT, within participant

Spearman, differential analysis, 32 paired participants

BFR HLRT



All 303 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header r is the differential correlation, q from BH within collection and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430.

BFR minus HLRT, within participant

Spearman, differential analysis, 32 paired participants

BFR HLRT



All 303 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header r is the differential correlation, q from BH within collection and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430.

BFR minus HLRT, within participant

Spearman, differential analysis, 32 paired participants




All 303 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header r is the differential correlation, q from BH within collection and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430.

BFR minus HLRT, within participant

Spearman, differential analysis, 32 paired participants

BFR HLRT



All 303 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header r is the differential correlation, q from BH within collection and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430.

BFR minus HLRT, within participant

Spearman, differential analysis, 32 paired participants




All 303 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header r is the differential correlation, q from BH within collection and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430.

Training response against phenotype, all legs

Spearman, pooled analysis, 65 legs, both arms pooled

—●— BFR —●— HLRT

change in phenotype




All 270 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header r is the pooled correlation, q from BH within collection and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430.

Training response against phenotype, all legs

Spearman, pooled analysis, 65 legs, both arms pooled

BFR HLRT




All 270 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header r is the pooled correlation, q from BH within collection and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430.

Training response against phenotype, all legs

Spearman, pooled analysis, 65 legs, both arms pooled

BFR HLRT

change in phenotype




All 270 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header r is the pooled correlation, q from BH within collection and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430.

Training response against phenotype, all legs

Spearman, pooled analysis, 65 legs, both arms pooled

—●— BFR —●— HLRT



All 270 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header r is the pooled correlation, q from BH within collection and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430.

Training response against phenotype, all legs

Spearman, pooled analysis, 65 legs, both arms pooled

BFR HLRT




All 270 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header r is the pooled correlation, q from BH within collection and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430.

Training response against phenotype, all legs

Spearman, pooled analysis, 65 legs, both arms pooled

BFR HLRT




All 270 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header r is the pooled correlation, q from BH within collection and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430.

Training response against phenotype, all legs

Spearman, pooled analysis, 65 legs, both arms pooled

● BFR ● HLRT



All 270 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header r is the pooled correlation, q from BH within collection and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430.

Training response against phenotype, all legs

Spearman, pooled analysis, 65 legs, both arms pooled

BFR HLRT




All 270 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header r is the pooled correlation, q from BH within collection and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430.

Training response against phenotype, all legs

Spearman, pooled analysis, 65 legs, both arms pooled

BFR HLRT




All 270 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header r is the pooled correlation, q from BH within collection and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430.

Training response against phenotype, all legs

Spearman, pooled analysis, 65 legs, both arms pooled

—●— BFR —●— HLRT



All 270 set–outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header r is the pooled correlation, q from BH within collection and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430.

Training response against phenotype, all legs

Spearman, pooled analysis, 65 legs, both arms pooled

BFR HLRT




All 270 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header r is the pooled correlation, q from BH within collection and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430.

Training response against phenotype, all legs

Spearman, pooled analysis, 65 legs, both arms pooled

● BFR ● HLRT




All 270 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header r is the pooled correlation, q from BH within collection and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430.

Training response against phenotype, all legs

Spearman, pooled analysis, 65 legs, both arms pooled

BFR HLRT




All 270 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header r is the pooled correlation, q from BH within collection and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430.

Training response against phenotype, all legs

Spearman, pooled analysis, 65 legs, both arms pooled

● BFR ● HLRT




All 270 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header r is the pooled correlation, q from BH within collection and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430.

Training response against phenotype, all legs

Spearman, pooled analysis, 65 legs, both arms pooled

● BFR ● HLRT



All 270 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header r is the pooled correlation, q from BH within collection and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430.

Training response against phenotype, all legs

Spearman, pooled analysis, 65 legs, both arms pooled

—●— BFR —●— HLRT



All 270 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header r is the pooled correlation, q from BH within collection and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430.

Training response against phenotype, all legs

Spearman, pooled analysis, 65 legs, both arms pooled

BFR HLRT




All 270 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header r is the pooled correlation, q from BH within collection and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430.


Nominal hits relative to chance, by collection

paired Wilcoxon per set, 5 collections, uncorrected p

Pre to post, BFR



Pre to post, HLRT



Baseline BFR vs HLRT (control)



Post BFR vs HLRT




Change, BFR vs HLRT



0 2 4 6 8
observed nominal hits / chance expectation
Bar length is observed nominal hits divided by the count that collection returns under the null. Red clears 1, grey does not

Change, BFR vs HLRT


singscore per set, 32 paired participants, AUC with direction fixed



All 43 sets reaching nominal p, by collection then p. Red separates higher in BFR, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430.

Change, BFR vs HLRT


singscore per set, 32 paired participants, AUC with direction fixed



All 43 sets reaching nominal p, by collection then p. Red separates higher in BFR, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430.

Change, BFR vs HLRT


singscore per set, 32 paired participants, AUC with direction fixed



All 43 sets reaching nominal p, by collection then p. Red separates higher in BFR, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430.

Post BFR vs HLRT


singscore per set, 32 paired participants, AUC with direction fixed



All 94 sets reaching nominal p, by collection then p. Red separates higher in BFR, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430.

Post BFR vs HLRT


singscore per set, 32 paired participants, AUC with direction fixed



All 94 sets reaching nominal p, by collection then p. Red separates higher in BFR, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430.

Post BFR vs HLRT


singscore per set, 32 paired participants, AUC with direction fixed



All 94 sets reaching nominal p, by collection then p. Red separates higher in BFR, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430.

Post BFR vs HLRT


singscore per set, 32 paired participants, AUC with direction fixed



All 94 sets reaching nominal p, by collection then p. Red separates higher in BFR, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430.

Post BFR vs HLRT


singscore per set, 32 paired participants, AUC with direction fixed



All 94 sets reaching nominal p, by collection then p. Red separates higher in BFR, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430.

Post BFR vs HLRT


singscore per set, 32 paired participants, AUC with direction fixed



All 94 sets reaching nominal p, by collection then p. Red separates higher in BFR, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430.

Pre to post, BFR


singscore per set, 32 paired legs, AUC with direction fixed



All 391 sets reaching nominal p, by collection then p. Red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430.

Pre to post, BFR


singscore per set, 32 paired legs, AUC with direction fixed



All 391 sets reaching nominal p, by collection then p. Red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430.

Pre to post, BFR


singscore per set, 32 paired legs, AUC with direction fixed



All 391 sets reaching nominal p, by collection then p. Red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430.

Pre to post, BFR


singscore per set, 32 paired legs, AUC with direction fixed



All 391 sets reaching nominal p, by collection then p. Red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430.

Pre to post, BFR


singscore per set, 32 paired legs, AUC with direction fixed



All 391 sets reaching nominal p, by collection then p. Red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430.

Pre to post, BFR


singscore per set, 32 paired legs, AUC with direction fixed



All 391 sets reaching nominal p, by collection then p. Red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430.

Pre to post, BFR


singscore per set, 32 paired legs, AUC with direction fixed



All 391 sets reaching nominal p, by collection then p. Red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430.

Pre to post, BFR


singscore per set, 32 paired legs, AUC with direction fixed



All 391 sets reaching nominal p, by collection then p. Red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430.

Pre to post, BFR


singscore per set, 32 paired legs, AUC with direction fixed



All 391 sets reaching nominal p, by collection then p. Red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430.

Pre to post, BFR


singscore per set, 32 paired legs, AUC with direction fixed



All 391 sets reaching nominal p, by collection then p. Red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430.

Pre to post, BFR


singscore per set, 32 paired legs, AUC with direction fixed



All 391 sets reaching nominal p, by collection then p. Red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430.

Pre to post, BFR


singscore per set, 32 paired legs, AUC with direction fixed



All 391 sets reaching nominal p, by collection then p. Red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430.

Pre to post, BFR


singscore per set, 32 paired legs, AUC with direction fixed



All 391 sets reaching nominal p, by collection then p. Red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430.

Pre to post, BFR


singscore per set, 32 paired legs, AUC with direction fixed



All 391 sets reaching nominal p, by collection then p. Red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430.

Pre to post, BFR


singscore per set, 32 paired legs, AUC with direction fixed



All 391 sets reaching nominal p, by collection then p. Red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430.

Pre to post, BFR


singscore per set, 32 paired legs, AUC with direction fixed



All 391 sets reaching nominal p, by collection then p. Red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430.

Pre to post, BFR


singscore per set, 32 paired legs, AUC with direction fixed



All 391 sets reaching nominal p, by collection then p. Red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430.

Pre to post, BFR


singscore per set, 32 paired legs, AUC with direction fixed



All 391 sets reaching nominal p, by collection then p. Red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430.

Pre to post, BFR


singscore per set, 32 paired legs, AUC with direction fixed



All 391 sets reaching nominal p, by collection then p. Red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430.

Pre to post, BFR


singscore per set, 32 paired legs, AUC with direction fixed



All 391 sets reaching nominal p, by collection then p. Red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430.

Pre to post, BFR


singscore per set, 32 paired legs, AUC with direction fixed



All 391 sets reaching nominal p, by collection then p. Red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430.

Pre to post, BFR


singscore per set, 32 paired legs, AUC with direction fixed



All 391 sets reaching nominal p, by collection then p. Red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430.

Pre to post, BFR


singscore per set, 32 paired legs, AUC with direction fixed



All 391 sets reaching nominal p, by collection then p. Red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430.

Pre to post, BFR


singscore per set, 32 paired legs, AUC with direction fixed



All 391 sets reaching nominal p, by collection then p. Red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430.

Pre to post, BFR


singscore per set, 32 paired legs, AUC with direction fixed



All 391 sets reaching nominal p, by collection then p. Red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430.

Pre to post, HLRT


singscore per set, 33 paired legs, AUC with direction fixed



All 389 sets reaching nominal p, by collection then p. Red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430.

Pre to post, HLRT


singscore per set, 33 paired legs, AUC with direction fixed



All 389 sets reaching nominal p, by collection then p. Red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430.

Pre to post, HLRT


singscore per set, 33 paired legs, AUC with direction fixed



All 389 sets reaching nominal p, by collection then p. Red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430.

Pre to post, HLRT


singscore per set, 33 paired legs, AUC with direction fixed



All 389 sets reaching nominal p, by collection then p. Red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430.

Pre to post, HLRT


singscore per set, 33 paired legs, AUC with direction fixed



All 389 sets reaching nominal p, by collection then p. Red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430.

Pre to post, HLRT


singscore per set, 33 paired legs, AUC with direction fixed



All 389 sets reaching nominal p, by collection then p. Red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430.

Pre to post, HLRT


singscore per set, 33 paired legs, AUC with direction fixed



All 389 sets reaching nominal p, by collection then p. Red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430.

Pre to post, HLRT


singscore per set, 33 paired legs, AUC with direction fixed



All 389 sets reaching nominal p, by collection then p. Red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430.

Pre to post, HLRT


singscore per set, 33 paired legs, AUC with direction fixed



All 389 sets reaching nominal p, by collection then p. Red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430.

Pre to post, HLRT


singscore per set, 33 paired legs, AUC with direction fixed



All 389 sets reaching nominal p, by collection then p. Red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430.

Pre to post, HLRT


singscore per set, 33 paired legs, AUC with direction fixed



All 389 sets reaching nominal p, by collection then p. Red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430.


Pre to post, HLRT

singscore per set, 33 paired legs, AUC with direction fixed



All 389 sets reaching nominal p, by collection then p. Red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430.


Pre to post, HLRT
singscore per set, 33 paired legs, AUC with direction fixed



All 389 sets reaching nominal p, by collection then p. Red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430.

Pre to post, HLRT


singscore per set, 33 paired legs, AUC with direction fixed



All 389 sets reaching nominal p, by collection then p. Red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430.

Pre to post, HLRT


singscore per set, 33 paired legs, AUC with direction fixed



All 389 sets reaching nominal p, by collection then p. Red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430.

Pre to post, HLRT


singscore per set, 33 paired legs, AUC with direction fixed



All 389 sets reaching nominal p, by collection then p. Red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430.

Pre to post, HLRT


singscore per set, 33 paired legs, AUC with direction fixed



All 389 sets reaching nominal p, by collection then p. Red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430.

Pre to post, HLRT


singscore per set, 33 paired legs, AUC with direction fixed



All 389 sets reaching nominal p, by collection then p. Red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430.

Pre to post, HLRT

singscore per set, 33 paired legs, AUC with direction fixed



All 389 sets reaching nominal p, by collection then p. Red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430.

Pre to post, HLRT


singscore per set, 33 paired legs, AUC with direction fixed



All 389 sets reaching nominal p, by collection then p. Red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430.


Pre to post, HLRT

singscore per set, 33 paired legs, AUC with direction fixed



All 389 sets reaching nominal p, by collection then p. Red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430.


Pre to post, HLRT
singscore per set, 33 paired legs, AUC with direction fixed



All 389 sets reaching nominal p, by collection then p. Red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430.

Pre to post, HLRT


singscore per set, 33 paired legs, AUC with direction fixed



All 389 sets reaching nominal p, by collection then p. Red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430.

Pre to post, HLRT


singscore per set, 33 paired legs, AUC with direction fixed



All 389 sets reaching nominal p, by collection then p. Red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430.

Pre to post, HLRT

singscore per set, 33 paired legs, AUC with direction fixed



All 389 sets reaching nominal p, by collection then p. Red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430.