







S12 Figure (page 1 of 23). Pre to post, BFR, GOBP. ROC curves for all 274 GOBP sets whose singscore separates the groups at nominal p, across 32 paired legs, smallest p first. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected: chance alone returns 68.3 of the 1366 GOBP sets. Data: set_auc sheet of 05_set_classification.xlsx.




S12 Figure (page 2 of 23). Pre to post, BFR, GOBP. ROC curves for all 274 GOBP sets whose singscore separates the groups at nominal p, across 32 paired legs, smallest p first. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected: chance alone returns 68.3 of the 1366 GOBP sets. Data: set_auc sheet of 05_set_classification.xlsx.




S12 Figure (page 3 of 23). Pre to post, BFR, GOBP. ROC curves for all 274 GOBP sets whose singscore separates the groups at nominal p, across 32 paired legs, smallest p first. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected: chance alone returns 68.3 of the 1366 GOBP sets. Data: set_auc sheet of 05_set_classification.xlsx.




S12 Figure (page 4 of 23). Pre to post, BFR, GOBP. ROC curves for all 274 GOBP sets whose sing score separates the groups at nominal p, across 32 paired legs, smallest p first. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected: chance alone returns 68.3 of the 1366 GOBP sets. Data: set_auc sheet of 05_set_classification.xlsx.




S12 Figure (page 5 of 23). Pre to post, BFR, GOBP. ROC curves for all 274 GOBP sets whose singscore separates the groups at nominal p, across 32 paired legs, smallest p first. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected: chance alone returns 68.3 of the 1366 GOBP sets. Data: set_auc sheet of 05_set_classification.xlsx.




S12 Figure (page 6 of 23). Pre to post, BFR, GOBP. ROC curves for all 274 GOBP sets whose sing score separates the groups at nominal p, across 32 paired legs, smallest p first. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected: chance alone returns 68.3 of the 1366 GOBP sets. Data: set_auc sheet of 05_set_classification.xlsx.




S12 Figure (page 7 of 23). Pre to post, BFR, GOBP. ROC curves for all 274 GOBP sets whose singscore separates the groups at nominal p, across 32 paired legs, smallest p first. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected: chance alone returns 68.3 of the 1366 GOBP sets. Data: set_auc sheet of 05_set_classification.xlsx.




S12 Figure (page 8 of 23). Pre to post, BFR, GOBP. ROC curves for all 274 GOBP sets whose singscore separates the groups at nominal p, across 32 paired legs, smallest p first. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected: chance alone returns 68.3 of the 1366 GOBP sets. Data: set_auc sheet of 05_set_classification.xlsx.




S12 Figure (page 9 of 23). Pre to post, BFR, GOBP. ROC curves for all 274 GOBP sets whose singscore separates the groups at nominal p, across 32 paired legs, smallest p first. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected: chance alone returns 68.3 of the 1366 GOBP sets. Data: set_auc sheet of 05_set_classification.xlsx.




S12 Figure (page 10 of 23). Pre to post, BFR, GOBP. ROC curves for all 274 GOBP sets whose singscore separates the groups at nominal p, across 32 paired legs, smallest p first. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected: chance alone returns 68.3 of the 1366 GOBP sets. Data: set_auc sheet of 05_set_classification.xlsx.




S12 Figure (page 11 of 23). Pre to post, BFR, GOBP. ROC curves for all 274 GOBP sets whose sing score separates the groups at nominal p, across 32 paired legs, smallest p first. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected: chance alone returns 68.3 of the 1366 GOBP sets. Data: set_auc sheet of 05_set_classification.xlsx.




S12 Figure (page 12 of 23). Pre to post, BFR, GOBP. ROC curves for all 274 GOBP sets whose singscore separates the groups at nominal p, across 32 paired legs, smallest p first. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected: chance alone returns 68.3 of the 1366 GOBP sets. Data: set_auc sheet of 05_set_classification.xlsx.




S12 Figure (page 13 of 23). Pre to post, BFR, GOBP. ROC curves for all 274 GOBP sets whose singscore separates the groups at nominal p, across 32 paired legs, smallest p first. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected: chance alone returns 68.3 of the 1366 GOBP sets. Data: set_auc sheet of 05_set_classification.xlsx.




S12 Figure (page 14 of 23). Pre to post, BFR, GOBP. ROC curves for all 274 GOBP sets whose singscore separates the groups at nominal p, across 32 paired legs, smallest p first. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected: chance alone returns 68.3 of the 1366 GOBP sets. Data: set_auc sheet of 05_set_classification.xlsx.




S12 Figure (page 15 of 23). Pre to post, BFR, GOBP. ROC curves for all 274 GOBP sets whose singscore separates the groups at nominal p, across 32 paired legs, smallest p first. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected: chance alone returns 68.3 of the 1366 GOBP sets. Data: set_auc sheet of 05_set_classification.xlsx.




S12 Figure (page 16 of 23). Pre to post, BFR, GOBP. ROC curves for all 274 GOBP sets whose singscore separates the groups at nominal p, across 32 paired legs, smallest p first. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected: chance alone returns 68.3 of the 1366 GOBP sets. Data: set_auc sheet of 05_set_classification.xlsx.




S12 Figure (page 17 of 23). Pre to post, BFR, GOBP. ROC curves for all 274 GOBP sets whose sing score separates the groups at nominal p, across 32 paired legs, smallest p first. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected: chance alone returns 68.3 of the 1366 GOBP sets. Data: set_auc sheet of 05_set_classification.xlsx.




S12 Figure (page 18 of 23). Pre to post, BFR, GOBP. ROC curves for all 274 GOBP sets whose sing score separates the groups at nominal p, across 32 paired legs, smallest p first. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected: chance alone returns 68.3 of the 1366 GOBP sets. Data: set_auc sheet of 05_set_classification.xlsx.




S12 Figure (page 19 of 23). Pre to post, BFR, GOBP. ROC curves for all 274 GOBP sets whose singscore separates the groups at nominal p, across 32 paired legs, smallest p first. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected: chance alone returns 68.3 of the 1366 GOBP sets. Data: set_auc sheet of 05_set_classification.xlsx.




S12 Figure (page 20 of 23). Pre to post, BFR, GOBP. ROC curves for all 274 GOBP sets whose singscore separates the groups at nominal p, across 32 paired legs, smallest p first. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected: chance alone returns 68.3 of the 1366 GOBP sets. Data: set_auc sheet of 05_set_classification.xlsx.




S12 Figure (page 21 of 23). Pre to post, BFR, GOBP. ROC curves for all 274 GOBP sets whose sing score separates the groups at nominal p, across 32 paired legs, smallest p first. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected: chance alone returns 68.3 of the 1366 GOBP sets. Data: set_auc sheet of 05_set_classification.xlsx.




S12 Figure (page 22 of 23). Pre to post, BFR, GOBP. ROC curves for all 274 GOBP sets whose singscore separates the groups at nominal p, across 32 paired legs, smallest p first. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected: chance alone returns 68.3 of the 1366 GOBP sets. Data: set_auc sheet of 05_set_classification.xlsx.




S12 Figure (page 23 of 23). Pre to post, BFR, GOBP. ROC curves for all 274 GOBP sets whose singscore separates the groups at nominal p, across 32 paired legs, smallest p first. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected: chance alone returns 68.3 of the 1366 GOBP sets. Data: set_auc sheet of 05_set_classification.xlsx.




S13 Figure (page 1 of 22). Pre to post, HLRT, GOBP. ROC curves for all 255 GOBP sets whose singscore separates the groups at nominal p, across 33 paired legs, smallest p first. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected: chance alone returns 68.3 of the 1366 GOBP sets. Data: set_auc sheet of 05_set_classification.xlsx.




S13 Figure (page 2 of 22). Pre to post, HLRT, GOBP. ROC curves for all 255 GOBP sets whose singscore separates the groups at nominal p, across 33 paired legs, smallest p first. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected: chance alone returns 68.3 of the 1366 GOBP sets. Data: set_auc sheet of 05_set_classification.xlsx.




S13 Figure (page 3 of 22). Pre to post, HLRT, GOBP. ROC curves for all 255 GOBP sets whose singscore separates the groups at nominal p, across 33 paired legs, smallest p first. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected: chance alone returns 68.3 of the 1366 GOBP sets. Data: set_auc sheet of 05_set_classification.xlsx.




S13 Figure (page 4 of 22). Pre to post, HLRT, GOBP. ROC curves for all 255 GOBP sets whose singscore separates the groups at nominal p, across 33 paired legs, smallest p first. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected: chance alone returns 68.3 of the 1366 GOBP sets. Data: set_auc sheet of 05_set_classification.xlsx.




S13 Figure (page 5 of 22). Pre to post, HLRT, GOBP. ROC curves for all 255 GOBP sets whose singscore separates the groups at nominal p, across 33 paired legs, smallest p first. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected: chance alone returns 68.3 of the 1366 GOBP sets. Data: set_auc sheet of 05_set_classification.xlsx.




S13 Figure (page 6 of 22). Pre to post, HLRT, GOBP. ROC curves for all 255 GOBP sets whose singscore separates the groups at nominal p, across 33 paired legs, smallest p first. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected: chance alone returns 68.3 of the 1366 GOBP sets. Data: set_auc sheet of 05_set_classification.xlsx.




S13 Figure (page 7 of 22). Pre to post, HLRT, GOBP. ROC curves for all 255 GOBP sets whose singscore separates the groups at nominal p, across 33 paired legs, smallest p first. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected: chance alone returns 68.3 of the 1366 GOBP sets. Data: set_auc sheet of 05_set_classification.xlsx.




S13 Figure (page 8 of 22). Pre to post, HLRT, GOBP. ROC curves for all 255 GOBP sets whose singscore separates the groups at nominal p, across 33 paired legs, smallest p first. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected: chance alone returns 68.3 of the 1366 GOBP sets. Data: set_auc sheet of 05_set_classification.xlsx.




S13 Figure (page 9 of 22). Pre to post, HLRT, GOBP. ROC curves for all 255 GOBP sets whose singscore separates the groups at nominal p, across 33 paired legs, smallest p first. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected: chance alone returns 68.3 of the 1366 GOBP sets. Data: set_auc sheet of 05_set_classification.xlsx.




S13 Figure (page 10 of 22). Pre to post, HLRT, GOBP. ROC curves for all 255 GOBP sets whose singscore separates the groups at nominal p, across 33 paired legs, smallest p first. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected: chance alone returns 68.3 of the 1366 GOBP sets. Data: set_auc sheet of 05_set_classification.xlsx.




S13 Figure (page 11 of 22). Pre to post, HLRT, GOBP. ROC curves for all 255 GOBP sets whose singscore separates the groups at nominal p, across 33 paired legs, smallest p first. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected: chance alone returns 68.3 of the 1366 GOBP sets. Data: set_auc sheet of 05_set_classification.xlsx.




S13 Figure (page 12 of 22). Pre to post, HLRT, GOBP. ROC curves for all 255 GOBP sets whose singscore separates the groups at nominal p, across 33 paired legs, smallest p first. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected: chance alone returns 68.3 of the 1366 GOBP sets. Data: set_auc sheet of 05_set_classification.xlsx.




S13 Figure (page 13 of 22). Pre to post, HLRT, GOBP. ROC curves for all 255 GOBP sets whose singscore separates the groups at nominal p, across 33 paired legs, smallest p first. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected: chance alone returns 68.3 of the 1366 GOBP sets. Data: set_auc sheet of 05_set_classification.xlsx.




S13 Figure (page 14 of 22). Pre to post, HLRT, GOBP. ROC curves for all 255 GOBP sets whose sing score separates the groups at nominal p, across 33 paired legs, smallest p first. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected: chance alone returns 68.3 of the 1366 GOBP sets. Data: set_auc sheet of 05_set_classification.xlsx.




S13 Figure (page 15 of 22). Pre to post, HLRT, GOBP. ROC curves for all 255 GOBP sets whose singscore separates the groups at nominal p, across 33 paired legs, smallest p first. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected: chance alone returns 68.3 of the 1366 GOBP sets. Data: set_auc sheet of 05_set_classification.xlsx.




S13 Figure (page 16 of 22). Pre to post, HLRT, GOBP. ROC curves for all 255 GOBP sets whose singscore separates the groups at nominal p, across 33 paired legs, smallest p first. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected: chance alone returns 68.3 of the 1366 GOBP sets. Data: set_auc sheet of 05_set_classification.xlsx.




S13 Figure (page 17 of 22). Pre to post, HLRT, GOBP. ROC curves for all 255 GOBP sets whose singscore separates the groups at nominal p, across 33 paired legs, smallest p first. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected: chance alone returns 68.3 of the 1366 GOBP sets. Data: set_auc sheet of 05_set_classification.xlsx.




S13 Figure (page 18 of 22). Pre to post, HLRT, GOBP. ROC curves for all 255 GOBP sets whose singscore separates the groups at nominal p, across 33 paired legs, smallest p first. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected: chance alone returns 68.3 of the 1366 GOBP sets. Data: set_auc sheet of 05_set_classification.xlsx.




S13 Figure (page 19 of 22). Pre to post, HLRT, GOBP. ROC curves for all 255 GOBP sets whose singscore separates the groups at nominal p, across 33 paired legs, smallest p first. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected: chance alone returns 68.3 of the 1366 GOBP sets. Data: set_auc sheet of 05_set_classification.xlsx.




S13 Figure (page 20 of 22). Pre to post, HLRT, GOBP. ROC curves for all 255 GOBP sets whose singscore separates the groups at nominal p, across 33 paired legs, smallest p first. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected: chance alone returns 68.3 of the 1366 GOBP sets. Data: set_auc sheet of 05_set_classification.xlsx.




S13 Figure (page 21 of 22). Pre to post, HLRT, GOBP. ROC curves for all 255 GOBP sets whose sing score separates the groups at nominal p, across 33 paired legs, smallest p first. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected: chance alone returns 68.3 of the 1366 GOBP sets. Data: set_auc sheet of 05_set_classification.xlsx.




S13 Figure (page 22 of 22). Pre to post, HLRT, GOBP. ROC curves for all 255 GOBP sets whose singscore separates the groups at nominal p, across 33 paired legs, smallest p first. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected: chance alone returns 68.3 of the 1366 GOBP sets. Data: set_auc sheet of 05_set_classification.xlsx.




S14 Figure (page 1 of 7). Post BFR vs HLRT, GOBP. ROC curves for all 79 GOBP sets whose singscore separates the groups at nominal p, across 32 paired participants, smallest p first. AUC has its direction fixed: red separates higher in BFR, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected: chance alone returns 68.3 of the 1366 GOBP sets. Data: set_auc sheet of 05_set_classification.xlsx.




S14 Figure (page 2 of 7). Post BFR vs HLRT, GOBP. ROC curves for all 79 GOBP sets whose sing score separates the groups at nominal p, across 32 paired participants, smallest p first. AUC has its direction fixed: red separates higher in BFR, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected: chance alone returns 68.3 of the 1366 GOBP sets. Data: set_auc sheet of 05_set_classification.xlsx.




S14 Figure (page 3 of 7). Post BFR vs HLRT, GOBP. ROC curves for all 79 GOBP sets whose singscore separates the groups at nominal p, across 32 paired participants, smallest p first. AUC has its direction fixed: red separates higher in BFR, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected: chance alone returns 68.3 of the 1366 GOBP sets. Data: set_auc sheet of 05_set_classification.xlsx.




S14 Figure (page 4 of 7). Post BFR vs HLRT, GOBP. ROC curves for all 79 GOBP sets whose singscore separates the groups at nominal p, across 32 paired participants, smallest p first. AUC has its direction fixed: red separates higher in BFR, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected: chance alone returns 68.3 of the 1366 GOBP sets. Data: set_auc sheet of 05_set_classification.xlsx.




S14 Figure (page 5 of 7). Post BFR vs HLRT, GOBP. ROC curves for all 79 GOBP sets whose singscore separates the groups at nominal p, across 32 paired participants, smallest p first. AUC has its direction fixed: red separates higher in BFR, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected: chance alone returns 68.3 of the 1366 GOBP sets. Data: set_auc sheet of 05_set_classification.xlsx.




S14 Figure (page 6 of 7). Post BFR vs HLRT, GOBP. ROC curves for all 79 GOBP sets whose singscore separates the groups at nominal p, across 32 paired participants, smallest p first. AUC has its direction fixed: red separates higher in BFR, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected: chance alone returns 68.3 of the 1366 GOBP sets. Data: set_auc sheet of 05_set_classification.xlsx.




S14 Figure (page 7 of 7). Post BFR vs HLRT, GOBP. ROC curves for all 79 GOBP sets whose sing score separates the groups at nominal p, across 32 paired participants, smallest p first. AUC has its direction fixed: red separates higher in BFR, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected: chance alone returns 68.3 of the 1366 GOBP sets. Data: set_auc sheet of 05_set_classification.xlsx.



S15 Figure (page 1 of 3). Change, BFR vs HLRT, GOBP. ROC curves for all 36 GOBP sets whose singscore separates the groups at nominal p, across 32 paired participants, smallest p first. AUC has its direction fixed: red separates higher in BFR, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected: chance alone returns 68.3 of the 1366 GOBP sets. Data: set_auc sheet of 05_set_classification.xlsx.



S15 Figure (page 2 of 3). Change, BFR vs HLRT, GOBP. ROC curves for all 36 GOBP sets whose singscore separates the groups at nominal p, across 32 paired participants, smallest p first. AUC has its direction fixed: red separates higher in BFR, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected: chance alone returns 68.3 of the 1366 GOBP sets. Data: set_auc sheet of 05_set_classification.xlsx.



S15 Figure (page 3 of 3). Change, BFR vs HLRT, GOBP. ROC curves for all 36 GOBP sets whose singscore separates the groups at nominal p, across 32 paired participants, smallest p first. AUC has its direction fixed: red separates higher in BFR, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected: chance alone returns 68.3 of the 1366 GOBP sets. Data: set_auc sheet of 05_set_classification.xlsx.