







Change, BFR vs HLRT (page 1 of 10). ROC curves for all 120 proteins that separate the groups at nominal p, across 32 paired participants, smallest p first; chance alone returns 152 of 3,042 proteins. AUC has its direction fixed: red separates higher in BFR, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within task. Data: protein_auc sheet of 04_protein_classification.xlsx.




Change, BFR vs HLRT (page 2 of 10). ROC curves for all 120 proteins that separate the groups at nominal p, across 32 paired participants, smallest p first; chance alone returns 152 of 3,042 proteins. AUC has its direction fixed: red separates higher in BFR, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within task. Data: protein_auc sheet of 04_protein_classification.xlsx.




Change, BFR vs HLRT (page 3 of 10). ROC curves for all 120 proteins that separate the groups at nominal p, across 32 paired participants, smallest p first; chance alone returns 152 of 3,042 proteins. AUC has its direction fixed: red separates higher in BFR, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within task. Data: protein_auc sheet of 04_protein_classification.xlsx.




Change, BFR vs HLRT (page 4 of 10). ROC curves for all 120 proteins that separate the groups at nominal p, across 32 paired participants, smallest p first; chance alone returns 152 of 3,042 proteins. AUC has its direction fixed: red separates higher in BFR, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within task. Data: protein_auc sheet of 04_protein_classification.xlsx.




Change, BFR vs HLRT (page 5 of 10). ROC curves for all 120 proteins that separate the groups at nominal p, across 32 paired participants, smallest p first; chance alone returns 152 of 3,042 proteins. AUC has its direction fixed: red separates higher in BFR, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within task. Data: protein_auc sheet of 04_protein_classification.xlsx.




Change, BFR vs HLRT (page 6 of 10). ROC curves for all 120 proteins that separate the groups at nominal p, across 32 paired participants, smallest p first; chance alone returns 152 of 3,042 proteins. AUC has its direction fixed: red separates higher in BFR, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within task. Data: protein_auc sheet of 04_protein_classification.xlsx.




Change, BFR vs HLRT (page 7 of 10). ROC curves for all 120 proteins that separate the groups at nominal p, across 32 paired participants, smallest p first; chance alone returns 152 of 3,042 proteins. AUC has its direction fixed: red separates higher in BFR, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within task. Data: protein_auc sheet of 04_protein_classification.xlsx.



Change, BFR vs HLRT (page 8 of 10). ROC curves for all 120 proteins that separate the groups at nominal p, across 32 paired participants, smallest p first; chance alone returns 152 of 3,042 proteins. AUC has its direction fixed: red separates higher in BFR, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within task. Data: protein_auc sheet of 04_protein_classification.xlsx.



Change, BFR vs HLRT (page 9 of 10). ROC curves for all 120 proteins that separate the groups at nominal p, across 32 paired participants, smallest p first; chance alone returns 152 of 3,042 proteins. AUC has its direction fixed: red separates higher in BFR, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within task. Data: protein_auc sheet of 04_protein_classification.xlsx.



Change, BFR vs HLRT (page 10 of 10). ROC curves for all 120 proteins that separate the groups at nominal p, across 32 paired participants, smallest p first; chance alone returns 152 of 3,042 proteins. AUC has its direction fixed: red separates higher in BFR, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within task. Data: protein_auc sheet of 04_protein_classification.xlsx.