







Post BFR vs HLRT (page 1 of 15). ROC curves for all 172 proteins that separate the groups at nominal p, across 32 paired participants, smallest p first; chance alone returns 152 of 3,042 proteins. AUC has its direction fixed: red separates higher in BFR, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within task. Data: protein_auc sheet of 04_protein_classification.xlsx.




Post BFR vs HLRT (page 2 of 15). ROC curves for all 172 proteins that separate the groups at nominal p, across 32 paired participants, smallest p first; chance alone returns 152 of 3,042 proteins. AUC has its direction fixed: red separates higher in BFR, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within task. Data: protein_auc sheet of 04_protein_classification.xlsx.




Post BFR vs HLRT (page 3 of 15). ROC curves for all 172 proteins that separate the groups at nominal p, across 32 paired participants, smallest p first; chance alone returns 152 of 3,042 proteins. AUC has its direction fixed: red separates higher in BFR, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within task. Data: protein_auc sheet of 04_protein_classification.xlsx.




Post BFR vs HLRT (page 4 of 15). ROC curves for all 172 proteins that separate the groups at nominal p, across 32 paired participants, smallest p first; chance alone returns 152 of 3,042 proteins. AUC has its direction fixed: red separates higher in BFR, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within task. Data: protein_auc sheet of 04_protein_classification.xlsx.




Post BFR vs HLRT (page 5 of 15). ROC curves for all 172 proteins that separate the groups at nominal p, across 32 paired participants, smallest p first; chance alone returns 152 of 3,042 proteins. AUC has its direction fixed: red separates higher in BFR, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within task. Data: protein_auc sheet of 04_protein_classification.xlsx.




Post BFR vs HLRT (page 6 of 15). ROC curves for all 172 proteins that separate the groups at nominal p, across 32 paired participants, smallest p first; chance alone returns 152 of 3,042 proteins. AUC has its direction fixed: red separates higher in BFR, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within task. Data: protein_auc sheet of 04_protein_classification.xlsx.




Post BFR vs HLRT (page 7 of 15). ROC curves for all 172 proteins that separate the groups at nominal p, across 32 paired participants, smallest p first; chance alone returns 152 of 3,042 proteins. AUC has its direction fixed: red separates higher in BFR, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within task. Data: protein_auc sheet of 04_protein_classification.xlsx.




Post BFR vs HLRT (page 8 of 15). ROC curves for all 172 proteins that separate the groups at nominal p, across 32 paired participants, smallest p first; chance alone returns 152 of 3,042 proteins. AUC has its direction fixed: red separates higher in BFR, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within task. Data: protein_auc sheet of 04_protein_classification.xlsx.




Post BFR vs HLRT (page 9 of 15). ROC curves for all 172 proteins that separate the groups at nominal p, across 32 paired participants, smallest p first; chance alone returns 152 of 3,042 proteins. AUC has its direction fixed: red separates higher in BFR, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within task. Data: protein_auc sheet of 04_protein_classification.xlsx.




Post BFR vs HLRT (page 10 of 15). ROC curves for all 172 proteins that separate the groups at nominal p, across 32 paired participants, smallest p first; chance alone returns 152 of 3,042 proteins. AUC has its direction fixed: red separates higher in BFR, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within task. Data: protein_auc sheet of 04_protein_classification.xlsx.




Post BFR vs HLRT (page 11 of 15). ROC curves for all 172 proteins that separate the groups at nominal p, across 32 paired participants, smallest p first; chance alone returns 152 of 3,042 proteins. AUC has its direction fixed: red separates higher in BFR, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within task. Data: protein_auc sheet of 04_protein_classification.xlsx.




Post BFR vs HLRT (page 12 of 15). ROC curves for all 172 proteins that separate the groups at nominal p, across 32 paired participants, smallest p first; chance alone returns 152 of 3,042 proteins. AUC has its direction fixed: red separates higher in BFR, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within task. Data: protein_auc sheet of 04_protein_classification.xlsx.



Post BFR vs HLRT (page 13 of 15). ROC curves for all 172 proteins that separate the groups at nominal p, across 32 paired participants, smallest p first; chance alone returns 152 of 3,042 proteins. AUC has its direction fixed: red separates higher in BFR, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within task. Data: protein_auc sheet of 04_protein_classification.xlsx.



Post BFR vs HLRT (page 14 of 15). ROC curves for all 172 proteins that separate the groups at nominal p, across 32 paired participants, smallest p first; chance alone returns 152 of 3,042 proteins. AUC has its direction fixed: red separates higher in BFR, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within task. Data: protein_auc sheet of 04_protein_classification.xlsx.



Post BFR vs HLRT (page 15 of 15). ROC curves for all 172 proteins that separate the groups at nominal p, across 32 paired participants, smallest p first; chance alone returns 152 of 3,042 proteins. AUC has its direction fixed: red separates higher in BFR, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within task. Data: protein_auc sheet of 04_protein_classification.xlsx.