







Pre to post, BFR (page 1 of 40). ROC curves for all 477 proteins that separate the groups at nominal p, across 32 paired legs, smallest p first; chance alone returns 152 of 3,042 proteins. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within task. Data: protein_auc sheet of 04_protein_classification.xlsx.




Pre to post, BFR (page 2 of 40). ROC curves for all 477 proteins that separate the groups at nominal p, across 32 paired legs, smallest p first; chance alone returns 152 of 3,042 proteins. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within task. Data: protein_auc sheet of 04_protein_classification.xlsx.




Pre to post, BFR (page 3 of 40). ROC curves for all 477 proteins that separate the groups at nominal p, across 32 paired legs, smallest p first; chance alone returns 152 of 3,042 proteins. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within task. Data: protein_auc sheet of 04_protein_classification.xlsx.




Pre to post, BFR (page 4 of 40). ROC curves for all 477 proteins that separate the groups at nominal p, across 32 paired legs, smallest p first; chance alone returns 152 of 3,042 proteins. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within task. Data: protein_auc sheet of 04_protein_classification.xlsx.




Pre to post, BFR (page 5 of 40). ROC curves for all 477 proteins that separate the groups at nominal p, across 32 paired legs, smallest p first; chance alone returns 152 of 3,042 proteins. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within task. Data: protein_auc sheet of 04_protein_classification.xlsx.




Pre to post, BFR (page 6 of 40). ROC curves for all 477 proteins that separate the groups at nominal p, across 32 paired legs, smallest p first; chance alone returns 152 of 3,042 proteins. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within task. Data: protein_auc sheet of 04_protein_classification.xlsx.




Pre to post, BFR (page 7 of 40). ROC curves for all 477 proteins that separate the groups at nominal p, across 32 paired legs, smallest p first; chance alone returns 152 of 3,042 proteins. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within task. Data: protein_auc sheet of 04_protein_classification.xlsx.




Pre to post, BFR (page 8 of 40). ROC curves for all 477 proteins that separate the groups at nominal p, across 32 paired legs, smallest p first; chance alone returns 152 of 3,042 proteins. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within task. Data: protein_auc sheet of 04_protein_classification.xlsx.




Pre to post, BFR (page 9 of 40). ROC curves for all 477 proteins that separate the groups at nominal p, across 32 paired legs, smallest p first; chance alone returns 152 of 3,042 proteins. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within task. Data: protein_auc sheet of 04_protein_classification.xlsx.




Pre to post, BFR (page 10 of 40). ROC curves for all 477 proteins that separate the groups at nominal p, across 32 paired legs, smallest p first; chance alone returns 152 of 3,042 proteins. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within task. Data: protein_auc sheet of 04_protein_classification.xlsx.




Pre to post, BFR (page 11 of 40). ROC curves for all 477 proteins that separate the groups at nominal p, across 32 paired legs, smallest p first; chance alone returns 152 of 3,042 proteins. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within task. Data: protein_auc sheet of 04_protein_classification.xlsx.




Pre to post, BFR (page 12 of 40). ROC curves for all 477 proteins that separate the groups at nominal p, across 32 paired legs, smallest p first; chance alone returns 152 of 3,042 proteins. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within task. Data: protein_auc sheet of 04_protein_classification.xlsx.




Pre to post, BFR (page 13 of 40). ROC curves for all 477 proteins that separate the groups at nominal p, across 32 paired legs, smallest p first; chance alone returns 152 of 3,042 proteins. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within task. Data: protein_auc sheet of 04_protein_classification.xlsx.




Pre to post, BFR (page 14 of 40). ROC curves for all 477 proteins that separate the groups at nominal p, across 32 paired legs, smallest p first; chance alone returns 152 of 3,042 proteins. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within task. Data: protein_auc sheet of 04_protein_classification.xlsx.




Pre to post, BFR (page 15 of 40). ROC curves for all 477 proteins that separate the groups at nominal p, across 32 paired legs, smallest p first; chance alone returns 152 of 3,042 proteins. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within task. Data: protein_auc sheet of 04_protein_classification.xlsx.




Pre to post, BFR (page 16 of 40). ROC curves for all 477 proteins that separate the groups at nominal p, across 32 paired legs, smallest p first; chance alone returns 152 of 3,042 proteins. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within task. Data: protein_auc sheet of 04_protein_classification.xlsx.




Pre to post, BFR (page 17 of 40). ROC curves for all 477 proteins that separate the groups at nominal p, across 32 paired legs, smallest p first; chance alone returns 152 of 3,042 proteins. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within task. Data: protein_auc sheet of 04_protein_classification.xlsx.




Pre to post, BFR (page 18 of 40). ROC curves for all 477 proteins that separate the groups at nominal p, across 32 paired legs, smallest p first; chance alone returns 152 of 3,042 proteins. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within task. Data: protein_auc sheet of 04_protein_classification.xlsx.




Pre to post, BFR (page 19 of 40). ROC curves for all 477 proteins that separate the groups at nominal p, across 32 paired legs, smallest p first; chance alone returns 152 of 3,042 proteins. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within task. Data: protein_auc sheet of 04_protein_classification.xlsx.




Pre to post, BFR (page 20 of 40). ROC curves for all 477 proteins that separate the groups at nominal p, across 32 paired legs, smallest p first; chance alone returns 152 of 3,042 proteins. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within task. Data: protein_auc sheet of 04_protein_classification.xlsx.




Pre to post, BFR (page 21 of 40). ROC curves for all 477 proteins that separate the groups at nominal p, across 32 paired legs, smallest p first; chance alone returns 152 of 3,042 proteins. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within task. Data: protein_auc sheet of 04_protein_classification.xlsx.




Pre to post, BFR (page 22 of 40). ROC curves for all 477 proteins that separate the groups at nominal p, across 32 paired legs, smallest p first; chance alone returns 152 of 3,042 proteins. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within task. Data: protein_auc sheet of 04_protein_classification.xlsx.




Pre to post, BFR (page 23 of 40). ROC curves for all 477 proteins that separate the groups at nominal p, across 32 paired legs, smallest p first; chance alone returns 152 of 3,042 proteins. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within task. Data: protein_auc sheet of 04_protein_classification.xlsx.




Pre to post, BFR (page 24 of 40). ROC curves for all 477 proteins that separate the groups at nominal p, across 32 paired legs, smallest p first; chance alone returns 152 of 3,042 proteins. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within task. Data: protein_auc sheet of 04_protein_classification.xlsx.




Pre to post, BFR (page 25 of 40). ROC curves for all 477 proteins that separate the groups at nominal p, across 32 paired legs, smallest p first; chance alone returns 152 of 3,042 proteins. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within task. Data: protein_auc sheet of 04_protein_classification.xlsx.




Pre to post, BFR (page 26 of 40). ROC curves for all 477 proteins that separate the groups at nominal p, across 32 paired legs, smallest p first; chance alone returns 152 of 3,042 proteins. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within task. Data: protein_auc sheet of 04_protein_classification.xlsx.




Pre to post, BFR (page 27 of 40). ROC curves for all 477 proteins that separate the groups at nominal p, across 32 paired legs, smallest p first; chance alone returns 152 of 3,042 proteins. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within task. Data: protein_auc sheet of 04_protein_classification.xlsx.




Pre to post, BFR (page 28 of 40). ROC curves for all 477 proteins that separate the groups at nominal p, across 32 paired legs, smallest p first; chance alone returns 152 of 3,042 proteins. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within task. Data: protein_auc sheet of 04_protein_classification.xlsx.




Pre to post, BFR (page 29 of 40). ROC curves for all 477 proteins that separate the groups at nominal p, across 32 paired legs, smallest p first; chance alone returns 152 of 3,042 proteins. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within task. Data: protein_auc sheet of 04_protein_classification.xlsx.




Pre to post, BFR (page 30 of 40). ROC curves for all 477 proteins that separate the groups at nominal p, across 32 paired legs, smallest p first; chance alone returns 152 of 3,042 proteins. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within task. Data: protein_auc sheet of 04_protein_classification.xlsx.




Pre to post, BFR (page 31 of 40). ROC curves for all 477 proteins that separate the groups at nominal p, across 32 paired legs, smallest p first; chance alone returns 152 of 3,042 proteins. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within task. Data: protein_auc sheet of 04_protein_classification.xlsx.




Pre to post, BFR (page 32 of 40). ROC curves for all 477 proteins that separate the groups at nominal p, across 32 paired legs, smallest p first; chance alone returns 152 of 3,042 proteins. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within task. Data: protein_auc sheet of 04_protein_classification.xlsx.




Pre to post, BFR (page 33 of 40). ROC curves for all 477 proteins that separate the groups at nominal p, across 32 paired legs, smallest p first; chance alone returns 152 of 3,042 proteins. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within task. Data: protein_auc sheet of 04_protein_classification.xlsx.




Pre to post, BFR (page 34 of 40). ROC curves for all 477 proteins that separate the groups at nominal p, across 32 paired legs, smallest p first; chance alone returns 152 of 3,042 proteins. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within task. Data: protein_auc sheet of 04_protein_classification.xlsx.




Pre to post, BFR (page 35 of 40). ROC curves for all 477 proteins that separate the groups at nominal p, across 32 paired legs, smallest p first; chance alone returns 152 of 3,042 proteins. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within task. Data: protein_auc sheet of 04_protein_classification.xlsx.




Pre to post, BFR (page 36 of 40). ROC curves for all 477 proteins that separate the groups at nominal p, across 32 paired legs, smallest p first; chance alone returns 152 of 3,042 proteins. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within task. Data: protein_auc sheet of 04_protein_classification.xlsx.




Pre to post, BFR (page 37 of 40). ROC curves for all 477 proteins that separate the groups at nominal p, across 32 paired legs, smallest p first; chance alone returns 152 of 3,042 proteins. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within task. Data: protein_auc sheet of 04_protein_classification.xlsx.



Pre to post, BFR (page 38 of 40). ROC curves for all 477 proteins that separate the groups at nominal p, across 32 paired legs, smallest p first; chance alone returns 152 of 3,042 proteins. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within task. Data: protein_auc sheet of 04_protein_classification.xlsx.



Pre to post, BFR (page 39 of 40). ROC curves for all 477 proteins that separate the groups at nominal p, across 32 paired legs, smallest p first; chance alone returns 152 of 3,042 proteins. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within task. Data: protein_auc sheet of 04_protein_classification.xlsx.



Pre to post, BFR (page 40 of 40). ROC curves for all 477 proteins that separate the groups at nominal p, across 32 paired legs, smallest p first; chance alone returns 152 of 3,042 proteins. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within task. Data: protein_auc sheet of 04_protein_classification.xlsx.