







Pre to post, HLRT (page 1 of 56). ROC curves for all 664 proteins that separate the groups at nominal p, across 33 paired legs, smallest p first; chance alone returns 152 of 3,042 proteins. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within task. Data: protein_auc sheet of 04_protein_classification.xlsx.




Pre to post, HLRT (page 2 of 56). ROC curves for all 664 proteins that separate the groups at nominal p, across 33 paired legs, smallest p first; chance alone returns 152 of 3,042 proteins. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within task. Data: protein_auc sheet of 04_protein_classification.xlsx.




Pre to post, HLRT (page 3 of 56). ROC curves for all 664 proteins that separate the groups at nominal p, across 33 paired legs, smallest p first; chance alone returns 152 of 3,042 proteins. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within task. Data: protein_auc sheet of 04_protein_classification.xlsx.




Pre to post, HLRT (page 4 of 56). ROC curves for all 664 proteins that separate the groups at nominal p, across 33 paired legs, smallest p first; chance alone returns 152 of 3,042 proteins. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within task. Data: protein_auc sheet of 04_protein_classification.xlsx.




Pre to post, HLRT (page 5 of 56). ROC curves for all 664 proteins that separate the groups at nominal p, across 33 paired legs, smallest p first; chance alone returns 152 of 3,042 proteins. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within task. Data: protein_auc sheet of 04_protein_classification.xlsx.




Pre to post, HLRT (page 6 of 56). ROC curves for all 664 proteins that separate the groups at nominal p, across 33 paired legs, smallest p first; chance alone returns 152 of 3,042 proteins. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within task. Data: protein_auc sheet of 04_protein_classification.xlsx.




Pre to post, HLRT (page 7 of 56). ROC curves for all 664 proteins that separate the groups at nominal p, across 33 paired legs, smallest p first; chance alone returns 152 of 3,042 proteins. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within task. Data: protein_auc sheet of 04_protein_classification.xlsx.




Pre to post, HLRT (page 8 of 56). ROC curves for all 664 proteins that separate the groups at nominal p, across 33 paired legs, smallest p first; chance alone returns 152 of 3,042 proteins. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within task. Data: protein_auc sheet of 04_protein_classification.xlsx.




Pre to post, HLRT (page 9 of 56). ROC curves for all 664 proteins that separate the groups at nominal p, across 33 paired legs, smallest p first; chance alone returns 152 of 3,042 proteins. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within task. Data: protein_auc sheet of 04_protein_classification.xlsx.




Pre to post, HLRT (page 10 of 56). ROC curves for all 664 proteins that separate the groups at nominal p, across 33 paired legs, smallest p first; chance alone returns 152 of 3,042 proteins. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within task. Data: protein_auc sheet of 04_protein_classification.xlsx.




Pre to post, HLRT (page 11 of 56). ROC curves for all 664 proteins that separate the groups at nominal p, across 33 paired legs, smallest p first; chance alone returns 152 of 3,042 proteins. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within task. Data: protein_auc sheet of 04_protein_classification.xlsx.




Pre to post, HLRT (page 12 of 56). ROC curves for all 664 proteins that separate the groups at nominal p, across 33 paired legs, smallest p first; chance alone returns 152 of 3,042 proteins. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within task. Data: protein_auc sheet of 04_protein_classification.xlsx.




Pre to post, HLRT (page 13 of 56). ROC curves for all 664 proteins that separate the groups at nominal p, across 33 paired legs, smallest p first; chance alone returns 152 of 3,042 proteins. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within task. Data: protein_auc sheet of 04_protein_classification.xlsx.




Pre to post, HLRT (page 14 of 56). ROC curves for all 664 proteins that separate the groups at nominal p, across 33 paired legs, smallest p first; chance alone returns 152 of 3,042 proteins. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within task. Data: protein_auc sheet of 04_protein_classification.xlsx.




Pre to post, HLRT (page 15 of 56). ROC curves for all 664 proteins that separate the groups at nominal p, across 33 paired legs, smallest p first; chance alone returns 152 of 3,042 proteins. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within task. Data: protein_auc sheet of 04_protein_classification.xlsx.




Pre to post, HLRT (page 16 of 56). ROC curves for all 664 proteins that separate the groups at nominal p, across 33 paired legs, smallest p first; chance alone returns 152 of 3,042 proteins. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within task. Data: protein_auc sheet of 04_protein_classification.xlsx.




Pre to post, HLRT (page 17 of 56). ROC curves for all 664 proteins that separate the groups at nominal p, across 33 paired legs, smallest p first; chance alone returns 152 of 3,042 proteins. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within task. Data: protein_auc sheet of 04_protein_classification.xlsx.




Pre to post, HLRT (page 18 of 56). ROC curves for all 664 proteins that separate the groups at nominal p, across 33 paired legs, smallest p first; chance alone returns 152 of 3,042 proteins. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within task. Data: protein_auc sheet of 04_protein_classification.xlsx.




Pre to post, HLRT (page 19 of 56). ROC curves for all 664 proteins that separate the groups at nominal p, across 33 paired legs, smallest p first; chance alone returns 152 of 3,042 proteins. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within task. Data: protein_auc sheet of 04_protein_classification.xlsx.




Pre to post, HLRT (page 20 of 56). ROC curves for all 664 proteins that separate the groups at nominal p, across 33 paired legs, smallest p first; chance alone returns 152 of 3,042 proteins. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within task. Data: protein_auc sheet of 04_protein_classification.xlsx.




Pre to post, HLRT (page 21 of 56). ROC curves for all 664 proteins that separate the groups at nominal p, across 33 paired legs, smallest p first; chance alone returns 152 of 3,042 proteins. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within task. Data: protein_auc sheet of 04_protein_classification.xlsx.




Pre to post, HLRT (page 22 of 56). ROC curves for all 664 proteins that separate the groups at nominal p, across 33 paired legs, smallest p first; chance alone returns 152 of 3,042 proteins. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within task. Data: protein_auc sheet of 04_protein_classification.xlsx.




Pre to post, HLRT (page 23 of 56). ROC curves for all 664 proteins that separate the groups at nominal p, across 33 paired legs, smallest p first; chance alone returns 152 of 3,042 proteins. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within task. Data: protein_auc sheet of 04_protein_classification.xlsx.




Pre to post, HLRT (page 24 of 56). ROC curves for all 664 proteins that separate the groups at nominal p, across 33 paired legs, smallest p first; chance alone returns 152 of 3,042 proteins. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within task. Data: protein_auc sheet of 04_protein_classification.xlsx.




Pre to post, HLRT (page 25 of 56). ROC curves for all 664 proteins that separate the groups at nominal p, across 33 paired legs, smallest p first; chance alone returns 152 of 3,042 proteins. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within task. Data: protein_auc sheet of 04_protein_classification.xlsx.




Pre to post, HLRT (page 26 of 56). ROC curves for all 664 proteins that separate the groups at nominal p, across 33 paired legs, smallest p first; chance alone returns 152 of 3,042 proteins. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within task. Data: protein_auc sheet of 04_protein_classification.xlsx.




Pre to post, HLRT (page 27 of 56). ROC curves for all 664 proteins that separate the groups at nominal p, across 33 paired legs, smallest p first; chance alone returns 152 of 3,042 proteins. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within task. Data: protein_auc sheet of 04_protein_classification.xlsx.




Pre to post, HLRT (page 28 of 56). ROC curves for all 664 proteins that separate the groups at nominal p, across 33 paired legs, smallest p first; chance alone returns 152 of 3,042 proteins. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within task. Data: protein_auc sheet of 04_protein_classification.xlsx.




Pre to post, HLRT (page 29 of 56). ROC curves for all 664 proteins that separate the groups at nominal p, across 33 paired legs, smallest p first; chance alone returns 152 of 3,042 proteins. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within task. Data: protein_auc sheet of 04_protein_classification.xlsx.




Pre to post, HLRT (page 30 of 56). ROC curves for all 664 proteins that separate the groups at nominal p, across 33 paired legs, smallest p first; chance alone returns 152 of 3,042 proteins. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within task. Data: protein_auc sheet of 04_protein_classification.xlsx.




Pre to post, HLRT (page 31 of 56). ROC curves for all 664 proteins that separate the groups at nominal p, across 33 paired legs, smallest p first; chance alone returns 152 of 3,042 proteins. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within task. Data: protein_auc sheet of 04_protein_classification.xlsx.




Pre to post, HLRT (page 32 of 56). ROC curves for all 664 proteins that separate the groups at nominal p, across 33 paired legs, smallest p first; chance alone returns 152 of 3,042 proteins. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within task. Data: protein_auc sheet of 04_protein_classification.xlsx.




Pre to post, HLRT (page 33 of 56). ROC curves for all 664 proteins that separate the groups at nominal p, across 33 paired legs, smallest p first; chance alone returns 152 of 3,042 proteins. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within task. Data: protein_auc sheet of 04_protein_classification.xlsx.




Pre to post, HLRT (page 34 of 56). ROC curves for all 664 proteins that separate the groups at nominal p, across 33 paired legs, smallest p first; chance alone returns 152 of 3,042 proteins. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within task. Data: protein_auc sheet of 04_protein_classification.xlsx.




Pre to post, HLRT (page 35 of 56). ROC curves for all 664 proteins that separate the groups at nominal p, across 33 paired legs, smallest p first; chance alone returns 152 of 3,042 proteins. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within task. Data: protein_auc sheet of 04_protein_classification.xlsx.




Pre to post, HLRT (page 36 of 56). ROC curves for all 664 proteins that separate the groups at nominal p, across 33 paired legs, smallest p first; chance alone returns 152 of 3,042 proteins. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within task. Data: protein_auc sheet of 04_protein_classification.xlsx.




Pre to post, HLRT (page 37 of 56). ROC curves for all 664 proteins that separate the groups at nominal p, across 33 paired legs, smallest p first; chance alone returns 152 of 3,042 proteins. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within task. Data: protein_auc sheet of 04_protein_classification.xlsx.




Pre to post, HLRT (page 38 of 56). ROC curves for all 664 proteins that separate the groups at nominal p, across 33 paired legs, smallest p first; chance alone returns 152 of 3,042 proteins. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within task. Data: protein_auc sheet of 04_protein_classification.xlsx.




Pre to post, HLRT (page 39 of 56). ROC curves for all 664 proteins that separate the groups at nominal p, across 33 paired legs, smallest p first; chance alone returns 152 of 3,042 proteins. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within task. Data: protein_auc sheet of 04_protein_classification.xlsx.




Pre to post, HLRT (page 40 of 56). ROC curves for all 664 proteins that separate the groups at nominal p, across 33 paired legs, smallest p first; chance alone returns 152 of 3,042 proteins. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within task. Data: protein_auc sheet of 04_protein_classification.xlsx.




Pre to post, HLRT (page 41 of 56). ROC curves for all 664 proteins that separate the groups at nominal p, across 33 paired legs, smallest p first; chance alone returns 152 of 3,042 proteins. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within task. Data: protein_auc sheet of 04_protein_classification.xlsx.




Pre to post, HLRT (page 42 of 56). ROC curves for all 664 proteins that separate the groups at nominal p, across 33 paired legs, smallest p first; chance alone returns 152 of 3,042 proteins. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within task. Data: protein_auc sheet of 04_protein_classification.xlsx.




Pre to post, HLRT (page 43 of 56). ROC curves for all 664 proteins that separate the groups at nominal p, across 33 paired legs, smallest p first; chance alone returns 152 of 3,042 proteins. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within task. Data: protein_auc sheet of 04_protein_classification.xlsx.




Pre to post, HLRT (page 44 of 56). ROC curves for all 664 proteins that separate the groups at nominal p, across 33 paired legs, smallest p first; chance alone returns 152 of 3,042 proteins. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within task. Data: protein_auc sheet of 04_protein_classification.xlsx.




Pre to post, HLRT (page 45 of 56). ROC curves for all 664 proteins that separate the groups at nominal p, across 33 paired legs, smallest p first; chance alone returns 152 of 3,042 proteins. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within task. Data: protein_auc sheet of 04_protein_classification.xlsx.




Pre to post, HLRT (page 46 of 56). ROC curves for all 664 proteins that separate the groups at nominal p, across 33 paired legs, smallest p first; chance alone returns 152 of 3,042 proteins. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within task. Data: protein_auc sheet of 04_protein_classification.xlsx.




Pre to post, HLRT (page 47 of 56). ROC curves for all 664 proteins that separate the groups at nominal p, across 33 paired legs, smallest p first; chance alone returns 152 of 3,042 proteins. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within task. Data: protein_auc sheet of 04_protein_classification.xlsx.




Pre to post, HLRT (page 48 of 56). ROC curves for all 664 proteins that separate the groups at nominal p, across 33 paired legs, smallest p first; chance alone returns 152 of 3,042 proteins. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within task. Data: protein_auc sheet of 04_protein_classification.xlsx.




Pre to post, HLRT (page 49 of 56). ROC curves for all 664 proteins that separate the groups at nominal p, across 33 paired legs, smallest p first; chance alone returns 152 of 3,042 proteins. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within task. Data: protein_auc sheet of 04_protein_classification.xlsx.




Pre to post, HLRT (page 50 of 56). ROC curves for all 664 proteins that separate the groups at nominal p, across 33 paired legs, smallest p first; chance alone returns 152 of 3,042 proteins. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within task. Data: protein_auc sheet of 04_protein_classification.xlsx.




Pre to post, HLRT (page 51 of 56). ROC curves for all 664 proteins that separate the groups at nominal p, across 33 paired legs, smallest p first; chance alone returns 152 of 3,042 proteins. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within task. Data: protein_auc sheet of 04_protein_classification.xlsx.




Pre to post, HLRT (page 52 of 56). ROC curves for all 664 proteins that separate the groups at nominal p, across 33 paired legs, smallest p first; chance alone returns 152 of 3,042 proteins. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within task. Data: protein_auc sheet of 04_protein_classification.xlsx.




Pre to post, HLRT (page 53 of 56). ROC curves for all 664 proteins that separate the groups at nominal p, across 33 paired legs, smallest p first; chance alone returns 152 of 3,042 proteins. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within task. Data: protein_auc sheet of 04_protein_classification.xlsx.



Pre to post, HLRT (page 54 of 56). ROC curves for all 664 proteins that separate the groups at nominal p, across 33 paired legs, smallest p first; chance alone returns 152 of 3,042 proteins. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within task. Data: protein_auc sheet of 04_protein_classification.xlsx.



Pre to post, HLRT (page 55 of 56). ROC curves for all 664 proteins that separate the groups at nominal p, across 33 paired legs, smallest p first; chance alone returns 152 of 3,042 proteins. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within task. Data: protein_auc sheet of 04_protein_classification.xlsx.



Pre to post, HLRT (page 56 of 56). ROC curves for all 664 proteins that separate the groups at nominal p, across 33 paired legs, smallest p first; chance alone returns 152 of 3,042 proteins. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within task. Data: protein_auc sheet of 04_protein_classification.xlsx.