


BFR_Post-HLRT_Post


GOBP, fgsea, BH within contrast



Ten strongest of 52 collapse survivors, ranked by adjusted p. Size is gene count, colour is $-\log_{10}$ FDR. Table: c_data/set_tests.csv.

BFR_Post-Pre


GOBP, fgsea, BH within contrast



Ten strongest of 88 collapse survivors, ranked by adjusted p. Size is gene count, colour is $-\log_{10}$ FDR. Table: c_data/set_tests.csv.

HLRT_Post-Pre


GOBP, fgsea, BH within contrast



Ten strongest of 68 collapse survivors, ranked by adjusted p. Size is gene count, colour is $-\log_{10}$ FDR. Table: c_data/set_tests.csv.

Modality_x_Time_Interaction


GOBP, fgsea, BH within contrast



All of 10 collapse survivors, ranked by adjusted p. Size is gene count, colour is $-\log_{10}$ FDR. Table: c_data/set_tests.csv.

Significant sets before and after collapse


fgsea at FDR 0.05, then collapsePathways



Bars count significant sets per collection. Collapse keeps a set only if it stands alone given a stronger set's leading edge. Table: c_data/set_tests.csv.

BFR_Post-HLRT_Post


GO_Slim, fgsea, BH within contrast



All of 4 collapse survivors, ranked by adjusted p. Size is gene count, colour is –log₁₀ FDR. Table: c_data/set_tests.csv.

BFR_Post-Pre


GO_Slim, fgsea, BH within contrast



All of 5 collapse survivors, ranked by adjusted p. Size is gene count, colour is $-\log_{10}$ FDR. Table: c_data/set_tests.csv.

HLRT_Post-Pre


GO_Slim, fgsea, BH within contrast



All of 1 collapse survivor, ranked by adjusted p. Size is gene count, colour is $-\log_{10}$ FDR. Table: c_data/set_tests.csv.

Modality_x_Time_Interaction


GO_Slim, fgsea, BH within contrast



All of 2 collapse survivors, ranked by adjusted p. Size is gene count, colour is –log₁₀ FDR. Table: c_data/set_tests.csv.

BFR_Post-HLRT_Post


GOBP, fgsea, BH within contrast



Ten strongest of 27 collapse survivors, ranked by adjusted p. Size is gene count, colour is $-\log_{10}$ FDR. Table: c_data/set_tests.csv.

BFR_Post-Pre


GOBP, fgsea, BH within contrast



Ten strongest of 50 collapse survivors, ranked by adjusted p. Size is gene count, colour is $-\log_{10}$ FDR. Table: c_data/set_tests.csv.

HLRT_Post-Pre


GOBP, fgsea, BH within contrast



Ten strongest of 39 collapse survivors, ranked by adjusted p. Size is gene count, colour is $-\log_{10}$ FDR. Table: c_data/set_tests.csv.

Modality_x_Time_Interaction

GOBP, fgsea, BH within contrast




All of 7 collapse survivors, ranked by adjusted p. Size is gene count, colour is $-\log_{10} \text{FDR}$. Table: c_data/set_tests.csv.


BFR_Post-HLRT_Post

Hallmark, fgsea, BH within contrast

genes



$-\log_{10}$ FDR



Bile Acid
Metabolism

FA Metabolism

EMT

-2

-1

0

1


2

normalised enrichment score

All of 3 collapse survivors, ranked by adjusted p. Size is gene count, colour is $-\log_{10}$ FDR. Table: c_data/set_tests.csv.

BFR_Post-Pre


Hallmark, fgsea, BH within contrast



All of 4 collapse survivors, ranked by adjusted p. Size is gene count, colour is $-\log_{10}$ FDR. Table: c_data/set_tests.csv.

HLRT_Post-Pre

Hallmark, fgsea, BH within contrast



All of 3 collapse survivors, ranked by adjusted p. Size is gene count, colour is $-\log_{10}$ FDR. Table: c_data/set_tests.csv.

Modality_x_Time_Interaction

Hallmark, fgsea, BH within contrast

Heme
Metabolism

0.0

0.5

1.0

1.5

normalised enrichment score

$-\log_{10}$ FDR

1.654373


genes

65

All of 1 collapse survivor, ranked by adjusted p. Size is gene count, colour is $-\log_{10}$ FDR. Table: c_data/set_tests.csv.

BFR_Post-HLRT_Post


KEGG_Legacy, fgsea, BH within contrast



All of 6 collapse survivors, ranked by adjusted p. Size is gene count, colour is $-\log_{10}$ FDR. Table: c_data/set_tests.csv.

BFR_Post-Pre


KEGG_Legacy, fgsea, BH within contrast



All of 6 collapse survivors, ranked by adjusted p. Size is gene count, colour is $-\log_{10}$ FDR. Table: c_data/set_tests.csv.

HLRT_Post-Pre


KEGG_Legacy, fgsea, BH within contrast



All of 7 collapse survivors, ranked by adjusted p. Size is gene count, colour is $-\log_{10}$ FDR. Table: c_data/set_tests.csv.

BFR_Post-HLRT_Post


Reactome, fgsea, BH within contrast



Ten strongest of 12 collapse survivors, ranked by adjusted p. Size is gene count, colour is $-\log_{10} \text{FDR}$. Table: c_data/set_tests.csv.

BFR_Post-Pre


Reactome, fgsea, BH within contrast



Ten strongest of 23 collapse survivors, ranked by adjusted p. Size is gene count, colour is $-\log_{10}$ FDR. Table: c_data/set_tests.csv.

HLRT_Post-Pre

Reactome, fgsea, BH within contrast



Ten strongest of 18 collapse survivors, ranked by adjusted p. Size is gene count, colour is $-\log_{10} \text{FDR}$. Table: c_data/set_tests.csv.