



Training response against phenotype, all legs, rf_csa (page 1 of 10)






BFR
HLRT
ARL8A Q96BM9
vs rf_csa t = +2.93 p 0.0046 q 0.99
BFR n=32 r=+0.26
HLRT n=33 r=+0.36
RNF170 Q96K19
vs rf_csa t = −2.93 p 0.0047 q 0.99
BFR n=32 r=−0.21
HLRT n=33 r=−0.35
GMPR P36959
vs rf_csa t = −2.91 p 0.0049 q 0.99
BFR n=32 r=−0.31
HLRT n=33 r=−0.24
SSBP1 Q04837
vs rf_csa t = +2.85 p 0.0058 q 0.99
BFR n=32 r=+0.15
HLRT n=33 r=+0.43
XIRP2 A4UGR9
vs rf_csa t = −2.85 p 0.0059 q 0.99
BFR n=32 r=−0.35
HLRT n=33 r=−0.38
PIP4K2A P48426
vs rf_csa t = −2.84 p 0.006 q 0.99
BFR n=32 r=−0.16
HLRT n=33 r=−0.36
MRPL43 Q8N983
vs rf_csa t = +2.79 p 0.0069 q 0.99
BFR n=32 r=+0.23
HLRT n=33 r=+0.21
LARS2 Q15031
vs rf_csa t = +2.79 p 0.0069 q 0.99
BFR n=32 r=+0.27
HLRT n=33 r=+0.27
MARK3 P27448
vs rf_csa t = −2.75 p 0.0076 q 0.99
BFR n=32 r=−0.23
HLRT n=33 r=−0.30
HSPA8 P11142
vs rf_csa t = −2.74 p 0.0079 q 0.99
BFR n=32 r=−0.18
HLRT n=33 r=−0.23
PPP1R7 Q15435
vs rf_csa t = −2.73 p 0.008 q 0.99
BFR n=32 r=−0.42
HLRT n=33 r=−0.38
CBR4 Q8N4T8
vs rf_csa t = +2.72 p 0.0083 q 0.99
BFR n=32 r=+0.31
HLRT n=33 r=+0.17
change in phenotype
change in protein, log2, T2 − T1, one point per leg


Training response against phenotype, all legs, rf_csa (page 3 of 10)






BFR
HLRT
PDHA1 P08559
vs rf_csa t = +2.49 p 0.015 q 0.99
BFR n=32 r=+0.27
HLRT n=33 r=+0.31
COPZ1 P61923
vs rf_csa t = −2.49 p 0.015 q 0.99
BFR n=32 r=−0.33
HLRT n=33 r=−0.42
VCL P18206
vs rf_csa t = −2.48 p 0.016 q 0.99
BFR n=32 r=−0.53
HLRT n=33 r=−0.13
COPS7A Q9UBW8
vs rf_csa t = −2.46 p 0.016 q 0.99
BFR n=32 r=−0.20
HLRT n=33 r=−0.34
MRPS16 Q9Y3D3
vs rf_csa t = +2.45 p 0.017 q 0.99
BFR n=32 r=+0.37
HLRT n=33 r=−0.07
PTP4A3 O75365
vs rf_csa t = +2.44 p 0.018 q 0.99
BFR n=32 r=+0.52
HLRT n=33 r=+0.10
MAPK9 P45984
vs rf_csa t = +2.42 p 0.018 q 0.99
BFR n=32 r=+0.01
HLRT n=33 r=+0.40
SELENBP1 Q13228
vs rf_csa t = −2.41 p 0.019 q 0.99
BFR n=32 r=−0.16
HLRT n=33 r=−0.43
PFAS O15067
vs rf_csa t = −2.40 p 0.019 q 0.99
BFR n=32 r=−0.16
HLRT n=33 r=−0.48
DOHH Q9BU89
vs rf_csa t = +2.40 p 0.019 q 0.99
BFR n=32 r=+0.22
HLRT n=33 r=+0.42
SARS1 P49591
vs rf_csa t = −2.40 p 0.019 q 0.99
BFR n=32 r=−0.19
HLRT n=33 r=−0.37
HTATSF1 O43719
vs rf_csa t = +2.39 p 0.02 q 0.99
BFR n=32 r=+0.23
HLRT n=33 r=+0.30
change in phenotype
change in protein, log2, T2 − T1, one point per leg



BFR
HLRT
MSI2 Q96DH6
vs rf_csa t = −2.38 p 0.02 q 0.99
BFR n=32 r=−0.08
HLRT n=33 r=−0.48
DHX15 O43143
vs rf_csa t = +2.37 p 0.021 q 0.99
BFR n=32 r=+0.43
HLRT n=33 r=+0.31
MAT2A P31153
vs rf_csa t = −2.36 p 0.021 q 0.99
BFR n=32 r=−0.26
HLRT n=33 r=−0.22
LRPPRC P42704
vs rf_csa t = +2.35 p 0.022 q 0.99
BFR n=32 r=+0.16
HLRT n=33 r=+0.38
MUSTN1 Q8IVN3
vs rf_csa t = −2.35 p 0.022 q 0.99
BFR n=32 r=−0.28
HLRT n=33 r=−0.26
MRPL58 Q14197
vs rf_csa t = +2.35 p 0.022 q 0.99
BFR n=32 r=+0.25
HLRT n=33 r=+0.24
CUL3 Q13618
vs rf_csa t = −2.34 p 0.022 q 0.99
BFR n=32 r=−0.36
HLRT n=33 r=−0.17
NAA50 Q9GZZ1
vs rf_csa t = +2.32 p 0.023 q 0.99
BFR n=32 r=+0.46
HLRT n=33 r=+0.15
CS O75390
vs rf_csa t = +2.32 p 0.024 q 0.99
BFR n=32 r=+0.01
HLRT n=33 r=+0.50
PHKB Q93100
vs rf_csa t = +2.31 p 0.024 q 0.99
BFR n=32 r=+0.27
HLRT n=33 r=+0.31
MRPS2 Q9Y399
vs rf_csa t = +2.31 p 0.024 q 0.99
BFR n=32 r=+0.21
HLRT n=33 r=+0.04
TOR1AIP2 Q8NFQ8
vs rf_csa t = −2.30 p 0.024 q 0.99
BFR n=32 r=+0.09
HLRT n=33 r=−0.38
change in phenotype
change in protein, log2, T2 − T1, one point per leg



BFR
HLRT
GSK3B P49841
vs rf_csa t = −2.30 p 0.025 q 0.99
BFR n=32 r=−0.04
HLRT n=33 r=−0.26
TM9SF2 Q99805
vs rf_csa t = +2.28 p 0.026 q 0.99
BFR n=32 r=+0.22
HLRT n=33 r=+0.20
KLHDC3 Q9BQ90
vs rf_csa t = +2.27 p 0.026 q 0.99
BFR n=32 r=+0.28
HLRT n=33 r=+0.22
HEBP2 Q9Y5Z4
vs rf_csa t = −2.27 p 0.026 q 0.99
BFR n=32 r=−0.22
HLRT n=33 r=−0.27
RRAD P55042
vs rf_csa t = −2.27 p 0.027 q 0.99
BFR n=32 r=−0.25
HLRT n=33 r=−0.26
MRPS18A Q9NVS2
vs rf_csa t = +2.25 p 0.028 q 0.99
BFR n=32 r=+0.13
HLRT n=33 r=+0.22
SEC16A O15027
vs rf_csa t = +2.24 p 0.029 q 0.99
BFR n=32 r=+0.28
HLRT n=33 r=+0.39
DNM2 P50570
vs rf_csa t = +2.22 p 0.03 q 0.99
BFR n=32 r=+0.21
HLRT n=33 r=+0.22
MRPS5 P82675
vs rf_csa t = +2.22 p 0.03 q 0.99
BFR n=32 r=+0.38
HLRT n=33 r=+0.04
COX5B P10606
vs rf_csa t = +2.22 p 0.03 q 0.99
BFR n=32 r=+0.05
HLRT n=33 r=+0.23
ACO2 Q99798
vs rf_csa t = +2.22 p 0.03 q 0.99
BFR n=32 r=+0.32
HLRT n=33 r=+0.10
ADD2 P35612
vs rf_csa t = −2.21 p 0.03 q 0.99
BFR n=32 r=−0.23
HLRT n=33 r=−0.28
change in phenotype
change in protein, log2, T2 − T1, one point per leg



BFR
HLRT
SLIRP Q9GZT3
vs rf_csa t = +2.20 p 0.031 q 0.99
BFR n=32 r=+0.11
HLRT n=33 r=+0.33
TPM4 P67936
vs rf_csa t = −2.20 p 0.031 q 0.99
BFR n=32 r=−0.52
HLRT n=33 r=−0.13
CCNDBP1 O95273
vs rf_csa t = −2.19 p 0.032 q 0.99
BFR n=32 r=−0.17
HLRT n=33 r=−0.37
C11orf54 Q9H0W9
vs rf_csa t = +2.18 p 0.033 q 0.99
BFR n=32 r=+0.18
HLRT n=33 r=+0.45
ACYP2 P14621
vs rf_csa t = −2.17 p 0.034 q 0.99
BFR n=32 r=−0.41
HLRT n=33 r=−0.17
PGM3 O95394
vs rf_csa t = +2.16 p 0.034 q 0.99
BFR n=32 r=+0.30
HLRT n=33 r=+0.01
WARS2 Q9UGM6
vs rf_csa t = +2.16 p 0.035 q 0.99
BFR n=32 r=+0.33
HLRT n=33 r=+0.07
MRPL11 Q9Y3B7
vs rf_csa t = +2.14 p 0.036 q 0.99
BFR n=32 r=+0.35
HLRT n=33 r=+0.17
LPCAT3 Q6P1A2
vs rf_csa t = +2.14 p 0.036 q 0.99
BFR n=32 r=+0.39
HLRT n=33 r=+0.21
OGT O15294
vs rf_csa t = +2.14 p 0.036 q 0.99
BFR n=32 r=+0.47
HLRT n=33 r=+0.08
FDXR P22570
vs rf_csa t = −2.14 p 0.036 q 0.99
BFR n=32 r=−0.06
HLRT n=33 r=−0.21
STT3A P46977
vs rf_csa t = +2.13 p 0.037 q 0.99
BFR n=32 r=+0.01
HLRT n=33 r=+0.37
change in phenotype
change in protein, log2, T2 − T1, one point per leg



BFR
HLRT
LRRC47 Q8N1G4
vs rf_csa t = +2.12 p 0.037 q 0.99
BFR n=32 r=+0.19
HLRT n=33 r=+0.26
SMS P52788
vs rf_csa t = +2.12 p 0.038 q 0.99
BFR n=32 r=+0.30
HLRT n=33 r=+0.24
CCDC93 Q567U6
vs rf_csa t = −2.11 p 0.038 q 0.99
BFR n=32 r=−0.25
HLRT n=33 r=−0.26
GLUL P15104
vs rf_csa t = −2.10 p 0.039 q 0.99
BFR n=32 r=−0.22
HLRT n=33 r=−0.30
TUFM P49411
vs rf_csa t = +2.10 p 0.039 q 0.99
BFR n=32 r=+0.11
HLRT n=33 r=+0.40
UBXN1 Q04323
vs rf_csa t = −2.10 p 0.039 q 0.99
BFR n=32 r=−0.35
HLRT n=33 r=−0.04
DLAT P10515
vs rf_csa t = +2.10 p 0.04 q 0.99
BFR n=32 r=+0.19
HLRT n=33 r=+0.42
CHP1 Q99653
vs rf_csa t = −2.10 p 0.04 q 0.99
BFR n=32 r=−0.18
HLRT n=33 r=−0.17
NDUFV1 P49821
vs rf_csa t = +2.09 p 0.04 q 0.99
BFR n=32 r=+0.37
HLRT n=33 r=+0.11
AIP O00170
vs rf_csa t = −2.08 p 0.041 q 0.99
BFR n=32 r=−0.23
HLRT n=33 r=−0.29
ATP5F1C P36542
vs rf_csa t = +2.08 p 0.041 q 0.99
BFR n=32 r=+0.20
HLRT n=33 r=+0.11
HMGN4 O00479
vs rf_csa t = +2.07 p 0.042 q 0.99
BFR n=32 r=+0.21
HLRT n=33 r=+0.15
change in phenotype
change in protein, log2, T2 − T1, one point per leg



BFR
HLRT
SLC25A4 P12235
vs rf_csa t = +2.07 p 0.042 q 0.99
BFR n=32 r=+0.10
HLRT n=33 r=+0.28
MRPS22 P82650
vs rf_csa t = +2.07 p 0.042 q 0.99
BFR n=32 r=+0.46
HLRT n=33 r=−0.01
NXN Q6DKJ4
vs rf_csa t = −2.06 p 0.043 q 0.99
BFR n=32 r=+0.05
HLRT n=33 r=−0.06
TMEM70 Q9BUB7
vs rf_csa t = +2.06 p 0.043 q 0.99
BFR n=32 r=+0.37
HLRT n=33 r=+0.20
CTSC P53634
vs rf_csa t = +2.06 p 0.044 q 0.99
BFR n=32 r=+0.34
HLRT n=33 r=+0.16
THTPA Q9BU02
vs rf_csa t = −2.05 p 0.044 q 0.99
BFR n=32 r=−0.34
HLRT n=33 r=−0.27
PAXX Q9BUH6
vs rf_csa t = +2.05 p 0.044 q 0.99
BFR n=32 r=+0.26
HLRT n=33 r=+0.29
BTF3L4 Q96K17
vs rf_csa t = +2.05 p 0.044 q 0.99
BFR n=32 r=+0.25
HLRT n=33 r=+0.36
PALLD Q8WX93
vs rf_csa t = −2.05 p 0.045 q 0.99
BFR n=32 r=−0.20
HLRT n=33 r=−0.22
EML2 O95834
vs rf_csa t = −2.04 p 0.045 q 0.99
BFR n=32 r=−0.13
HLRT n=33 r=−0.34
ZYX Q15942
vs rf_csa t = −2.03 p 0.046 q 0.99
BFR n=32 r=−0.33
HLRT n=33 r=−0.03
DPP9 Q86TI2
vs rf_csa t = +2.02 p 0.047 q 0.99
BFR n=32 r=+0.16
HLRT n=33 r=+0.27
change in phenotype
change in protein, log2, T2 − T1, one point per leg



BFR
HLRT
CRYZL1 O95825
vs rf_csa t = +2.02 p 0.048 q 0.99
BFR n=32 r=+0.22
HLRT n=33 r=+0.29
CAP2 P40123
vs rf_csa t = −2.01 p 0.048 q 0.99
BFR n=32 r=−0.13
HLRT n=33 r=−0.14
ATP5MD Q96IX5
vs rf_csa t = +2.01 p 0.048 q 0.99
BFR n=32 r=+0.13
HLRT n=33 r=+0.01
PSMC2 P35998
vs rf_csa t = −2.01 p 0.048 q 0.99
BFR n=32 r=−0.09
HLRT n=33 r=−0.20
PCMT1 P22061
vs rf_csa t = −2.01 p 0.049 q 0.99
BFR n=32 r=−0.16
HLRT n=33 r=−0.16
HYI Q5T013
vs rf_csa t = −2.01 p 0.049 q 0.99
BFR n=32 r=−0.07
HLRT n=33 r=−0.50
MRPS27 Q92552
vs rf_csa t = +2.01 p 0.049 q 0.99
BFR n=32 r=+0.20
HLRT n=33 r=+0.28
CUL2 Q13617
vs rf_csa t = −2.00 p 0.049 q 0.99
BFR n=32 r=−0.29
HLRT n=33 r=−0.31
SPTB P11277
vs rf_csa t = −2.00 p 0.049 q 0.99
BFR n=32 r=−0.14
HLRT n=33 r=−0.23
GCN1 Q92616
vs rf_csa t = −2.00 p 0.05 q 0.99
BFR n=32 r=−0.20
HLRT n=33 r=−0.31
change in phenotype
change in protein, log2, T2 − T1, one point per leg



BFR − HLRT
SMTNL1 A8MU46
vs rf_csa t = −4.28 p 0.00014 q 0.42
MRPS7 Q9Y2R9
vs rf_csa t = +3.61 p 0.00097 q 0.78
ARL8A Q96BM9
vs rf_csa t = +3.60 p 0.00099 q 0.78
PPP6C O00743
vs rf_csa t = +3.58 p 0.001 q 0.78
PBDC1 Q9BVG4
vs rf_csa t = −3.36 p 0.0019 q 1
HTATSF1 O43719
vs rf_csa t = +3.17 p 0.0032 q 1
MCTS1 Q9ULC4
vs rf_csa t = +3.08 p 0.004 q 1
MAT2A P31153
vs rf_csa t = −3.04 p 0.0045 q 1
TMEM109 Q9BVC6
vs rf_csa t = −2.96 p 0.0055 q 1
TRAPPC11 Q7Z392
vs rf_csa t = +2.95 p 0.0058 q 1
HNRNPAB Q99729
vs rf_csa t = −2.88 p 0.0068 q 1
BORCS6 Q96GS4
vs rf_csa t = +2.86 p 0.0071 q 1
change in phenotype, BFR minus HLRT
change in protein, log2, T2 − T1, BFR minus HLRT, one point per participant



BFR − HLRT
LARS2 Q15031
vs rf_csa t = +2.85 p 0.0072 q 1
NUDT9 Q9BW91
vs rf_csa t = +2.79 p 0.0084 q 1
SF3B1 O75533
vs rf_csa t = +2.78 p 0.0087 q 1
GFPT1 Q06210
vs rf_csa t = +2.78 p 0.0087 q 1
MRPL43 Q8N983
vs rf_csa t = +2.76 p 0.0093 q 1
HMGB1 P09429
vs rf_csa t = +2.75 p 0.0094 q 1
MT−ND5 P03915
vs rf_csa t = +2.71 p 0.01 q 1
EMCN Q9ULC0
vs rf_csa t = −2.69 p 0.011 q 1
TM9SF2 Q99805
vs rf_csa t = +2.68 p 0.011 q 1
SNX2 O60749
vs rf_csa t = −2.65 p 0.012 q 1
EZR P15311
vs rf_csa t = +2.64 p 0.012 q 1
PHYH O14832
vs rf_csa t = +2.63 p 0.013 q 1
change in phenotype, BFR minus HLRT
change in protein, log2, T2 − T1, BFR minus HLRT, one point per participant



BFR − HLRT
PSMB6 P28072
vs rf_csa t = −2.61 p 0.013 q 1
TBCB Q99426
vs rf_csa t = −2.61 p 0.013 q 1
CCNDBP1 O95273
vs rf_csa t = −2.59 p 0.014 q 1
SNX5 Q9Y5X3
vs rf_csa t = +2.57 p 0.015 q 1
GPX1 P07203
vs rf_csa t = −2.56 p 0.015 q 1
APEX1 P27695
vs rf_csa t = −2.54 p 0.016 q 1
HMGN4 O00479
vs rf_csa t = +2.54 p 0.016 q 1
SIAE Q9HAT2
vs rf_csa t = +2.53 p 0.016 q 1
WBP2 Q969T9
vs rf_csa t = −2.51 p 0.017 q 1
UCHL1 P09936
vs rf_csa t = +2.49 p 0.018 q 1
APRT P07741
vs rf_csa t = −2.48 p 0.018 q 1
ADA P00813
vs rf_csa t = −2.47 p 0.018 q 1
change in phenotype, BFR minus HLRT
change in protein, log2, T2 − T1, BFR minus HLRT, one point per participant



BFR − HLRT
USP13 Q92995
vs rf_csa t = +2.47 p 0.019 q 1
MRPL37 Q9BZE1
vs rf_csa t = +2.45 p 0.019 q 1
RMDN1 Q96DB5
vs rf_csa t = +2.45 p 0.02 q 1
FBN2 P35556
vs rf_csa t = −2.45 p 0.02 q 1
ISOC1 Q96CN7
vs rf_csa t = −2.44 p 0.02 q 1
CNRIP1 Q96F85
vs rf_csa t = −2.43 p 0.02 q 1
RTCA O00442
vs rf_csa t = −2.42 p 0.021 q 1
SAR1A Q9NR31
vs rf_csa t = −2.41 p 0.022 q 1
PRKAR2A P13861
vs rf_csa t = −2.41 p 0.022 q 1
GARS1 P41250
vs rf_csa t = +2.40 p 0.022 q 1
MRPL11 Q9Y3B7
vs rf_csa t = +2.39 p 0.022 q 1
PPA2 Q9H2U2
vs rf_csa t = +2.39 p 0.022 q 1
change in phenotype, BFR minus HLRT
change in protein, log2, T2 − T1, BFR minus HLRT, one point per participant



BFR − HLRT
MGST3 O14880
vs rf_csa t = −2.39 p 0.023 q 1
WDR1 O75083
vs rf_csa t = −2.39 p 0.023 q 1
NUP54 Q7Z3B4
vs rf_csa t = +2.39 p 0.023 q 1
NFIC P08651
vs rf_csa t = −2.36 p 0.024 q 1
EIF1AY O14602
vs rf_csa t = +2.35 p 0.024 q 1
FHL1 Q13642
vs rf_csa t = −2.34 p 0.025 q 1
EIF4EBP2 Q13542
vs rf_csa t = −2.34 p 0.025 q 1
HSP90AB2P Q58FF8
vs rf_csa t = −2.34 p 0.025 q 1
MYH11 P35749
vs rf_csa t = −2.34 p 0.026 q 1
MRPS5 P82675
vs rf_csa t = +2.31 p 0.027 q 1
EIF1AX P47813
vs rf_csa t = +2.30 p 0.028 q 1
NCK1 P16333
vs rf_csa t = −2.30 p 0.028 q 1
change in phenotype, BFR minus HLRT
change in protein, log2, T2 − T1, BFR minus HLRT, one point per participant



BFR − HLRT
OSBPL9 Q96SU4
vs rf_csa t = +2.29 p 0.028 q 1
RETREG1 Q9H6L5
vs rf_csa t = +2.29 p 0.028 q 1
ASS1 P00966
vs rf_csa t = −2.27 p 0.029 q 1
WNK1 Q9H4A3
vs rf_csa t = −2.27 p 0.029 q 1
UROD P06132
vs rf_csa t = −2.27 p 0.029 q 1
CD58 P19256
vs rf_csa t = −2.27 p 0.03 q 1
TMEM126A Q9H061
vs rf_csa t = +2.26 p 0.031 q 1
NDUFA9 Q16795
vs rf_csa t = +2.25 p 0.031 q 1
TMEM11 P17152
vs rf_csa t = +2.25 p 0.031 q 1
FSD2 A1L4K1
vs rf_csa t = +2.25 p 0.031 q 1
CPSF6 Q16630
vs rf_csa t = −2.25 p 0.031 q 1
AQP1 P29972
vs rf_csa t = −2.25 p 0.031 q 1
change in phenotype, BFR minus HLRT
change in protein, log2, T2 − T1, BFR minus HLRT, one point per participant


BFR − HLRT
MRGPRF Q96AM1
vs rf_csa t = −2.22 p 0.033 q 1
RDH14 Q9HBH5
vs rf_csa t = −2.22 p 0.033 q 1
RAB9A P51151
vs rf_csa t = +2.22 p 0.033 q 1
NCL P19338
vs rf_csa t = +2.21 p 0.034 q 1
EMC7 Q9NPA0
vs rf_csa t = −2.21 p 0.034 q 1
MRPL16 Q9NX20
vs rf_csa t = +2.21 p 0.034 q 1
SNRPA P09012
vs rf_csa t = −2.21 p 0.034 q 1
SELENBP1 Q13228
vs rf_csa t = −2.20 p 0.034 q 1
PM20D2 Q8IYS1
vs rf_csa t = −2.20 p 0.034 q 1
NUDT2 P50583
vs rf_csa t = +2.20 p 0.035 q 1
EIF1AD Q8N9N8
vs rf_csa t = +2.18 p 0.036 q 1
CKMT2 P17540
vs rf_csa t = +2.17 p 0.037 q 1
change in phenotype, BFR minus HLRT
change in protein, log2, T2 − T1, BFR minus HLRT, one point per participant


BFR − HLRT
MYLK Q15746
vs rf_csa t = −2.17 p 0.037 q 1
LMCD1 Q9NZU5
vs rf_csa t = +2.17 p 0.037 q 1
DTD1 Q8TEA8
vs rf_csa t = −2.17 p 0.037 q 1
ARHGEF10L Q9HCE6
vs rf_csa t = +2.17 p 0.037 q 1
OSBPL6 Q9BZF3
vs rf_csa t = +2.16 p 0.038 q 1
ACAA1 P09110
vs rf_csa t = +2.15 p 0.038 q 1
PHYKPL Q8IUZ5
vs rf_csa t = +2.15 p 0.039 q 1
CALR P27797
vs rf_csa t = −2.14 p 0.039 q 1
EIF3H O15372
vs rf_csa t = +2.14 p 0.039 q 1
NDUFC1 O43677
vs rf_csa t = +2.13 p 0.04 q 1
GMPR P36959
vs rf_csa t = −2.13 p 0.04 q 1
DOHH Q9BU89
vs rf_csa t = +2.12 p 0.041 q 1
change in phenotype, BFR minus HLRT
change in protein, log2, T2 − T1, BFR minus HLRT, one point per participant


BFR − HLRT
AP1B1 Q10567
vs rf_csa t = −2.12 p 0.041 q 1
LSM6 P62312
vs rf_csa t = −2.12 p 0.041 q 1
LRRC47 Q8N1G4
vs rf_csa t = +2.11 p 0.042 q 1
CSRP3 P50461
vs rf_csa t = −2.11 p 0.042 q 1
COL15A1 P39059
vs rf_csa t = +2.10 p 0.043 q 1
CKB P12277
vs rf_csa t = −2.10 p 0.043 q 1
CNDP2 Q96KP4
vs rf_csa t = +2.10 p 0.043 q 1
EML2 O95834
vs rf_csa t = −2.09 p 0.044 q 1
PFAS O15067
vs rf_csa t = −2.09 p 0.044 q 1
G3BP2 Q9UN86
vs rf_csa t = −2.09 p 0.044 q 1
CDK5RAP3 Q96JB5
vs rf_csa t = +2.09 p 0.044 q 1
APEH P13798
vs rf_csa t = −2.09 p 0.044 q 1
change in phenotype, BFR minus HLRT
change in protein, log2, T2 − T1, BFR minus HLRT, one point per participant


BFR − HLRT
TARDBP Q13148
vs rf_csa t = −2.08 p 0.045 q 1
PNPO Q9NVS9
vs rf_csa t = +2.08 p 0.045 q 1
DCTN1 Q14203
vs rf_csa t = +2.07 p 0.046 q 1
NDUFA3 O95167
vs rf_csa t = +2.07 p 0.046 q 1
UBE2O Q9C0C9
vs rf_csa t = −2.07 p 0.046 q 1
TMA7 Q9Y2S6
vs rf_csa t = −2.07 p 0.046 q 1
LAMC1 P11047
vs rf_csa t = +2.07 p 0.047 q 1
PSMA2 P25787
vs rf_csa t = −2.06 p 0.047 q 1
GPT P24298
vs rf_csa t = −2.06 p 0.047 q 1
CHDH Q8NE62
vs rf_csa t = +2.06 p 0.047 q 1
DPT Q07507
vs rf_csa t = +2.06 p 0.047 q 1
IPO9 Q96P70
vs rf_csa t = −2.06 p 0.047 q 1
change in phenotype, BFR minus HLRT
change in protein, log2, T2 − T1, BFR minus HLRT, one point per participant


BFR − HLRT
NDUFA1 O15239
vs rf_csa t = +2.06 p 0.047 q 1
TRPT1 Q86TN4
vs rf_csa t = +2.05 p 0.048 q 1
CUTA O60888
vs rf_csa t = −2.04 p 0.049 q 1
DIP2C Q9Y2E4
vs rf_csa t = +2.04 p 0.049 q 1
IDI2 Q9BXS1
vs rf_csa t = −2.03 p 0.05 q 1
change in phenotype, BFR minus HLRT
change in protein, log2, T2 − T1, BFR minus HLRT, one point per participant