






BFR
HLRT
GOBP: Response To Xenobiotic Stimulus
vs rf_csa r = −0.41 p 0.00082 q 0.89
BFR n=32 r=−0.51 p=0.003
HLRT n=33 r=−0.29 p=0.105
GOBP: Learning
vs rf_csa r = +0.39 p 0.0014 q 0.89
BFR n=32 r=+0.19 p=0.291
HLRT n=33 r=+0.49 p=0.004
GOBP: Positive Regulation Of Actin Filament Polymerization
vs vl_csa r = −0.39 p 0.0015 q 0.73
BFR n=32 r=−0.33 p=0.065
HLRT n=33 r=−0.48 p=0.005
GOBP: Signal Transduction In Response To DNA Damage
vs rf_echo r = −0.37 p 0.0025 q 1
BFR n=32 r=−0.52 p=0.003
HLRT n=33 r=−0.15 p=0.388
GOBP: Regulation Of Receptor Mediated Endocytosis
vs vl_csa r = −0.37 p 0.0027 q 0.73
BFR n=32 r=−0.49 p=0.005
HLRT n=33 r=−0.26 p=0.137
GOBP: Mitochondrial Electron Transport Cytochrome C To Oxygen
vs vl_echo r = −0.36 p 0.0034 q 0.99
BFR n=32 r=−0.27 p=0.128
HLRT n=33 r=−0.45 p=0.010
GOBP: Regulation Of Steroid Biosynthetic Process
vs vl_echo r = −0.36 p 0.0036 q 0.99
BFR n=32 r=−0.36 p=0.046
HLRT n=33 r=−0.31 p=0.081
GOBP: Regulation Of Steroid Metabolic Process
vs vl_echo r = −0.36 p 0.0039 q 0.99
BFR n=32 r=−0.37 p=0.040
HLRT n=33 r=−0.31 p=0.082
GOBP: Regulation Of Actin Filament Polymerization
vs vl_csa r = −0.35 p 0.004 q 0.73
BFR n=32 r=−0.27 p=0.136
HLRT n=33 r=−0.41 p=0.017
GOBP: Monosaccharide Catabolic Process
vs rf_csa r = −0.35 p 0.0044 q 0.89
BFR n=32 r=−0.24 p=0.184
HLRT n=33 r=−0.38 p=0.028
GOBP: Myeloid Cell Differentiation
vs rf_echo r = +0.35 p 0.0046 q 1
BFR n=32 r=+0.34 p=0.055
HLRT n=33 r=+0.38 p=0.031
GOBP: Actin Filament Polymerization
vs vl_csa r = −0.35 p 0.0047 q 0.73
BFR n=32 r=−0.30 p=0.092
HLRT n=33 r=−0.39 p=0.027
change in phenotype
change in set score, T2 − T1, one point per leg



BFR
HLRT
GOBP: Phosphatidylinositol Biosynthetic Process
vs rf_csa r = −0.35 p 0.0048 q 0.89
BFR n=32 r=−0.48 p=0.005
HLRT n=33 r=−0.22 p=0.226
GOBP: Protein Tetramerization
vs vl_echo r = +0.35 p 0.0049 q 0.99
BFR n=32 r=+0.28 p=0.121
HLRT n=33 r=+0.43 p=0.014
GOBP: Regulation Of Protein Polymerization
vs vl_csa r = −0.35 p 0.0049 q 0.73
BFR n=32 r=−0.26 p=0.159
HLRT n=33 r=−0.43 p=0.012
GOBP: Sodium Ion Transmembrane Transport
vs vl_csa r = −0.35 p 0.005 q 0.73
BFR n=32 r=−0.21 p=0.255
HLRT n=33 r=−0.50 p=0.003
GOBP: Amino Acid Activation
vs vl_csa r = +0.34 p 0.0052 q 0.73
BFR n=32 r=+0.29 p=0.112
HLRT n=33 r=+0.50 p=0.004
GOBP: Positive Regulation Of Transmembrane Receptor Protein Serine Threonine Kinase Signaling Pathway
vs vl_csa r = −0.34 p 0.0053 q 0.73
BFR n=32 r=−0.29 p=0.103
HLRT n=33 r=−0.42 p=0.016
GOBP: Modification Of Postsynaptic Structure
vs vl_csa r = −0.34 p 0.0055 q 0.73
BFR n=32 r=−0.29 p=0.104
HLRT n=33 r=−0.40 p=0.023
GOBP: Ameboidal Type Cell Migration
vs rf_csa r = −0.34 p 0.0056 q 0.89
BFR n=32 r=−0.45 p=0.011
HLRT n=33 r=−0.22 p=0.215
GOBP: Positive Regulation Of Protein Polymerization
vs vl_csa r = −0.34 p 0.0058 q 0.73
BFR n=32 r=−0.20 p=0.265
HLRT n=33 r=−0.52 p=0.002
GOBP: Regulation Of Monoatomic Ion Transmembrane Transport
vs vl_csa r = −0.34 p 0.0063 q 0.73
BFR n=32 r=−0.12 p=0.496
HLRT n=33 r=−0.57 p=0.001
GOBP: Prostanoid Metabolic Process
vs rf_echo r = −0.34 p 0.0063 q 1
BFR n=32 r=−0.46 p=0.009
HLRT n=33 r=−0.23 p=0.199
GOBP: Actin Polymerization Or Depolymerization
vs vl_csa r = −0.34 p 0.0064 q 0.73
BFR n=32 r=−0.29 p=0.102
HLRT n=33 r=−0.38 p=0.030
change in phenotype
change in set score, T2 − T1, one point per leg



BFR
HLRT
GOBP: Tissue Migration
vs rf_csa r = −0.33 p 0.007 q 0.89
BFR n=32 r=−0.35 p=0.051
HLRT n=33 r=−0.26 p=0.144
GOBP: Mitotic Nuclear Division
vs rf_echo r = +0.33 p 0.007 q 1
BFR n=32 r=+0.24 p=0.193
HLRT n=33 r=+0.37 p=0.032
GOBP: Negative Regulation Of Protein Localization
vs rf_csa r = −0.33 p 0.0074 q 0.89
BFR n=32 r=−0.40 p=0.025
HLRT n=33 r=−0.23 p=0.203
GOBP: Oligodendrocyte Differentiation
vs rf_echo r = +0.33 p 0.0075 q 1
BFR n=32 r=+0.13 p=0.477
HLRT n=33 r=+0.48 p=0.006
GOBP: Negative Regulation Of Protein Catabolic Process
vs vl_echo r = +0.33 p 0.0078 q 0.99
BFR n=32 r=+0.22 p=0.229
HLRT n=33 r=+0.43 p=0.014
GOBP: Protein Polymerization
vs vl_csa r = −0.33 p 0.0085 q 0.85
BFR n=32 r=−0.28 p=0.121
HLRT n=33 r=−0.38 p=0.032
GOBP: Myeloid Cell Homeostasis
vs rf_echo r = +0.32 p 0.0089 q 1
BFR n=32 r=+0.29 p=0.104
HLRT n=33 r=+0.35 p=0.045
GOBP: Regulation Of Protein Stability
vs rf_csa r = −0.32 p 0.009 q 0.89
BFR n=32 r=−0.26 p=0.149
HLRT n=33 r=−0.36 p=0.040
GOBP: Regulation Of Lipid Biosynthetic Process
vs vl_echo r = −0.32 p 0.0095 q 0.99
BFR n=32 r=−0.33 p=0.064
HLRT n=33 r=−0.34 p=0.052
GOBP: Regulation Of Actin Filament Length
vs vl_csa r = −0.32 p 0.0095 q 0.85
BFR n=32 r=−0.20 p=0.263
HLRT n=33 r=−0.39 p=0.027
GOBP: Stress Granule Assembly
vs vl_csa r = −0.32 p 0.0098 q 0.85
BFR n=32 r=−0.28 p=0.120
HLRT n=33 r=−0.42 p=0.015
GOBP: Regulation Of Cell Cycle Checkpoint
vs rf_echo r = −0.32 p 0.0099 q 1
BFR n=32 r=−0.38 p=0.033
HLRT n=33 r=−0.20 p=0.275
change in phenotype
change in set score, T2 − T1, one point per leg



BFR
HLRT
GOBP: Ribonucleoside Monophosphate Biosynthetic Process
vs rf_csa r = −0.32 p 0.01 q 0.89
BFR n=32 r=−0.36 p=0.041
HLRT n=33 r=−0.27 p=0.122
GOBP: Modification Of Synaptic Structure
vs vl_csa r = −0.32 p 0.01 q 0.85
BFR n=32 r=−0.30 p=0.097
HLRT n=33 r=−0.32 p=0.068
GOBP: Mitotic Sister Chromatid Segregation
vs rf_echo r = +0.32 p 0.011 q 1
BFR n=32 r=+0.21 p=0.255
HLRT n=33 r=+0.36 p=0.040
GOBP: Nucleoside Monophosphate Biosynthetic Process
vs rf_csa r = −0.32 p 0.011 q 0.89
BFR n=32 r=−0.37 p=0.039
HLRT n=33 r=−0.25 p=0.160
GOBP: Response To Alcohol
vs rf_echo r = −0.32 p 0.011 q 1
BFR n=32 r=−0.15 p=0.414
HLRT n=33 r=−0.48 p=0.005
GOBP: Protein Stabilization
vs rf_csa r = −0.32 p 0.011 q 0.89
BFR n=32 r=−0.17 p=0.347
HLRT n=33 r=−0.37 p=0.033
GOBP: Cell Cycle Checkpoint Signaling
vs vl_csa r = +0.31 p 0.011 q 0.85
BFR n=32 r=+0.33 p=0.068
HLRT n=33 r=+0.36 p=0.042
GOBP: Positive Regulation Of Lipid Localization
vs vl_csa r = +0.31 p 0.011 q 0.85
BFR n=32 r=+0.19 p=0.300
HLRT n=33 r=+0.43 p=0.014
GOBP: Protein Modification By Small Protein Removal
vs rf_csa r = −0.31 p 0.012 q 0.89
BFR n=32 r=−0.33 p=0.062
HLRT n=33 r=−0.23 p=0.195
GOBP: Positive Regulation Of Viral Process
vs vl_echo r = +0.31 p 0.012 q 0.99
BFR n=32 r=+0.14 p=0.447
HLRT n=33 r=+0.43 p=0.013
GOBP: Response To Estradiol
vs vl_echo r = +0.31 p 0.012 q 0.99
BFR n=32 r=+0.27 p=0.135
HLRT n=33 r=+0.37 p=0.036
GOBP: Erythrocyte Homeostasis
vs rf_echo r = +0.31 p 0.013 q 1
BFR n=32 r=+0.32 p=0.072
HLRT n=33 r=+0.24 p=0.169
change in phenotype
change in set score, T2 − T1, one point per leg



BFR
HLRT
GOBP: Regulation Of Monoatomic Ion Transport
vs vl_csa r = −0.31 p 0.014 q 0.92
BFR n=32 r=−0.10 p=0.567
HLRT n=33 r=−0.48 p=0.005
GOBP: Response To Bmp
vs rf_echo r = −0.31 p 0.014 q 1
BFR n=32 r=−0.13 p=0.484
HLRT n=33 r=−0.40 p=0.021
GOBP: Placenta Development
vs vl_csa r = −0.30 p 0.014 q 0.92
BFR n=32 r=−0.33 p=0.069
HLRT n=33 r=−0.30 p=0.091
GOBP: Regulation Of Sodium Ion Transport
vs vl_csa r = −0.30 p 0.014 q 0.92
BFR n=32 r=−0.31 p=0.082
HLRT n=33 r=−0.30 p=0.090
GOBP: Blastocyst Development
vs vl_echo r = +0.30 p 0.015 q 0.99
BFR n=32 r=+0.21 p=0.251
HLRT n=33 r=+0.44 p=0.010
GOBP: Purine Nucleoside Monophosphate Biosynthetic Process
vs rf_csa r = −0.30 p 0.015 q 0.89
BFR n=32 r=−0.35 p=0.052
HLRT n=33 r=−0.25 p=0.162
GOBP: DNA Integrity Checkpoint Signaling
vs rf_echo r = −0.30 p 0.015 q 1
BFR n=32 r=−0.41 p=0.021
HLRT n=33 r=−0.15 p=0.414
GOBP: Protein K48 Linked Ubiquitination
vs rf_csa r = −0.30 p 0.016 q 0.89
BFR n=32 r=−0.31 p=0.082
HLRT n=33 r=−0.23 p=0.203
GOBP: Regulation Of Oxidative Stress Induced Intrinsic Apoptotic Signaling Pathway
vs rf_echo r = +0.30 p 0.016 q 1
BFR n=32 r=+0.26 p=0.156
HLRT n=33 r=+0.32 p=0.073
GOBP: Regulation Of Lipid Metabolic Process
vs vl_echo r = −0.30 p 0.016 q 0.99
BFR n=32 r=−0.35 p=0.052
HLRT n=33 r=−0.26 p=0.142
GOBP: Tissue Migration
vs vl_csa r = −0.30 p 0.016 q 0.96
BFR n=32 r=−0.33 p=0.067
HLRT n=33 r=−0.27 p=0.125
GOBP: Limbic System Development
vs rf_echo r = −0.30 p 0.017 q 1
BFR n=32 r=−0.40 p=0.024
HLRT n=33 r=−0.14 p=0.427
change in phenotype
change in set score, T2 − T1, one point per leg



BFR
HLRT
GOBP: CD8 Positive Alpha Beta T Cell Activation
vs rf_csa r = −0.30 p 0.017 q 0.89
BFR n=32 r=−0.43 p=0.015
HLRT n=33 r=−0.20 p=0.256
GOBP: Regulation Of Receptor Internalization
vs vl_csa r = −0.30 p 0.017 q 0.96
BFR n=32 r=−0.40 p=0.025
HLRT n=33 r=−0.24 p=0.175
GOBP: Hippocampus Development
vs rf_echo r = −0.30 p 0.017 q 1
BFR n=32 r=−0.28 p=0.126
HLRT n=33 r=−0.19 p=0.286
GOBP: Response To Tumor Necrosis Factor
vs rf_csa r = −0.30 p 0.017 q 0.89
BFR n=32 r=−0.24 p=0.183
HLRT n=33 r=−0.28 p=0.110
GOBP: Regulation Of Membrane Depolarization
vs rf_echo r = +0.29 p 0.017 q 1
BFR n=32 r=+0.01 p=0.948
HLRT n=33 r=+0.61 p=0.000
GOBP: Regulation Of Release Of Sequestered Calcium Ion Into Cytosol
vs vl_csa r = −0.29 p 0.018 q 0.96
BFR n=32 r=−0.29 p=0.109
HLRT n=33 r=−0.29 p=0.102
GOBP: Regulation Of Actin Filament Organization
vs vl_csa r = −0.29 p 0.018 q 0.96
BFR n=32 r=−0.24 p=0.191
HLRT n=33 r=−0.35 p=0.048
GOBP: Response To Calcium Ion
vs rf_echo r = +0.29 p 0.018 q 1
BFR n=32 r=+0.20 p=0.284
HLRT n=33 r=+0.43 p=0.013
GOBP: Steroid Metabolic Process
vs rf_echo r = −0.29 p 0.019 q 1
BFR n=32 r=−0.30 p=0.094
HLRT n=33 r=−0.34 p=0.053
GOBP: Regulation Of Response To Cytokine Stimulus
vs rf_echo r = −0.29 p 0.019 q 1
BFR n=32 r=−0.40 p=0.026
HLRT n=33 r=−0.16 p=0.370
GOBP: Adenylate Cyclase Activating G Protein Coupled Receptor Signaling Pathway
vs rf_echo r = −0.29 p 0.02 q 1
BFR n=32 r=−0.13 p=0.464
HLRT n=33 r=−0.42 p=0.017
GOBP: Detection Of Abiotic Stimulus
vs rf_echo r = +0.29 p 0.02 q 1
BFR n=32 r=+0.28 p=0.125
HLRT n=33 r=+0.33 p=0.059
change in phenotype
change in set score, T2 − T1, one point per leg



BFR
HLRT
GOBP: Response To Interleukin 1
vs rf_csa r = −0.29 p 0.02 q 0.89
BFR n=32 r=−0.24 p=0.193
HLRT n=33 r=−0.33 p=0.062
GOBP: tRNA Metabolic Process
vs vl_csa r = +0.29 p 0.02 q 0.96
BFR n=32 r=+0.29 p=0.110
HLRT n=33 r=+0.30 p=0.087
GOBP: Nuclear Chromosome Segregation
vs rf_echo r = +0.29 p 0.02 q 1
BFR n=32 r=+0.34 p=0.059
HLRT n=33 r=+0.23 p=0.189
GOBP: T Helper 17 Type Immune Response
vs vl_csa r = +0.29 p 0.021 q 0.96
BFR n=32 r=+0.21 p=0.243
HLRT n=33 r=+0.37 p=0.034
GOBP: Nutrient Storage
vs vl_echo r = −0.29 p 0.021 q 0.99
BFR n=32 r=−0.33 p=0.068
HLRT n=33 r=−0.28 p=0.118
GOBP: Regulation Of Bmp Signaling Pathway
vs rf_echo r = −0.29 p 0.021 q 1
BFR n=32 r=−0.01 p=0.942
HLRT n=33 r=−0.49 p=0.004
GOBP: Regulation Of mRNA Splicing Via Spliceosome
vs vl_echo r = −0.29 p 0.021 q 0.99
BFR n=32 r=−0.39 p=0.028
HLRT n=33 r=−0.19 p=0.293
GOBP: Ameboidal Type Cell Migration
vs vl_csa r = −0.29 p 0.021 q 0.96
BFR n=32 r=−0.33 p=0.067
HLRT n=33 r=−0.24 p=0.179
GOBP: Hydrogen Peroxide Metabolic Process
vs vl_echo r = +0.29 p 0.021 q 0.99
BFR n=32 r=+0.38 p=0.031
HLRT n=33 r=+0.17 p=0.351
GOBP: Negative Regulation Of Proteolysis
vs vl_csa r = −0.28 p 0.022 q 0.96
BFR n=32 r=−0.20 p=0.281
HLRT n=33 r=−0.37 p=0.033
GOBP: Regulation Of Lipid Localization
vs vl_csa r = +0.29 p 0.022 q 0.96
BFR n=32 r=−0.00 p=0.998
HLRT n=33 r=+0.53 p=0.002
GOBP: Negative Regulation Of RNA Catabolic Process
vs vl_echo r = −0.28 p 0.023 q 0.99
BFR n=32 r=−0.35 p=0.051
HLRT n=33 r=−0.21 p=0.238
change in phenotype
change in set score, T2 − T1, one point per leg



BFR
HLRT
GOBP: Positive Regulation Of WNT Signaling Pathway
vs vl_csa r = −0.28 p 0.023 q 0.96
BFR n=32 r=−0.48 p=0.006
HLRT n=33 r=−0.09 p=0.602
GOBP: Canonical Nf Kappab Signal Transduction
vs vl_csa r = −0.28 p 0.023 q 0.96
BFR n=32 r=−0.29 p=0.106
HLRT n=33 r=−0.32 p=0.071
GOBP: Cellular Response To Xenobiotic Stimulus
vs rf_csa r = −0.28 p 0.023 q 0.89
BFR n=32 r=−0.40 p=0.026
HLRT n=33 r=−0.20 p=0.254
GOBP: Response To Topologically Incorrect Protein
vs vl_csa r = −0.28 p 0.023 q 0.96
BFR n=32 r=−0.24 p=0.185
HLRT n=33 r=−0.30 p=0.094
GOBP: Smooth Muscle Contraction
vs vl_echo r = +0.28 p 0.024 q 0.99
BFR n=32 r=−0.00 p=0.985
HLRT n=33 r=+0.52 p=0.002
GOBP: Positive Regulation Of Cytoskeleton Organization
vs vl_csa r = −0.28 p 0.024 q 0.96
BFR n=32 r=−0.16 p=0.385
HLRT n=33 r=−0.43 p=0.012
GOBP: Mitochondrial Gene Expression
vs rf_csa r = +0.28 p 0.025 q 0.89
BFR n=32 r=+0.25 p=0.163
HLRT n=33 r=+0.23 p=0.207
GOBP: Regulation Of Translation
vs vl_echo r = −0.28 p 0.025 q 0.99
BFR n=32 r=−0.33 p=0.064
HLRT n=33 r=−0.20 p=0.268
GOBP: Imp Metabolic Process
vs rf_csa r = −0.28 p 0.025 q 0.89
BFR n=32 r=−0.34 p=0.059
HLRT n=33 r=−0.19 p=0.277
GOBP: Regulation Of Autophagosome Assembly
vs rf_csa r = −0.28 p 0.025 q 0.89
BFR n=32 r=−0.27 p=0.141
HLRT n=33 r=−0.27 p=0.131
GOBP: Positive Regulation Of Lipid Biosynthetic Process
vs vl_echo r = −0.28 p 0.026 q 0.99
BFR n=32 r=−0.24 p=0.193
HLRT n=33 r=−0.32 p=0.069
GOBP: Fibroblast Migration
vs vl_csa r = −0.28 p 0.026 q 0.96
BFR n=32 r=−0.19 p=0.305
HLRT n=33 r=−0.42 p=0.016
change in phenotype
change in set score, T2 − T1, one point per leg



BFR
HLRT
GOBP: Negative Regulation Of mRNA Metabolic Process
vs vl_echo r = −0.28 p 0.026 q 0.99
BFR n=32 r=−0.46 p=0.008
HLRT n=33 r=−0.15 p=0.417
GOBP: Regulation Of mRNA Processing
vs vl_echo r = −0.28 p 0.026 q 0.99
BFR n=32 r=−0.42 p=0.016
HLRT n=33 r=−0.16 p=0.374
GOBP: Regulation Of Actin Filament Based Process
vs vl_csa r = −0.28 p 0.026 q 0.96
BFR n=32 r=−0.25 p=0.159
HLRT n=33 r=−0.33 p=0.065
GOBP: Mitochondrial Translation
vs rf_csa r = +0.28 p 0.027 q 0.89
BFR n=32 r=+0.27 p=0.141
HLRT n=33 r=+0.22 p=0.224
GOBP: Response To Activity
vs rf_csa r = −0.27 p 0.027 q 0.89
BFR n=32 r=−0.27 p=0.131
HLRT n=33 r=−0.20 p=0.268
GOBP: Cell Recognition
vs rf_csa r = −0.27 p 0.028 q 0.89
BFR n=32 r=−0.41 p=0.022
HLRT n=33 r=−0.18 p=0.316
GOBP: mRNA Transport
vs vl_echo r = −0.27 p 0.028 q 0.99
BFR n=32 r=−0.26 p=0.146
HLRT n=33 r=−0.25 p=0.156
GOBP: Neural Crest Cell Differentiation
vs vl_echo r = +0.27 p 0.028 q 0.99
BFR n=32 r=+0.30 p=0.096
HLRT n=33 r=+0.34 p=0.054
GOBP: Cell Substrate Junction Organization
vs vl_csa r = −0.27 p 0.029 q 0.96
BFR n=32 r=−0.20 p=0.272
HLRT n=33 r=−0.39 p=0.026
GOBP: Membrane Depolarization
vs vl_csa r = −0.27 p 0.029 q 0.96
BFR n=32 r=−0.06 p=0.752
HLRT n=33 r=−0.52 p=0.002
GOBP: Amino Acid Metabolic Process
vs vl_csa r = +0.27 p 0.029 q 0.96
BFR n=32 r=+0.14 p=0.436
HLRT n=33 r=+0.43 p=0.012
GOBP: Negative Regulation Of Protein Containing Complex Disassembly
vs vl_csa r = −0.27 p 0.029 q 0.96
BFR n=32 r=−0.12 p=0.526
HLRT n=33 r=−0.39 p=0.027
change in phenotype
change in set score, T2 − T1, one point per leg



BFR
HLRT
GOBP: Positive Regulation Of Telomere Maintenance
vs rf_csa r = −0.27 p 0.029 q 0.89
BFR n=32 r=−0.17 p=0.348
HLRT n=33 r=−0.31 p=0.080
GOBP: Response To Oxidative Stress
vs vl_echo r = +0.27 p 0.029 q 0.99
BFR n=32 r=+0.35 p=0.049
HLRT n=33 r=+0.09 p=0.610
GOBP: Regulation Of Viral Process
vs vl_echo r = +0.27 p 0.03 q 0.99
BFR n=32 r=+0.14 p=0.433
HLRT n=33 r=+0.37 p=0.034
GOBP: Peptide Metabolic Process
vs vl_echo r = +0.27 p 0.03 q 0.99
BFR n=32 r=+0.01 p=0.939
HLRT n=33 r=+0.40 p=0.021
GOBP: Regulation Of Cellular Component Size
vs vl_csa r = −0.27 p 0.03 q 0.96
BFR n=32 r=−0.25 p=0.159
HLRT n=33 r=−0.32 p=0.068
GOBP: Negative Regulation Of Oxidative Stress Induced Intrinsic Apoptotic Signaling Pathway
vs rf_echo r = +0.27 p 0.03 q 1
BFR n=32 r=+0.18 p=0.336
HLRT n=33 r=+0.37 p=0.036
GOBP: Unsaturated Fatty Acid Metabolic Process
vs rf_echo r = −0.27 p 0.03 q 1
BFR n=32 r=−0.41 p=0.020
HLRT n=33 r=−0.12 p=0.495
GOBP: Response To Starvation
vs rf_csa r = −0.27 p 0.03 q 0.89
BFR n=32 r=−0.20 p=0.268
HLRT n=33 r=−0.26 p=0.150
GOBP: Cellular Response To Topologically Incorrect Protein
vs vl_csa r = −0.27 p 0.03 q 0.96
BFR n=32 r=−0.26 p=0.143
HLRT n=33 r=−0.27 p=0.126
GOBP: Negative Regulation Of Lipid Metabolic Process
vs vl_echo r = −0.27 p 0.031 q 0.99
BFR n=32 r=−0.39 p=0.026
HLRT n=33 r=−0.15 p=0.411
GOBP: Metaphase Chromosome Alignment
vs rf_echo r = +0.27 p 0.031 q 1
BFR n=32 r=+0.23 p=0.195
HLRT n=33 r=+0.27 p=0.126
GOBP: Olefinic Compound Metabolic Process
vs rf_echo r = −0.27 p 0.031 q 1
BFR n=32 r=−0.37 p=0.040
HLRT n=33 r=−0.19 p=0.300
change in phenotype
change in set score, T2 − T1, one point per leg



BFR
HLRT
GOBP: Ribosome Assembly
vs rf_csa r = +0.27 p 0.031 q 0.89
BFR n=32 r=+0.40 p=0.024
HLRT n=33 r=+0.20 p=0.256
GOBP: Positive Regulation Of Canonical WNT Signaling Pathway
vs rf_csa r = −0.27 p 0.032 q 0.89
BFR n=32 r=−0.22 p=0.218
HLRT n=33 r=−0.27 p=0.134
GOBP: Sister Chromatid Segregation
vs rf_echo r = +0.27 p 0.032 q 1
BFR n=32 r=+0.19 p=0.297
HLRT n=33 r=+0.30 p=0.087
GOBP: Cellular Response To Heat
vs vl_echo r = −0.27 p 0.032 q 0.99
BFR n=32 r=−0.25 p=0.162
HLRT n=33 r=−0.27 p=0.127
GOBP: Glycolytic Process Through Glucose 6 Phosphate
vs rf_csa r = −0.26 p 0.034 q 0.89
BFR n=32 r=−0.25 p=0.168
HLRT n=33 r=−0.22 p=0.215
GOBP: Nuclear Export
vs vl_echo r = −0.26 p 0.034 q 0.99
BFR n=32 r=−0.37 p=0.038
HLRT n=33 r=−0.19 p=0.295
GOBP: Regulation Of Membrane Depolarization
vs vl_csa r = −0.26 p 0.034 q 0.96
BFR n=32 r=−0.11 p=0.532
HLRT n=33 r=−0.43 p=0.013
GOBP: Regulation Of Vacuole Organization
vs rf_csa r = −0.26 p 0.034 q 0.89
BFR n=32 r=−0.26 p=0.155
HLRT n=33 r=−0.22 p=0.209
GOBP: Protein Polymerization
vs rf_csa r = −0.26 p 0.035 q 0.89
BFR n=32 r=−0.13 p=0.461
HLRT n=33 r=−0.33 p=0.060
GOBP: Cellular Response To Peptide Hormone Stimulus
vs rf_csa r = −0.26 p 0.035 q 0.89
BFR n=32 r=−0.26 p=0.155
HLRT n=33 r=−0.25 p=0.162
GOBP: Protein Homotetramerization
vs vl_echo r = +0.26 p 0.035 q 0.99
BFR n=32 r=−0.03 p=0.883
HLRT n=33 r=+0.53 p=0.002
GOBP: Learning
vs vl_csa r = +0.26 p 0.035 q 0.96
BFR n=32 r=+0.06 p=0.725
HLRT n=33 r=+0.48 p=0.005
change in phenotype
change in set score, T2 − T1, one point per leg



BFR
HLRT
GOBP: Regulation Of RNA Splicing
vs vl_echo r = −0.26 p 0.035 q 0.99
BFR n=32 r=−0.42 p=0.018
HLRT n=33 r=−0.12 p=0.497
GOBP: Lipid Droplet Organization
vs rf_csa r = −0.26 p 0.035 q 0.89
BFR n=32 r=−0.32 p=0.077
HLRT n=33 r=−0.21 p=0.242
GOBP: Spliceosomal Complex Assembly
vs rf_csa r = +0.26 p 0.035 q 0.89
BFR n=32 r=+0.23 p=0.195
HLRT n=33 r=+0.24 p=0.176
GOBP: Negative Regulation Of Actin Filament Polymerization
vs vl_csa r = −0.26 p 0.035 q 0.96
BFR n=32 r=−0.11 p=0.546
HLRT n=33 r=−0.39 p=0.027
GOBP: Purine Nucleoside Monophosphate Metabolic Process
vs rf_csa r = −0.26 p 0.035 q 0.89
BFR n=32 r=−0.40 p=0.025
HLRT n=33 r=−0.15 p=0.416
GOBP: Chromosome Localization
vs rf_echo r = +0.26 p 0.035 q 1
BFR n=32 r=+0.28 p=0.127
HLRT n=33 r=+0.21 p=0.245
GOBP: Alcohol Metabolic Process
vs rf_echo r = −0.26 p 0.036 q 1
BFR n=32 r=−0.41 p=0.020
HLRT n=33 r=−0.21 p=0.242
GOBP: Defense Response To Bacterium
vs vl_csa r = −0.26 p 0.036 q 0.96
BFR n=32 r=−0.38 p=0.034
HLRT n=33 r=−0.14 p=0.428
GOBP: Glucose Catabolic Process
vs rf_csa r = −0.26 p 0.036 q 0.89
BFR n=32 r=−0.23 p=0.195
HLRT n=33 r=−0.22 p=0.227
GOBP: Cellular Response To Ketone
vs rf_echo r = −0.26 p 0.037 q 1
BFR n=32 r=−0.29 p=0.109
HLRT n=33 r=−0.28 p=0.120
GOBP: Mitotic Spindle Assembly
vs rf_echo r = +0.26 p 0.037 q 1
BFR n=32 r=+0.14 p=0.428
HLRT n=33 r=+0.27 p=0.122
GOBP: Organophosphate Catabolic Process
vs rf_csa r = −0.26 p 0.037 q 0.89
BFR n=32 r=−0.23 p=0.214
HLRT n=33 r=−0.23 p=0.194
change in phenotype
change in set score, T2 − T1, one point per leg



BFR
HLRT
GOBP: Multicellular Organismal Level Chemical Homeostasis
vs vl_echo r = −0.26 p 0.038 q 0.99
BFR n=32 r=−0.39 p=0.030
HLRT n=33 r=−0.19 p=0.286
GOBP: Homeostasis Of Number Of Cells
vs rf_echo r = +0.26 p 0.038 q 1
BFR n=32 r=+0.15 p=0.421
HLRT n=33 r=+0.38 p=0.030
GOBP: Response To Purine Containing Compound
vs rf_csa r = −0.26 p 0.038 q 0.89
BFR n=32 r=−0.47 p=0.007
HLRT n=33 r=−0.07 p=0.711
GOBP: Amp Metabolic Process
vs rf_csa r = −0.26 p 0.038 q 0.89
BFR n=32 r=−0.35 p=0.048
HLRT n=33 r=−0.19 p=0.291
GOBP: Regulation Of DNA Binding Transcription Factor Activity
vs rf_echo r = +0.26 p 0.039 q 1
BFR n=32 r=+0.09 p=0.628
HLRT n=33 r=+0.50 p=0.003
GOBP: Regulation Of Neuron Differentiation
vs rf_csa r = −0.26 p 0.039 q 0.89
BFR n=32 r=−0.36 p=0.045
HLRT n=33 r=−0.18 p=0.311
GOBP: Embryo Implantation
vs vl_echo r = −0.26 p 0.039 q 0.99
BFR n=32 r=−0.17 p=0.344
HLRT n=33 r=−0.36 p=0.038
GOBP: Synapse Assembly
vs vl_csa r = −0.26 p 0.039 q 0.96
BFR n=32 r=−0.38 p=0.033
HLRT n=33 r=−0.22 p=0.227
GOBP: Xenobiotic Metabolic Process
vs rf_csa r = −0.26 p 0.039 q 0.89
BFR n=32 r=−0.45 p=0.011
HLRT n=33 r=−0.10 p=0.574
GOBP: Hindbrain Development
vs vl_echo r = +0.26 p 0.039 q 0.99
BFR n=32 r=+0.18 p=0.321
HLRT n=33 r=+0.45 p=0.009
GOBP: Tube Formation
vs rf_csa r = −0.26 p 0.039 q 0.89
BFR n=32 r=−0.22 p=0.226
HLRT n=33 r=−0.27 p=0.133
GOBP: Negative Regulation Of Actin Filament Depolymerization
vs vl_csa r = −0.26 p 0.039 q 0.96
BFR n=32 r=−0.11 p=0.554
HLRT n=33 r=−0.39 p=0.027
change in phenotype
change in set score, T2 − T1, one point per leg



BFR
HLRT
GOBP: Positive Regulation Of Lipid Localization
vs vl_echo r = −0.26 p 0.04 q 0.99
BFR n=32 r=−0.39 p=0.026
HLRT n=33 r=−0.14 p=0.450
GOBP: Regulation Of Monoatomic Ion Transmembrane Transport
vs rf_echo r = +0.26 p 0.04 q 1
BFR n=32 r=+0.21 p=0.248
HLRT n=33 r=+0.33 p=0.065
GOBP: Response To Estradiol
vs rf_csa r = −0.25 p 0.041 q 0.89
BFR n=32 r=−0.18 p=0.327
HLRT n=33 r=−0.31 p=0.081
GOBP: Spindle Assembly
vs rf_echo r = +0.25 p 0.041 q 1
BFR n=32 r=+0.12 p=0.513
HLRT n=33 r=+0.28 p=0.112
GOBP: Release Of Cytochrome C From Mitochondria
vs rf_echo r = −0.25 p 0.041 q 1
BFR n=32 r=−0.32 p=0.077
HLRT n=33 r=−0.22 p=0.211
GOBP: Nucleoside Metabolic Process
vs rf_csa r = −0.25 p 0.041 q 0.89
BFR n=32 r=−0.40 p=0.022
HLRT n=33 r=−0.09 p=0.608
GOBP: Cellular Response To Alcohol
vs rf_echo r = −0.25 p 0.041 q 1
BFR n=32 r=−0.04 p=0.808
HLRT n=33 r=−0.41 p=0.019
GOBP: Cardiac Muscle Cell Contraction
vs vl_csa r = −0.25 p 0.041 q 0.96
BFR n=32 r=−0.10 p=0.598
HLRT n=33 r=−0.43 p=0.014
GOBP: Modification Of Postsynaptic Structure
vs rf_csa r = −0.25 p 0.041 q 0.89
BFR n=32 r=−0.26 p=0.157
HLRT n=33 r=−0.18 p=0.321
GOBP: Nucleoside Monophosphate Metabolic Process
vs rf_csa r = −0.25 p 0.042 q 0.89
BFR n=32 r=−0.34 p=0.055
HLRT n=33 r=−0.14 p=0.438
GOBP: Regulation Of Cell Cycle Phase Transition
vs vl_csa r = +0.25 p 0.042 q 0.96
BFR n=32 r=+0.26 p=0.144
HLRT n=33 r=+0.27 p=0.133
GOBP: Positive Regulation Of Pattern Recognition Receptor Signaling Pathway
vs vl_echo r = −0.25 p 0.042 q 0.99
BFR n=32 r=−0.30 p=0.094
HLRT n=33 r=−0.16 p=0.384
change in phenotype
change in set score, T2 − T1, one point per leg



BFR
HLRT
GOBP: Membrane Fusion
vs rf_csa r = −0.25 p 0.042 q 0.89
BFR n=32 r=−0.30 p=0.091
HLRT n=33 r=−0.25 p=0.160
GOBP: Cortical Cytoskeleton Organization
vs vl_echo r = +0.25 p 0.042 q 0.99
BFR n=32 r=+0.21 p=0.259
HLRT n=33 r=+0.29 p=0.103
GOBP: Response To Mechanical Stimulus
vs rf_csa r = −0.25 p 0.042 q 0.89
BFR n=32 r=−0.08 p=0.654
HLRT n=33 r=−0.33 p=0.058
GOBP: Glycerophospholipid Metabolic Process
vs rf_echo r = −0.25 p 0.043 q 1
BFR n=32 r=−0.34 p=0.056
HLRT n=33 r=−0.25 p=0.157
GOBP: Actin Filament Depolymerization
vs vl_csa r = −0.25 p 0.043 q 0.96
BFR n=32 r=−0.06 p=0.732
HLRT n=33 r=−0.40 p=0.022
GOBP: Regulation Of Steroid Metabolic Process
vs rf_csa r = +0.25 p 0.043 q 0.89
BFR n=32 r=+0.35 p=0.048
HLRT n=33 r=+0.16 p=0.367
GOBP: Adult Locomotory Behavior
vs rf_csa r = −0.25 p 0.043 q 0.89
BFR n=32 r=−0.24 p=0.194
HLRT n=33 r=−0.24 p=0.173
GOBP: RNA Modification
vs vl_echo r = −0.25 p 0.043 q 0.99
BFR n=32 r=−0.48 p=0.006
HLRT n=33 r=−0.15 p=0.394
GOBP: Regulation Of Cytokinesis
vs rf_csa r = −0.25 p 0.043 q 0.89
BFR n=32 r=−0.34 p=0.060
HLRT n=33 r=−0.11 p=0.527
GOBP: Protein Polyubiquitination
vs rf_csa r = −0.25 p 0.044 q 0.89
BFR n=32 r=−0.31 p=0.081
HLRT n=33 r=−0.12 p=0.489
GOBP: Central Nervous System Neuron Differentiation
vs vl_echo r = +0.25 p 0.045 q 0.99
BFR n=32 r=+0.30 p=0.093
HLRT n=33 r=+0.24 p=0.172
GOBP: Production Of Molecular Mediator Involved In Inflammatory Response
vs rf_csa r = +0.25 p 0.045 q 0.89
BFR n=32 r=+0.22 p=0.227
HLRT n=33 r=+0.24 p=0.177
change in phenotype
change in set score, T2 − T1, one point per leg



BFR
HLRT
GOBP: Tissue Homeostasis
vs rf_csa r = −0.25 p 0.045 q 0.89
BFR n=32 r=−0.49 p=0.005
HLRT n=33 r=+0.00 p=0.998
GOBP: Intrinsic Apoptotic Signaling Pathway In Response To Endoplasmic Reticulum Stress
vs rf_echo r = −0.25 p 0.045 q 1
BFR n=32 r=−0.56 p=0.001
HLRT n=33 r=+0.06 p=0.721
GOBP: Negative Regulation Of Cell Adhesion
vs rf_csa r = −0.25 p 0.045 q 0.89
BFR n=32 r=−0.41 p=0.022
HLRT n=33 r=−0.09 p=0.620
GOBP: Lipoprotein Metabolic Process
vs rf_csa r = −0.25 p 0.046 q 0.89
BFR n=32 r=−0.28 p=0.115
HLRT n=33 r=−0.21 p=0.247
GOBP: Skeletal System Morphogenesis
vs vl_csa r = −0.25 p 0.046 q 0.96
BFR n=32 r=−0.27 p=0.133
HLRT n=33 r=−0.20 p=0.260
GOBP: Positive Regulation Of Lipid Metabolic Process
vs vl_echo r = −0.25 p 0.046 q 0.99
BFR n=32 r=−0.20 p=0.262
HLRT n=33 r=−0.29 p=0.107
GOBP: Response To Gamma Radiation
vs vl_echo r = −0.25 p 0.047 q 0.99
BFR n=32 r=−0.31 p=0.086
HLRT n=33 r=−0.15 p=0.411
GOBP: Protein Depolymerization
vs vl_csa r = −0.25 p 0.047 q 0.96
BFR n=32 r=−0.09 p=0.629
HLRT n=33 r=−0.37 p=0.033
GOBP: Regulation Of Protein Depolymerization
vs vl_csa r = −0.25 p 0.047 q 0.96
BFR n=32 r=−0.08 p=0.647
HLRT n=33 r=−0.37 p=0.032
GOBP: Positive Regulation Of Lipid Transport
vs rf_csa r = +0.25 p 0.047 q 0.89
BFR n=32 r=+0.21 p=0.246
HLRT n=33 r=+0.23 p=0.189
GOBP: Regulation Of Cellular Component Size
vs rf_csa r = −0.25 p 0.047 q 0.89
BFR n=32 r=−0.21 p=0.256
HLRT n=33 r=−0.25 p=0.164
GOBP: Negative Regulation Of mRNA Catabolic Process
vs vl_echo r = −0.25 p 0.048 q 0.99
BFR n=32 r=−0.33 p=0.067
HLRT n=33 r=−0.17 p=0.333
change in phenotype
change in set score, T2 − T1, one point per leg



BFR
HLRT
GOBP: Lymphocyte Migration
vs rf_csa r = −0.25 p 0.048 q 0.89
BFR n=32 r=−0.21 p=0.245
HLRT n=33 r=−0.24 p=0.181
GOBP: Myoblast Differentiation
vs rf_csa r = −0.25 p 0.048 q 0.89
BFR n=32 r=−0.10 p=0.587
HLRT n=33 r=−0.36 p=0.041
GOBP: Regulation Of Inflammatory Response
vs vl_echo r = +0.25 p 0.048 q 0.99
BFR n=32 r=+0.15 p=0.424
HLRT n=33 r=+0.30 p=0.095
GOBP: Protein Neddylation
vs rf_echo r = −0.25 p 0.049 q 1
BFR n=32 r=−0.26 p=0.149
HLRT n=33 r=−0.27 p=0.127
GOBP: Actin Filament Organization
vs vl_csa r = −0.25 p 0.049 q 0.96
BFR n=32 r=−0.22 p=0.228
HLRT n=33 r=−0.28 p=0.113
GOBP: Positive Regulation Of DNA Repair
vs rf_echo r = +0.25 p 0.049 q 1
BFR n=32 r=+0.08 p=0.664
HLRT n=33 r=+0.38 p=0.029
GOBP: Negative Regulation Of Small Molecule Metabolic Process
vs vl_echo r = −0.24 p 0.05 q 0.99
BFR n=32 r=−0.16 p=0.372
HLRT n=33 r=−0.31 p=0.083
GOBP: Regulation Of Hydrolase Activity
vs rf_echo r = −0.24 p 0.05 q 1
BFR n=32 r=−0.20 p=0.259
HLRT n=33 r=−0.21 p=0.239
change in phenotype
change in set score, T2 − T1, one point per leg



BFR − HLRT
GOBP: Prostanoid Metabolic Process
vs rf_echo r = −0.65 p 8.9e−05 q 0.12
GOBP: Regulation Of Membrane Depolarization
vs rf_echo r = +0.58 p 0.00066 q 0.45
GOBP: Chromosome Localization
vs rf_csa r = +0.55 p 0.0013 q 1
GOBP: Negative Regulation Of Cytoskeleton Organization
vs rf_echo r = +0.55 p 0.0013 q 0.46
GOBP: Negative Regulation Of Supramolecular Fiber Organization
vs rf_echo r = +0.55 p 0.0015 q 0.46
GOBP: Unsaturated Fatty Acid Metabolic Process
vs rf_echo r = −0.54 p 0.0017 q 0.46
GOBP: Regulation Of Plasma Lipoprotein Particle Levels
vs vl_echo r = −0.54 p 0.0017 q 0.91
GOBP: Intrinsic Apoptotic Signaling Pathway
vs rf_csa r = −0.53 p 0.0021 q 1
GOBP: Ribonucleotide Catabolic Process
vs vl_echo r = +0.52 p 0.0026 q 0.91
GOBP: Glycolytic Process Through Glucose 6 Phosphate
vs vl_echo r = +0.51 p 0.0031 q 0.91
GOBP: Hippocampus Development
vs rf_echo r = −0.51 p 0.0032 q 0.62
GOBP: Response To Hydrogen Peroxide
vs vl_csa r = −0.51 p 0.0032 q 0.87
change in phenotype, BFR minus HLRT
change in set score, T2 − T1, BFR minus HLRT, one point per participant



BFR − HLRT
GOBP: Focal Adhesion Assembly
vs rf_echo r = +0.51 p 0.0032 q 0.62
GOBP: Negative Regulation Of Phosphorus Metabolic Process
vs vl_echo r = −0.50 p 0.0037 q 0.91
GOBP: Purine Containing Compound Catabolic Process
vs vl_echo r = +0.50 p 0.004 q 0.91
GOBP: Negative Regulation Of Small Molecule Metabolic Process
vs vl_echo r = −0.50 p 0.004 q 0.91
GOBP: Icosanoid Metabolic Process
vs rf_echo r = −0.50 p 0.0041 q 0.71
GOBP: Single Fertilization
vs vl_csa r = −0.49 p 0.0048 q 0.87
GOBP: Response To Activity
vs vl_echo r = +0.49 p 0.0051 q 0.91
GOBP: Regulation Of Cell Shape
vs vl_csa r = −0.49 p 0.0053 q 0.87
GOBP: Response To Endoplasmic Reticulum Stress
vs rf_csa r = −0.48 p 0.0056 q 1
GOBP: Regulation Of Cell Morphogenesis
vs vl_csa r = −0.48 p 0.0059 q 0.87
GOBP: Response To Carbohydrate
vs vl_csa r = −0.48 p 0.0061 q 0.87
GOBP: Regulation Of Receptor Internalization
vs vl_echo r = +0.47 p 0.0066 q 0.91
change in phenotype, BFR minus HLRT
change in set score, T2 − T1, BFR minus HLRT, one point per participant



BFR − HLRT
GOBP: Long Term Synaptic Potentiation
vs vl_echo r = +0.47 p 0.007 q 0.91
GOBP: Fertilization
vs vl_csa r = −0.47 p 0.0071 q 0.87
GOBP: Nucleoside Diphosphate Metabolic Process
vs vl_echo r = +0.47 p 0.0074 q 0.91
GOBP: Negative Regulation Of Organelle Organization
vs rf_echo r = +0.47 p 0.0074 q 1
GOBP: Chromosome Localization
vs vl_csa r = +0.46 p 0.0079 q 0.87
GOBP: Dephosphorylation
vs rf_echo r = −0.46 p 0.008 q 1
GOBP: Response To Monosaccharide
vs vl_csa r = −0.46 p 0.0082 q 0.87
GOBP: Regulation Of Protein Stability
vs vl_csa r = −0.46 p 0.0084 q 0.87
GOBP: Membrane Depolarization
vs rf_echo r = +0.46 p 0.0087 q 1
GOBP: Cell Cycle G2 M Phase Transition
vs rf_csa r = +0.46 p 0.0089 q 1
GOBP: Cellular Response To Osmotic Stress
vs rf_csa r = −0.46 p 0.0094 q 1
GOBP: Regulation Of Protein Maturation
vs rf_csa r = −0.45 p 0.0097 q 1
change in phenotype, BFR minus HLRT
change in set score, T2 − T1, BFR minus HLRT, one point per participant



BFR − HLRT
GOBP: Response To Mechanical Stimulus
vs vl_csa r = −0.45 p 0.0098 q 0.87
GOBP: Sprouting Angiogenesis
vs vl_csa r = −0.45 p 0.01 q 0.87
GOBP: Negative Regulation Of Extrinsic Apoptotic Signaling Pathway
vs vl_csa r = −0.45 p 0.011 q 0.87
GOBP: Cell Substrate Junction Organization
vs rf_echo r = +0.45 p 0.011 q 1
GOBP: Muscle Hypertrophy
vs rf_echo r = +0.44 p 0.012 q 1
GOBP: Positive Regulation Of Synaptic Transmission
vs vl_echo r = +0.44 p 0.012 q 0.91
GOBP: Amide Transport
vs rf_csa r = −0.44 p 0.012 q 1
GOBP: Cell Matrix Adhesion
vs rf_echo r = +0.44 p 0.012 q 1
GOBP: Regulation Of Neuron Apoptotic Process
vs vl_echo r = +0.44 p 0.013 q 0.91
GOBP: Regulation Of Monoatomic Ion Transport
vs vl_csa r = −0.44 p 0.013 q 0.87
GOBP: Metaphase Chromosome Alignment
vs vl_csa r = +0.44 p 0.013 q 0.87
GOBP: Regulation Of Receptor Mediated Endocytosis
vs vl_echo r = +0.44 p 0.013 q 0.91
change in phenotype, BFR minus HLRT
change in set score, T2 − T1, BFR minus HLRT, one point per participant



BFR − HLRT
GOBP: Regulation Of Supramolecular Fiber Organization
vs rf_echo r = +0.44 p 0.013 q 1
GOBP: Protein Transmembrane Transport
vs rf_csa r = −0.43 p 0.014 q 1
GOBP: Negative Regulation Of Neuron Projection Development
vs rf_echo r = −0.43 p 0.014 q 1
GOBP: Cellular Response To Glucose Starvation
vs vl_echo r = +0.43 p 0.014 q 0.91
GOBP: Response To Purine Containing Compound
vs rf_csa r = −0.43 p 0.014 q 1
GOBP: Neuron Apoptotic Process
vs vl_echo r = +0.43 p 0.014 q 0.91
GOBP: Regulation Of Non Canonical Nf Kappab Signal Transduction
vs rf_csa r = +0.43 p 0.014 q 1
GOBP: Positive Regulation Of Endothelial Cell Migration
vs vl_csa r = −0.43 p 0.014 q 0.87
GOBP: Protein Targeting To Membrane
vs vl_echo r = +0.43 p 0.014 q 0.91
GOBP: Neuromuscular Junction Development
vs rf_csa r = +0.43 p 0.014 q 1
GOBP: Viral Budding
vs vl_csa r = +0.43 p 0.015 q 0.87
GOBP: Positive Regulation Of Phosphorus Metabolic Process
vs rf_echo r = +0.43 p 0.015 q 1
change in phenotype, BFR minus HLRT
change in set score, T2 − T1, BFR minus HLRT, one point per participant



BFR − HLRT
GOBP: Peptide Transport
vs rf_csa r = −0.43 p 0.015 q 1
GOBP: Protein Processing
vs rf_csa r = −0.43 p 0.015 q 1
GOBP: Cortical Cytoskeleton Organization
vs vl_csa r = −0.42 p 0.015 q 0.87
GOBP: Axon Extension
vs vl_echo r = +0.43 p 0.016 q 0.91
GOBP: Regulation Of Monoatomic Ion Transmembrane Transport
vs vl_csa r = −0.42 p 0.016 q 0.87
GOBP: Mitotic Metaphase Chromosome Alignment
vs rf_csa r = +0.42 p 0.016 q 1
GOBP: Neuron Projection Extension
vs vl_echo r = +0.42 p 0.016 q 0.91
GOBP: Negative Regulation Of Chromosome Organization
vs rf_csa r = +0.42 p 0.016 q 1
GOBP: Regulation Of Actomyosin Structure Organization
vs rf_echo r = +0.42 p 0.017 q 1
GOBP: Rescue Of Stalled Ribosome
vs vl_echo r = +0.42 p 0.017 q 0.91
GOBP: Response To Ethanol
vs vl_csa r = −0.42 p 0.018 q 0.87
GOBP: Regulation Of Actin Filament Organization
vs rf_echo r = +0.42 p 0.018 q 1
change in phenotype, BFR minus HLRT
change in set score, T2 − T1, BFR minus HLRT, one point per participant



BFR − HLRT
GOBP: Microtubule Based Transport
vs rf_csa r = +0.42 p 0.018 q 1
GOBP: Hormone Transport
vs rf_csa r = −0.42 p 0.018 q 1
GOBP: Positive Regulation Of Protein Localization To Cell Periphery
vs vl_echo r = +0.42 p 0.018 q 0.91
GOBP: Negative Regulation Of Protein Localization
vs rf_csa r = −0.42 p 0.019 q 1
GOBP: Rhythmic Process
vs rf_csa r = −0.42 p 0.019 q 1
GOBP: Regulation Of Actin Filament Based Process
vs rf_echo r = +0.42 p 0.019 q 1
GOBP: Meiotic Cell Cycle Process
vs vl_echo r = −0.42 p 0.019 q 0.91
GOBP: Circadian Rhythm
vs rf_csa r = −0.41 p 0.019 q 1
GOBP: Spliceosomal Complex Assembly
vs rf_csa r = +0.41 p 0.019 q 1
GOBP: Regulation Of Rho Protein Signal Transduction
vs rf_echo r = +0.41 p 0.019 q 1
GOBP: Virion Assembly
vs vl_csa r = +0.41 p 0.019 q 0.87
GOBP: Actin Filament Bundle Organization
vs rf_echo r = +0.41 p 0.02 q 1
change in phenotype, BFR minus HLRT
change in set score, T2 − T1, BFR minus HLRT, one point per participant



BFR − HLRT
GOBP: Glycolytic Process Through Fructose 6 Phosphate
vs vl_echo r = +0.41 p 0.02 q 0.91
GOBP: Lymphocyte Migration
vs vl_csa r = −0.41 p 0.02 q 0.87
GOBP: Response To Starvation
vs vl_csa r = −0.41 p 0.02 q 0.87
GOBP: Stress Fiber Assembly
vs rf_echo r = +0.41 p 0.02 q 1
GOBP: Metaphase Chromosome Alignment
vs rf_csa r = +0.41 p 0.021 q 1
GOBP: Response To Alcohol
vs rf_echo r = −0.41 p 0.021 q 1
GOBP: Vascular Process In Circulatory System
vs vl_csa r = −0.41 p 0.022 q 0.87
GOBP: Morphogenesis Of Embryonic Epithelium
vs rf_echo r = −0.41 p 0.022 q 1
GOBP: Non Canonical Nf Kappab Signal Transduction
vs rf_csa r = +0.41 p 0.022 q 1
GOBP: Olefinic Compound Metabolic Process
vs vl_echo r = −0.41 p 0.022 q 0.91
GOBP: T Helper 17 Type Immune Response
vs rf_csa r = −0.41 p 0.022 q 1
GOBP: Pyridine Containing Compound Catabolic Process
vs vl_echo r = +0.41 p 0.022 q 0.91
change in phenotype, BFR minus HLRT
change in set score, T2 − T1, BFR minus HLRT, one point per participant



BFR − HLRT
GOBP: Purine Nucleoside Monophosphate Metabolic Process
vs rf_csa r = −0.40 p 0.022 q 1
GOBP: Response To Cadmium Ion
vs vl_echo r = +0.40 p 0.023 q 0.91
GOBP: Imp Metabolic Process
vs vl_csa r = −0.40 p 0.023 q 0.87
GOBP: Regulation Of Muscle Hypertrophy
vs rf_csa r = +0.40 p 0.023 q 1
GOBP: Regulation Of Axon Extension
vs vl_echo r = +0.40 p 0.024 q 0.91
GOBP: Membrane Fission
vs vl_echo r = −0.40 p 0.024 q 0.91
GOBP: Blastocyst Development
vs rf_csa r = −0.40 p 0.024 q 1
GOBP: Glucose Metabolic Process
vs rf_echo r = +0.40 p 0.025 q 1
GOBP: Developmental Growth Involved In Morphogenesis
vs vl_echo r = +0.40 p 0.025 q 0.91
GOBP: Response To Xenobiotic Stimulus
vs vl_csa r = −0.40 p 0.025 q 0.87
GOBP: Golgi To Plasma Membrane Protein Transport
vs vl_csa r = +0.40 p 0.025 q 0.87
GOBP: Nucleoside Phosphate Catabolic Process
vs vl_echo r = +0.40 p 0.026 q 0.91
change in phenotype, BFR minus HLRT
change in set score, T2 − T1, BFR minus HLRT, one point per participant



BFR − HLRT
GOBP: Cellular Response To Ketone
vs rf_echo r = −0.40 p 0.026 q 1
GOBP: Regulation Of Response To Endoplasmic Reticulum Stress
vs vl_echo r = −0.40 p 0.026 q 0.91
GOBP: Monosaccharide Catabolic Process
vs rf_echo r = +0.40 p 0.026 q 1
GOBP: Glucose Catabolic Process
vs vl_echo r = +0.39 p 0.026 q 0.91
GOBP: Protein Localization To Mitochondrion
vs vl_echo r = −0.39 p 0.026 q 0.91
GOBP: Positive Regulation Of Monoatomic Ion Transmembrane Transport
vs vl_csa r = −0.39 p 0.027 q 0.87
GOBP: Regulation Of Monoatomic Ion Transmembrane Transport
vs vl_echo r = +0.39 p 0.027 q 0.91
GOBP: Cellular Response To Osmotic Stress
vs vl_csa r = −0.39 p 0.027 q 0.87
GOBP: Nucleoside Metabolic Process
vs vl_echo r = +0.39 p 0.027 q 0.91
GOBP: Positive Regulation Of Nervous System Development
vs vl_echo r = +0.39 p 0.027 q 0.91
GOBP: Positive Regulation Of Neurogenesis
vs vl_echo r = +0.39 p 0.027 q 0.91
GOBP: Heterochromatin Organization
vs rf_csa r = +0.39 p 0.027 q 1
change in phenotype, BFR minus HLRT
change in set score, T2 − T1, BFR minus HLRT, one point per participant



BFR − HLRT
GOBP: Striated Muscle Adaptation
vs rf_echo r = +0.39 p 0.028 q 1
GOBP: Fibroblast Proliferation
vs vl_csa r = −0.39 p 0.028 q 0.87
GOBP: Regulation Of Extent Of Cell Growth
vs vl_echo r = +0.39 p 0.028 q 0.91
GOBP: Cellular Response To Carbohydrate Stimulus
vs vl_echo r = +0.39 p 0.028 q 0.91
GOBP: Membrane Biogenesis
vs rf_csa r = +0.39 p 0.028 q 1
GOBP: Regulation Of Receptor Mediated Endocytosis
vs vl_csa r = −0.39 p 0.029 q 0.87
GOBP: Monosaccharide Catabolic Process
vs vl_echo r = +0.39 p 0.029 q 0.91
GOBP: Response To Purine Containing Compound
vs vl_csa r = −0.39 p 0.03 q 0.87
GOBP: Protein Import Into Mitochondrial Matrix
vs rf_csa r = −0.39 p 0.03 q 1
GOBP: Regulation Of Polysaccharide Biosynthetic Process
vs rf_csa r = −0.39 p 0.03 q 1
GOBP: Positive Regulation Of Substrate Adhesion Dependent Cell Spreading
vs rf_echo r = +0.39 p 0.03 q 1
GOBP: Protein Depolymerization
vs rf_echo r = +0.38 p 0.03 q 1
change in phenotype, BFR minus HLRT
change in set score, T2 − T1, BFR minus HLRT, one point per participant



BFR − HLRT
GOBP: Regulation Of Circadian Rhythm
vs rf_csa r = −0.38 p 0.031 q 1
GOBP: Cell Cell Recognition
vs vl_csa r = −0.38 p 0.031 q 0.87
GOBP: Negative Regulation Of Torc1 Signaling
vs rf_csa r = −0.38 p 0.031 q 1
GOBP: Regulation Of Oxidative Stress Induced Intrinsic Apoptotic Signaling Pathway
vs vl_csa r = −0.38 p 0.031 q 0.87
GOBP: Response To Reactive Oxygen Species
vs vl_csa r = −0.38 p 0.031 q 0.87
GOBP: Positive Regulation Of Proteasomal Protein Catabolic Process
vs rf_csa r = −0.38 p 0.032 q 1
GOBP: Protein Dephosphorylation
vs rf_echo r = −0.38 p 0.032 q 1
GOBP: Muscle Adaptation
vs rf_echo r = +0.38 p 0.032 q 1
GOBP: Lipid Homeostasis
vs vl_echo r = −0.38 p 0.032 q 0.91
GOBP: Regulation Of Lipid Biosynthetic Process
vs vl_echo r = −0.38 p 0.032 q 0.91
GOBP: Regulation Of Epithelial Cell Migration
vs vl_csa r = −0.38 p 0.032 q 0.87
GOBP: Positive Regulation Of Myeloid Cell Differentiation
vs vl_csa r = −0.38 p 0.033 q 0.87
change in phenotype, BFR minus HLRT
change in set score, T2 − T1, BFR minus HLRT, one point per participant



BFR − HLRT
GOBP: Regulation Of Steroid Metabolic Process
vs vl_echo r = −0.38 p 0.033 q 0.91
GOBP: Fibroblast Migration
vs vl_csa r = −0.38 p 0.034 q 0.87
GOBP: Tube Formation
vs rf_echo r = −0.38 p 0.034 q 1
GOBP: Ameboidal Type Cell Migration
vs vl_csa r = −0.38 p 0.034 q 0.87
GOBP: Membrane Lipid Biosynthetic Process
vs rf_echo r = +0.38 p 0.034 q 1
GOBP: Regulation Of Protein Containing Complex Disassembly
vs rf_echo r = +0.38 p 0.034 q 1
GOBP: Cellular Response To External Stimulus
vs vl_csa r = −0.38 p 0.034 q 0.87
GOBP: Negative Regulation Of Extrinsic Apoptotic Signaling Pathway
vs rf_echo r = +0.38 p 0.035 q 1
GOBP: Anterior Posterior Pattern Specification
vs rf_echo r = −0.38 p 0.035 q 1
GOBP: Carbohydrate Homeostasis
vs rf_echo r = +0.38 p 0.035 q 1
GOBP: Lymphocyte Migration
vs rf_csa r = −0.37 p 0.036 q 1
GOBP: Regulation Of Protein Localization To Cell Periphery
vs vl_echo r = +0.37 p 0.036 q 0.91
change in phenotype, BFR minus HLRT
change in set score, T2 − T1, BFR minus HLRT, one point per participant



BFR − HLRT
GOBP: Regulation Of Steroid Biosynthetic Process
vs vl_echo r = −0.37 p 0.036 q 0.91
GOBP: Actin Filament Organization
vs rf_echo r = +0.37 p 0.036 q 1
GOBP: Receptor Mediated Endocytosis
vs vl_csa r = −0.37 p 0.036 q 0.87
GOBP: Retrograde Vesicle Mediated Transport Golgi To Endoplasmic Reticulum
vs vl_echo r = −0.37 p 0.036 q 0.91
GOBP: Negative Regulation Of Protein Polymerization
vs rf_echo r = +0.37 p 0.036 q 1
GOBP: Response To Leukemia Inhibitory Factor
vs rf_csa r = −0.37 p 0.037 q 1
GOBP: Actin Polymerization Or Depolymerization
vs vl_csa r = −0.37 p 0.037 q 0.87
GOBP: Glucose Catabolic Process
vs rf_echo r = +0.37 p 0.037 q 1
GOBP: Cellular Response To Nutrient Levels
vs vl_echo r = +0.37 p 0.038 q 0.91
GOBP: Regulation Of Amide Metabolic Process
vs vl_csa r = −0.37 p 0.038 q 0.87
GOBP: Response To Amino Acid Starvation
vs rf_csa r = −0.37 p 0.038 q 1
GOBP: Negative Regulation Of Response To External Stimulus
vs vl_echo r = +0.37 p 0.038 q 0.91
change in phenotype, BFR minus HLRT
change in set score, T2 − T1, BFR minus HLRT, one point per participant


BFR − HLRT
GOBP: Mesoderm Development
vs vl_echo r = −0.37 p 0.038 q 0.91
GOBP: T Cell Selection
vs rf_echo r = −0.37 p 0.039 q 1
GOBP: Negative Regulation Of Hemopoiesis
vs vl_echo r = +0.37 p 0.039 q 0.91
GOBP: Regulation Of Ketone Metabolic Process
vs vl_echo r = −0.37 p 0.039 q 0.91
GOBP: Intrinsic Apoptotic Signaling Pathway By p53 Class Mediator
vs rf_csa r = −0.37 p 0.039 q 1
GOBP: Bone Development
vs rf_echo r = +0.37 p 0.039 q 1
GOBP: Response To Activity
vs rf_echo r = +0.37 p 0.04 q 1
GOBP: Cellular Response To Starvation
vs vl_csa r = −0.37 p 0.04 q 0.87
GOBP: Monocarboxylic Acid Transport
vs vl_csa r = −0.37 p 0.04 q 0.87
GOBP: Regulation Of Extrinsic Apoptotic Signaling Pathway
vs vl_csa r = −0.37 p 0.04 q 0.87
GOBP: Mitochondrial Fission
vs vl_echo r = −0.37 p 0.04 q 0.91
GOBP: Negative Regulation Of Nervous System Development
vs rf_echo r = −0.37 p 0.041 q 1
change in phenotype, BFR minus HLRT
change in set score, T2 − T1, BFR minus HLRT, one point per participant


BFR − HLRT
GOBP: Regulation Of Actin Filament Bundle Assembly
vs rf_echo r = +0.37 p 0.041 q 1
GOBP: Neurotransmitter Transport
vs vl_echo r = +0.36 p 0.041 q 0.91
GOBP: Nucleoside Monophosphate Metabolic Process
vs rf_csa r = −0.36 p 0.041 q 1
GOBP: Cellular Response To Corticosteroid Stimulus
vs vl_csa r = −0.36 p 0.041 q 0.87
GOBP: Response To Nutrient
vs vl_csa r = −0.36 p 0.041 q 0.87
GOBP: Nuclear Chromosome Segregation
vs rf_csa r = +0.36 p 0.041 q 1
GOBP: Extrinsic Apoptotic Signaling Pathway
vs rf_echo r = +0.36 p 0.041 q 1
GOBP: Purine Containing Compound Salvage
vs vl_csa r = −0.36 p 0.041 q 0.87
GOBP: Embryonic Epithelial Tube Formation
vs rf_echo r = −0.36 p 0.042 q 1
GOBP: Peptide Transport
vs vl_echo r = +0.36 p 0.042 q 0.91
GOBP: Positive Regulation Of Phosphorylation
vs rf_echo r = +0.36 p 0.042 q 1
GOBP: Glucan Biosynthetic Process
vs rf_csa r = −0.36 p 0.042 q 1
change in phenotype, BFR minus HLRT
change in set score, T2 − T1, BFR minus HLRT, one point per participant


BFR − HLRT
GOBP: Cardiac Chamber Morphogenesis
vs rf_echo r = +0.36 p 0.043 q 1
GOBP: Regulation Of Transmembrane Transport
vs vl_csa r = −0.36 p 0.043 q 0.87
GOBP: Response To Ischemia
vs vl_csa r = +0.36 p 0.043 q 0.87
GOBP: Regulation Of Lipid Metabolic Process
vs vl_echo r = −0.36 p 0.043 q 0.91
GOBP: Negative Regulation Of Cell Activation
vs vl_csa r = −0.36 p 0.043 q 0.87
GOBP: Protein Folding
vs rf_echo r = −0.36 p 0.043 q 1
GOBP: Response To Bmp
vs rf_echo r = −0.36 p 0.043 q 1
GOBP: Nadplus Metabolic Process
vs vl_echo r = −0.36 p 0.043 q 0.91
GOBP: Positive Regulation Of Substrate Adhesion Dependent Cell Spreading
vs vl_csa r = −0.36 p 0.044 q 0.87
GOBP: Regulation Of Extrinsic Apoptotic Signaling Pathway
vs rf_echo r = +0.36 p 0.044 q 1
GOBP: Positive Regulation Of Lipid Localization
vs vl_echo r = −0.36 p 0.044 q 0.91
GOBP: Carbohydrate Derivative Catabolic Process
vs vl_echo r = +0.36 p 0.044 q 0.91
change in phenotype, BFR minus HLRT
change in set score, T2 − T1, BFR minus HLRT, one point per participant


BFR − HLRT
GOBP: Protein Polyubiquitination
vs vl_echo r = +0.36 p 0.044 q 0.91
GOBP: Regulation Of Muscle Cell Differentiation
vs rf_csa r = +0.36 p 0.045 q 1
GOBP: Membrane Lipid Metabolic Process
vs rf_echo r = +0.36 p 0.045 q 1
GOBP: Imp Metabolic Process
vs vl_echo r = +0.36 p 0.046 q 0.91
GOBP: Multi Multicellular Organism Process
vs vl_echo r = +0.36 p 0.046 q 0.91
GOBP: Stem Cell Differentiation
vs vl_echo r = +0.36 p 0.046 q 0.91
GOBP: Actomyosin Structure Organization
vs rf_echo r = +0.36 p 0.046 q 1
GOBP: Late Endosome To Vacuole Transport
vs vl_echo r = −0.35 p 0.047 q 0.91
GOBP: Response To Osmotic Stress
vs rf_csa r = −0.35 p 0.047 q 1
GOBP: Negative Regulation Of Cell Activation
vs vl_echo r = +0.35 p 0.048 q 0.91
GOBP: Limbic System Development
vs rf_csa r = −0.35 p 0.048 q 1
GOBP: Microtubule Cytoskeleton Organization Involved In Mitosis
vs vl_csa r = +0.35 p 0.048 q 0.87
change in phenotype, BFR minus HLRT
change in set score, T2 − T1, BFR minus HLRT, one point per participant


BFR − HLRT
GOBP: Basement Membrane Organization
vs rf_csa r = +0.35 p 0.048 q 1
GOBP: Negative Regulation Of Catalytic Activity
vs vl_echo r = −0.35 p 0.048 q 0.91
GOBP: Inner Mitochondrial Membrane Organization
vs rf_echo r = −0.35 p 0.049 q 1
GOBP: Nucleoside Diphosphate Catabolic Process
vs vl_echo r = +0.35 p 0.049 q 0.91
GOBP: Positive Regulation Of Cell Growth
vs vl_echo r = +0.35 p 0.049 q 0.91
GOBP: Proteinogenic Amino Acid Biosynthetic Process
vs rf_csa r = −0.35 p 0.049 q 1
GOBP: Regulation Of Actin Filament Length
vs rf_echo r = +0.35 p 0.049 q 1
GOBP: Regulation Of Intrinsic Apoptotic Signaling Pathway
vs rf_csa r = −0.35 p 0.049 q 1
GOBP: Modification Of Postsynaptic Structure
vs rf_echo r = +0.35 p 0.049 q 1
GOBP: Regulation Of Telomere Maintenance
vs vl_echo r = +0.35 p 0.05 q 0.91
GOBP: Limbic System Development
vs rf_echo r = −0.35 p 0.05 q 1
GOBP: Regulation Of Protein Depolymerization
vs rf_echo r = +0.35 p 0.05 q 1
change in phenotype, BFR minus HLRT
change in set score, T2 − T1, BFR minus HLRT, one point per participant