






Training response against phenotype, all legs, vl_echo (page 1 of 14)
BFR
HLRT
CAPN7 Q9Y6W3
vs vl_echo t = −3.54 p 0.00073 q 0.69
BFR n=32 r=−0.24
HLRT n=33 r=−0.45
ILVBL A1L0T0
vs vl_echo t = −3.48 p 0.00089 q 0.69
BFR n=32 r=−0.34
HLRT n=33 r=−0.33
RBM8A Q9Y5S9
vs vl_echo t = −3.42 p 0.0011 q 0.69
BFR n=32 r=−0.47
HLRT n=33 r=−0.43
COX8A P10176
vs vl_echo t = −3.42 p 0.0011 q 0.69
BFR n=32 r=−0.23
HLRT n=33 r=−0.45
RAB5A P20339
vs vl_echo t = −3.40 p 0.0011 q 0.69
BFR n=32 r=−0.34
HLRT n=33 r=−0.53
CAV2 P51636
vs vl_echo t = −3.29 p 0.0016 q 0.73
BFR n=32 r=−0.06
HLRT n=33 r=−0.33
HNRNPUL1 Q9BUJ2
vs vl_echo t = +3.27 p 0.0017 q 0.73
BFR n=32 r=+0.09
HLRT n=33 r=+0.27
NIF3L1 Q9GZT8
vs vl_echo t = −3.21 p 0.002 q 0.77
BFR n=32 r=−0.30
HLRT n=33 r=−0.46
AP2A2 O94973
vs vl_echo t = −3.12 p 0.0027 q 0.77
BFR n=32 r=−0.54
HLRT n=33 r=−0.10
EIF4A3 P38919
vs vl_echo t = −3.07 p 0.0031 q 0.77
BFR n=32 r=−0.24
HLRT n=33 r=−0.32
TRIM32 Q13049
vs vl_echo t = +3.06 p 0.0032 q 0.77
BFR n=32 r=+0.53
HLRT n=33 r=+0.14
CAV1 Q03135
vs vl_echo t = −3.04 p 0.0033 q 0.77
BFR n=32 r=−0.23
HLRT n=33 r=−0.33
change in phenotype
change in protein, log2, T2 − T1, one point per leg



BFR
HLRT
OSGEP Q9NPF4
vs vl_echo t = −3.03 p 0.0035 q 0.77
BFR n=32 r=−0.33
HLRT n=33 r=−0.43
ISCU Q9H1K1
vs vl_echo t = +3.02 p 0.0035 q 0.77
BFR n=32 r=+0.11
HLRT n=33 r=+0.35
SEPTIN10 Q9P0V9
vs vl_echo t = +3.00 p 0.0038 q 0.78
BFR n=32 r=+0.11
HLRT n=33 r=+0.47
PHKA1 P46020
vs vl_echo t = +2.91 p 0.0049 q 0.78
BFR n=32 r=+0.24
HLRT n=33 r=+0.43
SCAMP3 O14828
vs vl_echo t = +2.91 p 0.0049 q 0.78
BFR n=32 r=+0.02
HLRT n=33 r=+0.38
GPHN Q9NQX3
vs vl_echo t = −2.90 p 0.0051 q 0.78
BFR n=32 r=−0.07
HLRT n=33 r=−0.34
NUBP2 Q9Y5Y2
vs vl_echo t = −2.88 p 0.0054 q 0.78
BFR n=32 r=−0.27
HLRT n=33 r=−0.19
MRPL13 Q9BYD1
vs vl_echo t = −2.84 p 0.006 q 0.78
BFR n=32 r=−0.19
HLRT n=33 r=−0.41
GARS1 P41250
vs vl_echo t = −2.82 p 0.0063 q 0.78
BFR n=32 r=−0.24
HLRT n=33 r=−0.32
STOML2 Q9UJZ1
vs vl_echo t = −2.80 p 0.0067 q 0.78
BFR n=32 r=−0.10
HLRT n=33 r=−0.51
ALDH1A2 O94788
vs vl_echo t = +2.79 p 0.0068 q 0.78
BFR n=32 r=+0.34
HLRT n=33 r=+0.37
THTPA Q9BU02
vs vl_echo t = +2.77 p 0.0073 q 0.78
BFR n=32 r=+0.42
HLRT n=33 r=+0.37
change in phenotype
change in protein, log2, T2 − T1, one point per leg



BFR
HLRT
TTC1 Q99614
vs vl_echo t = +2.75 p 0.0076 q 0.78
BFR n=32 r=+0.35
HLRT n=33 r=+0.26
FBXO3 Q9UK99
vs vl_echo t = +2.71 p 0.0085 q 0.78
BFR n=32 r=+0.27
HLRT n=33 r=+0.36
MOCS2 O96033
vs vl_echo t = +2.71 p 0.0086 q 0.78
BFR n=32 r=+0.00
HLRT n=33 r=+0.40
CDS2 O95674
vs vl_echo t = −2.70 p 0.0087 q 0.78
BFR n=32 r=−0.17
HLRT n=33 r=−0.33
ACYP1 P07311
vs vl_echo t = −2.70 p 0.0087 q 0.78
BFR n=32 r=−0.26
HLRT n=33 r=−0.37
STX4 Q12846
vs vl_echo t = +2.66 p 0.0097 q 0.78
BFR n=32 r=+0.42
HLRT n=33 r=+0.38
ACAA1 P09110
vs vl_echo t = −2.66 p 0.0099 q 0.78
BFR n=32 r=−0.22
HLRT n=33 r=−0.16
VPS37C A5D8V6
vs vl_echo t = −2.64 p 0.01 q 0.78
BFR n=32 r=−0.10
HLRT n=33 r=−0.48
HAX1 O00165
vs vl_echo t = −2.64 p 0.01 q 0.78
BFR n=32 r=−0.13
HLRT n=33 r=−0.43
PPP1CC P36873
vs vl_echo t = +2.64 p 0.01 q 0.78
BFR n=32 r=+0.29
HLRT n=33 r=+0.12
EARS2 Q5JPH6
vs vl_echo t = +2.62 p 0.011 q 0.78
BFR n=32 r=+0.38
HLRT n=33 r=+0.11
HYOU1 Q9Y4L1
vs vl_echo t = +2.61 p 0.011 q 0.78
BFR n=32 r=+0.10
HLRT n=33 r=+0.29
change in phenotype
change in protein, log2, T2 − T1, one point per leg



BFR
HLRT
DCTN6 O00399
vs vl_echo t = −2.60 p 0.011 q 0.78
BFR n=32 r=−0.19
HLRT n=33 r=−0.27
PPP2CA P67775
vs vl_echo t = −2.60 p 0.011 q 0.78
BFR n=32 r=−0.13
HLRT n=33 r=−0.29
ATP6V1G1 O75348
vs vl_echo t = +2.59 p 0.012 q 0.78
BFR n=32 r=+0.14
HLRT n=33 r=+0.37
ARPC4 P59998
vs vl_echo t = +2.58 p 0.012 q 0.78
BFR n=32 r=+0.21
HLRT n=33 r=+0.20
FAM210A Q96ND0
vs vl_echo t = +2.56 p 0.013 q 0.78
BFR n=32 r=+0.46
HLRT n=33 r=+0.27
FECH P22830
vs vl_echo t = +2.56 p 0.013 q 0.78
BFR n=32 r=+0.53
HLRT n=33 r=+0.13
CAV3 P56539
vs vl_echo t = +2.55 p 0.013 q 0.78
BFR n=32 r=+0.13
HLRT n=33 r=+0.48
ANKRD2 Q9GZV1
vs vl_echo t = −2.53 p 0.014 q 0.78
BFR n=32 r=+0.01
HLRT n=33 r=−0.38
LSM2 Q9Y333
vs vl_echo t = +2.53 p 0.014 q 0.78
BFR n=32 r=+0.06
HLRT n=33 r=+0.26
MRPL33 O75394
vs vl_echo t = −2.52 p 0.014 q 0.78
BFR n=32 r=−0.20
HLRT n=33 r=−0.31
NT5C2 P49902
vs vl_echo t = −2.52 p 0.014 q 0.78
BFR n=32 r=−0.21
HLRT n=33 r=−0.09
SRP72 O76094
vs vl_echo t = +2.52 p 0.014 q 0.78
BFR n=32 r=−0.10
HLRT n=33 r=+0.42
change in phenotype
change in protein, log2, T2 − T1, one point per leg



BFR
HLRT
CD38 P28907
vs vl_echo t = +2.51 p 0.014 q 0.78
BFR n=32 r=+0.44
HLRT n=33 r=+0.31
CTNNA1 P35221
vs vl_echo t = −2.51 p 0.015 q 0.78
BFR n=32 r=−0.33
HLRT n=33 r=−0.18
ACSF3 Q4G176
vs vl_echo t = −2.51 p 0.015 q 0.78
BFR n=32 r=−0.38
HLRT n=33 r=−0.17
MT−CO3 P00414
vs vl_echo t = −2.50 p 0.015 q 0.78
BFR n=32 r=−0.12
HLRT n=33 r=−0.51
RPS15 P62841
vs vl_echo t = −2.49 p 0.015 q 0.78
BFR n=32 r=−0.29
HLRT n=33 r=−0.21
OMA1 Q96E52
vs vl_echo t = +2.49 p 0.015 q 0.78
BFR n=32 r=+0.22
HLRT n=33 r=+0.22
GNPAT O15228
vs vl_echo t = +2.48 p 0.016 q 0.78
BFR n=32 r=+0.40
HLRT n=33 r=+0.23
ADRM1 Q16186
vs vl_echo t = −2.47 p 0.016 q 0.78
BFR n=32 r=+0.02
HLRT n=33 r=−0.42
NUP93 Q8N1F7
vs vl_echo t = +2.47 p 0.016 q 0.78
BFR n=32 r=+0.29
HLRT n=33 r=+0.22
TCEA3 O75764
vs vl_echo t = +2.46 p 0.016 q 0.78
BFR n=32 r=+0.24
HLRT n=33 r=+0.23
UROS P10746
vs vl_echo t = −2.46 p 0.017 q 0.78
BFR n=32 r=−0.17
HLRT n=33 r=−0.45
HLA−DRB1 P01911
vs vl_echo t = +2.46 p 0.017 q 0.78
BFR n=32 r=+0.12
HLRT n=33 r=+0.17
change in phenotype
change in protein, log2, T2 − T1, one point per leg



BFR
HLRT
ARIH1 Q9Y4X5
vs vl_echo t = +2.45 p 0.017 q 0.78
BFR n=32 r=+0.40
HLRT n=33 r=+0.15
PPP2CB P62714
vs vl_echo t = +2.45 p 0.017 q 0.78
BFR n=32 r=+0.27
HLRT n=33 r=+0.32
PAICS P22234
vs vl_echo t = −2.45 p 0.017 q 0.78
BFR n=32 r=−0.20
HLRT n=33 r=−0.38
RAB10 P61026
vs vl_echo t = −2.45 p 0.017 q 0.78
BFR n=32 r=−0.18
HLRT n=33 r=−0.33
RRM2B Q7LG56
vs vl_echo t = +2.44 p 0.017 q 0.78
BFR n=32 r=+0.36
HLRT n=33 r=−0.06
LAMB1 P07942
vs vl_echo t = −2.44 p 0.018 q 0.78
BFR n=32 r=−0.06
HLRT n=33 r=−0.47
CHCHD2 Q9Y6H1
vs vl_echo t = +2.43 p 0.018 q 0.78
BFR n=32 r=+0.13
HLRT n=33 r=+0.27
BCAT2 O15382
vs vl_echo t = +2.43 p 0.018 q 0.78
BFR n=32 r=+0.27
HLRT n=33 r=+0.46
IARS1 P41252
vs vl_echo t = +2.42 p 0.018 q 0.78
BFR n=32 r=+0.29
HLRT n=33 r=+0.28
SAR1A Q9NR31
vs vl_echo t = −2.42 p 0.018 q 0.78
BFR n=32 r=−0.14
HLRT n=33 r=−0.02
MRRF Q96E11
vs vl_echo t = +2.40 p 0.019 q 0.78
BFR n=32 r=+0.04
HLRT n=33 r=+0.38
C12orf73 Q69YU5
vs vl_echo t = −2.40 p 0.019 q 0.78
BFR n=32 r=−0.30
HLRT n=33 r=−0.28
change in phenotype
change in protein, log2, T2 − T1, one point per leg



BFR
HLRT
RNF14 Q9UBS8
vs vl_echo t = +2.40 p 0.019 q 0.78
BFR n=32 r=+0.22
HLRT n=33 r=+0.33
ATP6V1E1 P36543
vs vl_echo t = −2.40 p 0.019 q 0.78
BFR n=32 r=−0.32
HLRT n=33 r=−0.25
SUGT1 Q9Y2Z0
vs vl_echo t = +2.39 p 0.02 q 0.78
BFR n=32 r=+0.27
HLRT n=33 r=+0.27
SCRN2 Q96FV2
vs vl_echo t = −2.39 p 0.02 q 0.78
BFR n=32 r=−0.31
HLRT n=33 r=−0.24
FAM114A2 Q9NRY5
vs vl_echo t = −2.39 p 0.02 q 0.78
BFR n=32 r=−0.18
HLRT n=33 r=−0.48
AKR1B1 P15121
vs vl_echo t = +2.37 p 0.021 q 0.81
BFR n=32 r=+0.19
HLRT n=33 r=+0.44
EEF1E1 O43324
vs vl_echo t = −2.36 p 0.021 q 0.82
BFR n=32 r=−0.18
HLRT n=33 r=−0.23
PPM1F P49593
vs vl_echo t = +2.35 p 0.022 q 0.82
BFR n=32 r=+0.30
HLRT n=33 r=+0.22
BORCS6 Q96GS4
vs vl_echo t = +2.35 p 0.022 q 0.82
BFR n=32 r=+0.45
HLRT n=33 r=−0.03
PARS2 Q7L3T8
vs vl_echo t = −2.34 p 0.023 q 0.83
BFR n=32 r=−0.19
HLRT n=33 r=−0.43
C12orf57 Q99622
vs vl_echo t = +2.33 p 0.023 q 0.83
BFR n=32 r=+0.17
HLRT n=33 r=+0.18
MRPS21 P82921
vs vl_echo t = −2.33 p 0.023 q 0.83
BFR n=32 r=+0.20
HLRT n=33 r=−0.24
change in phenotype
change in protein, log2, T2 − T1, one point per leg



BFR
HLRT
COX7B P24311
vs vl_echo t = −2.33 p 0.023 q 0.83
BFR n=32 r=−0.24
HLRT n=33 r=−0.25
PUF60 Q9UHX1
vs vl_echo t = +2.31 p 0.024 q 0.83
BFR n=32 r=+0.22
HLRT n=33 r=+0.17
HOMER3 Q9NSC5
vs vl_echo t = −2.31 p 0.024 q 0.83
BFR n=32 r=−0.33
HLRT n=33 r=−0.11
COQ8A Q8NI60
vs vl_echo t = +2.30 p 0.024 q 0.83
BFR n=32 r=+0.62
HLRT n=33 r=+0.02
CD36 P16671
vs vl_echo t = −2.30 p 0.025 q 0.83
BFR n=32 r=−0.25
HLRT n=33 r=−0.13
CSTB P04080
vs vl_echo t = +2.30 p 0.025 q 0.83
BFR n=32 r=+0.26
HLRT n=33 r=+0.34
MOCS2 O96007
vs vl_echo t = −2.29 p 0.025 q 0.83
BFR n=32 r=−0.17
HLRT n=33 r=−0.40
MMAB Q96EY8
vs vl_echo t = −2.29 p 0.025 q 0.83
BFR n=32 r=−0.35
HLRT n=33 r=−0.37
MFF Q9GZY8
vs vl_echo t = −2.28 p 0.026 q 0.85
BFR n=32 r=+0.03
HLRT n=33 r=−0.48
MAVS Q7Z434
vs vl_echo t = −2.27 p 0.027 q 0.86
BFR n=32 r=−0.21
HLRT n=33 r=−0.25
LRPAP1 P30533
vs vl_echo t = +2.26 p 0.027 q 0.86
BFR n=32 r=+0.09
HLRT n=33 r=+0.39
PSMD8 P48556
vs vl_echo t = +2.25 p 0.028 q 0.86
BFR n=32 r=+0.23
HLRT n=33 r=+0.32
change in phenotype
change in protein, log2, T2 − T1, one point per leg


BFR
HLRT
HNRNPA1 P09651
vs vl_echo t = −2.25 p 0.028 q 0.86
BFR n=32 r=−0.38
HLRT n=33 r=−0.16
UBR1 Q8IWV7
vs vl_echo t = +2.25 p 0.028 q 0.86
BFR n=32 r=+0.22
HLRT n=33 r=+0.33
KIFBP Q96EK5
vs vl_echo t = +2.24 p 0.028 q 0.87
BFR n=32 r=+0.33
HLRT n=33 r=+0.19
RPIA P49247
vs vl_echo t = −2.23 p 0.029 q 0.88
BFR n=32 r=−0.26
HLRT n=33 r=−0.21
TBC1D17 Q9HA65
vs vl_echo t = +2.23 p 0.029 q 0.88
BFR n=32 r=+0.24
HLRT n=33 r=+0.22
CARHSP1 Q9Y2V2
vs vl_echo t = +2.20 p 0.031 q 0.9
BFR n=32 r=+0.23
HLRT n=33 r=+0.21
COX7A2L O14548
vs vl_echo t = −2.20 p 0.031 q 0.9
BFR n=32 r=−0.42
HLRT n=33 r=−0.06
BPNT1 O95861
vs vl_echo t = +2.20 p 0.031 q 0.9
BFR n=32 r=+0.30
HLRT n=33 r=+0.32
RAB1B Q9H0U4
vs vl_echo t = −2.20 p 0.032 q 0.9
BFR n=32 r=−0.31
HLRT n=33 r=−0.04
SF3B1 O75533
vs vl_echo t = −2.19 p 0.032 q 0.9
BFR n=32 r=−0.13
HLRT n=33 r=−0.35
EIF4EBP2 Q13542
vs vl_echo t = −2.19 p 0.032 q 0.9
BFR n=32 r=−0.21
HLRT n=33 r=−0.17
TARDBP Q13148
vs vl_echo t = −2.18 p 0.033 q 0.9
BFR n=32 r=−0.42
HLRT n=33 r=−0.11
change in phenotype
change in protein, log2, T2 − T1, one point per leg



BFR
HLRT
ASPH Q12797
vs vl_echo t = −2.17 p 0.033 q 0.9
BFR n=32 r=−0.17
HLRT n=33 r=−0.14
INPP1 P49441
vs vl_echo t = −2.17 p 0.034 q 0.9
BFR n=32 r=−0.18
HLRT n=33 r=−0.33
MARCHF5 Q9NX47
vs vl_echo t = −2.17 p 0.034 q 0.9
BFR n=32 r=−0.13
HLRT n=33 r=−0.18
UBE2R2 Q712K3
vs vl_echo t = +2.16 p 0.034 q 0.9
BFR n=32 r=+0.43
HLRT n=33 r=−0.01
PSME1 Q06323
vs vl_echo t = +2.16 p 0.034 q 0.9
BFR n=32 r=+0.13
HLRT n=33 r=+0.57
ATL2 Q8NHH9
vs vl_echo t = −2.16 p 0.034 q 0.9
BFR n=32 r=+0.08
HLRT n=33 r=−0.28
RABL6 Q3YEC7
vs vl_echo t = −2.16 p 0.034 q 0.9
BFR n=32 r=−0.18
HLRT n=33 r=−0.21
PPIF P30405
vs vl_echo t = −2.16 p 0.035 q 0.9
BFR n=32 r=−0.20
HLRT n=33 r=−0.31
SPCS3 P61009
vs vl_echo t = +2.15 p 0.035 q 0.9
BFR n=32 r=+0.24
HLRT n=33 r=+0.20
DHRS7B Q6IAN0
vs vl_echo t = +2.15 p 0.035 q 0.9
BFR n=32 r=+0.33
HLRT n=33 r=+0.19
TMED10 P49755
vs vl_echo t = −2.14 p 0.036 q 0.9
BFR n=32 r=−0.35
HLRT n=33 r=−0.02
NIPSNAP3A Q9UFN0
vs vl_echo t = −2.14 p 0.036 q 0.9
BFR n=32 r=−0.30
HLRT n=33 r=−0.11
change in phenotype
change in protein, log2, T2 − T1, one point per leg



BFR
HLRT
UBE3C Q15386
vs vl_echo t = +2.14 p 0.036 q 0.9
BFR n=32 r=+0.35
HLRT n=33 r=+0.18
VAMP5 O95183
vs vl_echo t = +2.14 p 0.036 q 0.9
BFR n=32 r=+0.27
HLRT n=33 r=+0.03
CIAO2A Q9H5X1
vs vl_echo t = −2.13 p 0.037 q 0.9
BFR n=32 r=−0.31
HLRT n=33 r=−0.12
CUTA O60888
vs vl_echo t = −2.13 p 0.037 q 0.9
BFR n=32 r=−0.41
HLRT n=33 r=−0.22
DDX6 P26196
vs vl_echo t = +2.12 p 0.038 q 0.91
BFR n=32 r=+0.36
HLRT n=33 r=+0.27
VCPIP1 Q96JH7
vs vl_echo t = −2.11 p 0.038 q 0.91
BFR n=32 r=−0.20
HLRT n=33 r=−0.32
CHMP6 Q96FZ7
vs vl_echo t = −2.11 p 0.039 q 0.91
BFR n=32 r=−0.20
HLRT n=33 r=−0.21
NDUFA1 O15239
vs vl_echo t = −2.11 p 0.039 q 0.91
BFR n=32 r=−0.23
HLRT n=33 r=−0.27
NGLY1 Q96IV0
vs vl_echo t = −2.10 p 0.039 q 0.91
BFR n=32 r=−0.39
HLRT n=33 r=−0.16
AKR1C2 P52895
vs vl_echo t = −2.10 p 0.039 q 0.91
BFR n=32 r=−0.26
HLRT n=33 r=+0.02
MAP7D1 Q3KQU3
vs vl_echo t = +2.10 p 0.039 q 0.91
BFR n=32 r=+0.39
HLRT n=33 r=+0.25
COA4 Q9NYJ1
vs vl_echo t = +2.10 p 0.04 q 0.91
BFR n=32 r=+0.51
HLRT n=33 r=−0.08
change in phenotype
change in protein, log2, T2 − T1, one point per leg



BFR
HLRT
PHKG1 Q16816
vs vl_echo t = +2.09 p 0.04 q 0.91
BFR n=32 r=+0.36
HLRT n=33 r=+0.10
PYGL P06737
vs vl_echo t = −2.09 p 0.041 q 0.91
BFR n=32 r=−0.13
HLRT n=33 r=−0.14
MTHFD1 P11586
vs vl_echo t = −2.09 p 0.041 q 0.91
BFR n=32 r=−0.25
HLRT n=33 r=−0.14
YWHAG P61981
vs vl_echo t = −2.09 p 0.041 q 0.91
BFR n=32 r=−0.09
HLRT n=33 r=−0.30
VPS25 Q9BRG1
vs vl_echo t = −2.09 p 0.041 q 0.91
BFR n=32 r=−0.30
HLRT n=33 r=−0.08
MEMO1 Q9Y316
vs vl_echo t = −2.08 p 0.041 q 0.91
BFR n=32 r=+0.21
HLRT n=33 r=−0.54
MRPL9 Q9BYD2
vs vl_echo t = −2.07 p 0.043 q 0.92
BFR n=32 r=−0.29
HLRT n=33 r=−0.14
ACACB O00763
vs vl_echo t = −2.06 p 0.043 q 0.92
BFR n=32 r=−0.45
HLRT n=33 r=−0.20
CHMP1A Q9HD42
vs vl_echo t = +2.06 p 0.043 q 0.92
BFR n=32 r=+0.14
HLRT n=33 r=+0.33
KPNB1 Q14974
vs vl_echo t = −2.06 p 0.044 q 0.92
BFR n=32 r=−0.21
HLRT n=33 r=+0.06
SMAP O00193
vs vl_echo t = −2.06 p 0.044 q 0.92
BFR n=32 r=−0.36
HLRT n=33 r=−0.24
ATP5MF P56134
vs vl_echo t = −2.05 p 0.044 q 0.92
BFR n=32 r=−0.35
HLRT n=33 r=−0.09
change in phenotype
change in protein, log2, T2 − T1, one point per leg



BFR
HLRT
KLHL31 Q9H511
vs vl_echo t = −2.05 p 0.044 q 0.92
BFR n=32 r=−0.20
HLRT n=33 r=−0.29
HSD17B8 Q92506
vs vl_echo t = +2.05 p 0.045 q 0.92
BFR n=32 r=+0.34
HLRT n=33 r=+0.30
TOR1AIP1 Q5JTV8
vs vl_echo t = +2.04 p 0.045 q 0.92
BFR n=32 r=+0.05
HLRT n=33 r=+0.21
TMEM182 Q6ZP80
vs vl_echo t = +2.04 p 0.045 q 0.92
BFR n=32 r=+0.12
HLRT n=33 r=+0.33
YBX1 P67809
vs vl_echo t = −2.04 p 0.045 q 0.92
BFR n=32 r=−0.03
HLRT n=33 r=−0.38
BTF3 P20290
vs vl_echo t = −2.03 p 0.046 q 0.92
BFR n=32 r=−0.05
HLRT n=33 r=−0.19
HMOX1 P09601
vs vl_echo t = −2.03 p 0.046 q 0.92
BFR n=32 r=−0.17
HLRT n=33 r=−0.29
DCPS Q96C86
vs vl_echo t = +2.03 p 0.047 q 0.92
BFR n=32 r=+0.08
HLRT n=33 r=+0.24
MTCH1 Q9NZJ7
vs vl_echo t = −2.02 p 0.047 q 0.92
BFR n=32 r=−0.44
HLRT n=33 r=+0.02
SNRPD3 P62318
vs vl_echo t = −2.02 p 0.047 q 0.92
BFR n=32 r=−0.42
HLRT n=33 r=−0.17
LAMP2 P13473
vs vl_echo t = +2.02 p 0.048 q 0.92
BFR n=32 r=−0.07
HLRT n=33 r=+0.43
VBP1 P61758
vs vl_echo t = −2.02 p 0.048 q 0.92
BFR n=32 r=−0.34
HLRT n=33 r=−0.14
change in phenotype
change in protein, log2, T2 − T1, one point per leg


Training response against phenotype, all legs, vl_echo (page 14 of 14)






BFR − HLRT
GCSH P23434
vs vl_echo t = −3.44 p 0.0016 q 0.98
EGLN1 Q9GZT9
vs vl_echo t = +3.40 p 0.0017 q 0.98
DUT P33316
vs vl_echo t = −3.40 p 0.0018 q 0.98
TSPO P30536
vs vl_echo t = −3.35 p 0.002 q 0.98
MTCH1 Q9NZJ7
vs vl_echo t = −3.27 p 0.0025 q 0.98
NUP93 Q8N1F7
vs vl_echo t = +3.20 p 0.0029 q 0.98
MRPS14 O60783
vs vl_echo t = +3.16 p 0.0033 q 0.98
NIPSNAP3A Q9UFN0
vs vl_echo t = −3.14 p 0.0035 q 0.98
NT5C1A Q9BXI3
vs vl_echo t = +3.11 p 0.0037 q 0.98
ECHDC1 Q9NTX5
vs vl_echo t = −3.06 p 0.0043 q 0.98
TUBB4A P04350
vs vl_echo t = +3.04 p 0.0045 q 0.98
MKRN2 Q9H000
vs vl_echo t = +3.03 p 0.0047 q 0.98
change in phenotype, BFR minus HLRT
change in protein, log2, T2 − T1, BFR minus HLRT, one point per participant



BFR − HLRT
TTC1 Q99614
vs vl_echo t = +3.02 p 0.0048 q 0.98
PGK2 P07205
vs vl_echo t = +3.01 p 0.005 q 0.98
RRM2B Q7LG56
vs vl_echo t = +2.96 p 0.0056 q 0.98
GBE1 Q04446
vs vl_echo t = −2.93 p 0.0061 q 0.98
PDLIM2 Q96JY6
vs vl_echo t = +2.87 p 0.007 q 0.98
NBAS A2RRP1
vs vl_echo t = −2.86 p 0.0071 q 0.98
CRYZL1 O95825
vs vl_echo t = +2.86 p 0.0072 q 0.98
CHORDC1 Q9UHD1
vs vl_echo t = −2.78 p 0.0087 q 0.98
CARD19 Q96LW7
vs vl_echo t = +2.76 p 0.0093 q 0.98
EIF2B3 Q9NR50
vs vl_echo t = −2.76 p 0.0093 q 0.98
RRAGA Q7L523
vs vl_echo t = +2.76 p 0.0093 q 0.98
LANCL2 Q9NS86
vs vl_echo t = −2.74 p 0.0096 q 0.98
change in phenotype, BFR minus HLRT
change in protein, log2, T2 − T1, BFR minus HLRT, one point per participant



BFR − HLRT
ZBTB8OS Q8IWT0
vs vl_echo t = +2.73 p 0.0099 q 0.98
MMAB Q96EY8
vs vl_echo t = −2.70 p 0.011 q 0.98
ATP2B1 P20020
vs vl_echo t = +2.70 p 0.011 q 0.98
RAP1B P61224
vs vl_echo t = −2.69 p 0.011 q 0.98
SGCA Q16586
vs vl_echo t = +2.67 p 0.011 q 0.98
CLPTM1 O96005
vs vl_echo t = −2.62 p 0.013 q 0.98
ABHD14B Q96IU4
vs vl_echo t = −2.60 p 0.014 q 0.98
TXN2 Q99757
vs vl_echo t = +2.60 p 0.014 q 0.98
SBDS Q9Y3A5
vs vl_echo t = +2.60 p 0.014 q 0.98
AK6 Q9Y3D8
vs vl_echo t = +2.59 p 0.014 q 0.98
MRPS17 Q9Y2R5
vs vl_echo t = −2.59 p 0.014 q 0.98
CNN3 Q15417
vs vl_echo t = −2.59 p 0.014 q 0.98
change in phenotype, BFR minus HLRT
change in protein, log2, T2 − T1, BFR minus HLRT, one point per participant



BFR − HLRT
NAMPT P43490
vs vl_echo t = −2.55 p 0.016 q 0.98
MRPS2 Q9Y399
vs vl_echo t = −2.52 p 0.017 q 0.98
DMAC1 Q96GE9
vs vl_echo t = +2.51 p 0.017 q 0.98
CCT3 P49368
vs vl_echo t = −2.50 p 0.017 q 0.98
AAMP Q13685
vs vl_echo t = +2.50 p 0.018 q 0.98
STX4 Q12846
vs vl_echo t = +2.46 p 0.019 q 0.98
MTMR6 Q9Y217
vs vl_echo t = +2.45 p 0.02 q 0.98
AMPD1 P23109
vs vl_echo t = +2.45 p 0.02 q 0.98
PLIN3 O60664
vs vl_echo t = −2.44 p 0.02 q 0.98
ACSF3 Q4G176
vs vl_echo t = −2.43 p 0.021 q 0.98
CORO1C Q9ULV4
vs vl_echo t = −2.41 p 0.021 q 0.98
ACACB O00763
vs vl_echo t = −2.41 p 0.022 q 0.98
change in phenotype, BFR minus HLRT
change in protein, log2, T2 − T1, BFR minus HLRT, one point per participant


BFR − HLRT
LPCAT3 Q6P1A2
vs vl_echo t = −2.40 p 0.022 q 0.98
AHCYL1 O43865
vs vl_echo t = −2.37 p 0.024 q 0.98
CIAO2A Q9H5X1
vs vl_echo t = −2.35 p 0.025 q 0.98
SH3BGR P55822
vs vl_echo t = +2.34 p 0.025 q 0.98
ARF4 P18085
vs vl_echo t = −2.33 p 0.026 q 0.98
PTMA P06454
vs vl_echo t = −2.32 p 0.027 q 0.98
CIRBP Q14011
vs vl_echo t = −2.30 p 0.028 q 0.98
CYC1 P08574
vs vl_echo t = −2.29 p 0.028 q 0.98
SPART Q8N0X7
vs vl_echo t = +2.27 p 0.03 q 0.98
GNPAT O15228
vs vl_echo t = +2.27 p 0.03 q 0.98
SCAMP1 O15126
vs vl_echo t = −2.25 p 0.031 q 0.98
PIGBOS1 A0A0B4J2F0
vs vl_echo t = −2.24 p 0.031 q 0.98
change in phenotype, BFR minus HLRT
change in protein, log2, T2 − T1, BFR minus HLRT, one point per participant


BFR − HLRT
ARPP19 P56211
vs vl_echo t = −2.24 p 0.032 q 0.98
LRRC14B A6NHZ5
vs vl_echo t = +2.24 p 0.032 q 0.98
SAE1 Q9UBE0
vs vl_echo t = −2.23 p 0.032 q 0.98
OSTF1 Q92882
vs vl_echo t = −2.23 p 0.033 q 0.98
CRAT P43155
vs vl_echo t = −2.23 p 0.033 q 0.98
UBFD1 O14562
vs vl_echo t = +2.21 p 0.034 q 0.98
CDV3 Q9UKY7
vs vl_echo t = +2.21 p 0.034 q 0.98
AKR1C3 P42330
vs vl_echo t = −2.21 p 0.034 q 0.98
TUBB6 Q9BUF5
vs vl_echo t = −2.20 p 0.034 q 0.98
CLASP2 O75122
vs vl_echo t = +2.20 p 0.035 q 0.98
ATP5MD Q96IX5
vs vl_echo t = +2.20 p 0.035 q 0.98
MRPS18B Q9Y676
vs vl_echo t = +2.20 p 0.035 q 0.98
change in phenotype, BFR minus HLRT
change in protein, log2, T2 − T1, BFR minus HLRT, one point per participant


BFR − HLRT
CD151 P48509
vs vl_echo t = −2.19 p 0.036 q 0.98
SSR4 P51571
vs vl_echo t = −2.18 p 0.037 q 0.98
CCT8 P50990
vs vl_echo t = −2.17 p 0.037 q 0.98
ATP5IF1 Q9UII2
vs vl_echo t = −2.15 p 0.039 q 0.98
SLC25A5 P05141
vs vl_echo t = −2.15 p 0.039 q 0.98
SSPN Q14714
vs vl_echo t = +2.15 p 0.039 q 0.98
NGLY1 Q96IV0
vs vl_echo t = −2.14 p 0.04 q 0.98
VTA1 Q9NP79
vs vl_echo t = −2.14 p 0.04 q 0.98
PRPF31 Q8WWY3
vs vl_echo t = +2.14 p 0.04 q 0.98
SLC1A4 P43007
vs vl_echo t = +2.13 p 0.04 q 0.98
PRPSAP1 Q14558
vs vl_echo t = +2.13 p 0.041 q 0.98
TIPRL O75663
vs vl_echo t = +2.12 p 0.041 q 0.98
change in phenotype, BFR minus HLRT
change in protein, log2, T2 − T1, BFR minus HLRT, one point per participant


BFR − HLRT
CISD2 Q8N5K1
vs vl_echo t = −2.12 p 0.041 q 0.98
NEXN Q0ZGT2
vs vl_echo t = +2.11 p 0.042 q 0.98
RAB5C P51148
vs vl_echo t = −2.11 p 0.042 q 0.98
RAB1B Q9H0U4
vs vl_echo t = −2.10 p 0.043 q 0.98
PPP6R2 O75170
vs vl_echo t = +2.10 p 0.044 q 0.98
ZMPSTE24 O75844
vs vl_echo t = −2.10 p 0.044 q 0.98
NUDT19 A8MXV4
vs vl_echo t = +2.09 p 0.044 q 0.98
SEC13 P55735
vs vl_echo t = −2.09 p 0.044 q 0.98
RTN4 Q9NQC3
vs vl_echo t = −2.08 p 0.045 q 0.98
EFTUD2 Q15029
vs vl_echo t = −2.08 p 0.045 q 0.98
TMUB1 Q9BVT8
vs vl_echo t = +2.08 p 0.045 q 0.98
COX8A P10176
vs vl_echo t = −2.07 p 0.047 q 0.98
change in phenotype, BFR minus HLRT
change in protein, log2, T2 − T1, BFR minus HLRT, one point per participant


BFR − HLRT
RTCA O00442
vs vl_echo t = +2.06 p 0.047 q 0.98
TOR1AIP1 Q5JTV8
vs vl_echo t = +2.06 p 0.047 q 0.98
RAB5A P20339
vs vl_echo t = −2.05 p 0.048 q 0.98
ILF3 Q12906
vs vl_echo t = +2.04 p 0.049 q 0.98
PPIL1 Q9Y3C6
vs vl_echo t = +2.04 p 0.049 q 0.98
change in phenotype, BFR minus HLRT
change in protein, log2, T2 − T1, BFR minus HLRT, one point per participant