





S23 Figure. Pathways by leg, KEGG_Legacy. Colour is NES, dot size the share of the pathway in its leading edge. Pathways are the collapse−surviving fgsea sets that 01_run_fgsea_and_fry calls at FDR < 0.05 in either training contrast. Data: set_tests sheet of 01_run_fgsea_and_fry.xlsx.



S24 Figure. Enrichment map, KEGG_Legacy. Nodes are pathways, pies split by leg, joined when their proteins overlap. Pathways are the collapse−surviving fgsea sets that 01_run_fgsea_and_fry calls at FDR < 0.05 in either training contrast. Data: set_tests sheet of 01_run_fgsea_and_fry.xlsx.



S25 Figure. Pathway tree, KEGG_Legacy. Pathways clustered by shared proteins, each cluster named by its most frequent words. Pathways are the collapse−surviving fgsea sets that 01_run_fgsea_and_fry calls at FDR < 0.05 in either training contrast. Data: set_tests sheet of 01_run_fgsea_and_fry.xlsx.



S26 Figure. Pathways and their proteins, KEGG_Legacy. The five strongest pathways and their leading−edge proteins; pies show which leg each protein leads in. Shared proteins are named in S21 of 07_leading_edge. Pathways are the collapse−surviving fgsea sets that 01_run_fgsea_and_fry calls at FDR < 0.05 in either training contrast. Data: set_tests sheet of 01_run_fgsea_and_fry.xlsx.