



differential pooled




Nominal hits relative to chance, per outcome. 3,042 proteins give about 152 nominal hits by chance, so a ratio near 1 is what the tests return when nothing is there. Data: summary sheet of 03_protein_association.xlsx.

—●— BFR —●— HLRT




pooled, vl_csa (page 1 of 16). 183 proteins reach nominal p; chance alone gives about 152 of 3,042. Spearman r and p; q is BH within analysis and outcome. Data: correlations sheet of 03_protein_association.xlsx.

—●— BFR —●— HLRT




pooled, vl_csa (page 2 of 16). 183 proteins reach nominal p; chance alone gives about 152 of 3,042. Spearman r and p; q is BH within analysis and outcome. Data: correlations sheet of 03_protein_association.xlsx.

—●— BFR —●— HLRT




pooled, vl_csa (page 3 of 16). 183 proteins reach nominal p; chance alone gives about 152 of 3,042. Spearman r and p ; q is BH within analysis and outcome. Data: correlations sheet of 03_protein_association.xlsx.

—●— BFR —●— HLRT




pooled, vl_csa (page 4 of 16). 183 proteins reach nominal p; chance alone gives about 152 of 3,042. Spearman r and p; q is BH within analysis and outcome. Data: correlations sheet of 03_protein_association.xlsx.




pooled, vl_csa (page 5 of 16). 183 proteins reach nominal p ; chance alone gives about 152 of 3,042. Spearman r and p ; q is BH within analysis and outcome. Data: correlations sheet of 03_protein_association.xlsx.

—●— BFR —●— HLRT




pooled, vl_csa (page 6 of 16). 183 proteins reach nominal p; chance alone gives about 152 of 3,042. Spearman r and p; q is BH within analysis and outcome. Data: correlations sheet of 03_protein_association.xlsx.




pooled, vl_csa (page 7 of 16). 183 proteins reach nominal p; chance alone gives about 152 of 3,042. Spearman r and p ; q is BH within analysis and outcome. Data: correlations sheet of 03_protein_association.xlsx.

—●— BFR —●— HLRT




pooled, vl_csa (page 8 of 16). 183 proteins reach nominal p; chance alone gives about 152 of 3,042. Spearman r and p; q is BH within analysis and outcome. Data: correlations sheet of 03_protein_association.xlsx.

—●— BFR —●— HLRT




pooled, vl_csa (page 9 of 16). 183 proteins reach nominal p; chance alone gives about 152 of 3,042. Spearman r and p ; q is BH within analysis and outcome. Data: correlations sheet of 03_protein_association.xlsx.

—●— BFR —●— HLRT




pooled, vl_csa (page 10 of 16). 183 proteins reach nominal p; chance alone gives about 152 of 3,042. Spearman r and p; q is BH within analysis and outcome. Data: correlations sheet of 03_protein_association.xlsx.

—●— BFR —●— HLRT




pooled, vl_csa (page 11 of 16). 183 proteins reach nominal p; chance alone gives about 152 of 3,042. Spearman r and p ; q is BH within analysis and outcome. Data: correlations sheet of 03_protein_association.xlsx.

—●— BFR —●— HLRT




pooled, vl_csa (page 12 of 16). 183 proteins reach nominal p; chance alone gives about 152 of 3,042. Spearman r and p; q is BH within analysis and outcome. Data: correlations sheet of 03_protein_association.xlsx.

—●— BFR —●— HLRT




pooled, vl_csa (page 13 of 16). 183 proteins reach nominal p; chance alone gives about 152 of 3,042. Spearman r and p ; q is BH within analysis and outcome. Data: correlations sheet of 03_protein_association.xlsx.

—●— BFR —●— HLRT



pooled, vl_csa (page 14 of 16). 183 proteins reach nominal p; chance alone gives about 152 of 3,042. Spearman r and p; q is BH within analysis and outcome. Data: correlations sheet of 03_protein_association.xlsx.

—●— BFR —●— HLRT




pooled, vl_csa (page 15 of 16). 183 proteins reach nominal p; chance alone gives about 152 of 3,042. Spearman r and p; q is BH within analysis and outcome. Data: correlations sheet of 03_protein_association.xlsx.

—●— BFR —●— HLRT


NAPG Q99747
vl_csa r = +0.24 p 0.05 q 0.82

TARS3 A2RTX5
vl_csa r = +0.24 p 0.05 q 0.82

DCXR Q7Z4W1
vl_csa r = +0.24 p 0.05 q 0.82




— BFR — HLRT




pooled, vl_echo (page 1 of 11). 127 proteins reach nominal p; chance alone gives about 152 of 3,042. Spearman r and p; q is BH within analysis and outcome. Data: correlations sheet of 03_protein_association.xlsx.

— BFR — HLRT




pooled, vl_echo (page 2 of 11). 127 proteins reach nominal p; chance alone gives about 152 of 3,042. Spearman r and p; q is BH within analysis and outcome. Data: correlations sheet of 03_protein_association.xlsx.

— BFR — HLRT




pooled, vl_echo (page 3 of 11). 127 proteins reach nominal p; chance alone gives about 152 of 3,042. Spearman r and p; q is BH within analysis and outcome. Data: correlations sheet of 03_protein_association.xlsx.

— BFR — HLRT




pooled, vl_echo (page 4 of 11). 127 proteins reach nominal p; chance alone gives about 152 of 3,042. Spearman r and p; q is BH within analysis and outcome. Data: correlations sheet of 03_protein_association.xlsx.

— BFR — HLRT




pooled, vl_echo (page 5 of 11). 127 proteins reach nominal p; chance alone gives about 152 of 3,042. Spearman r and p; q is BH within analysis and outcome. Data: correlations sheet of 03_protein_association.xlsx.

—●— BFR —●— HLRT




pooled, vl_echo (page 6 of 11). 127 proteins reach nominal p; chance alone gives about 152 of 3,042. Spearman r and p; q is BH within analysis and outcome. Data: correlations sheet of 03_protein_association.xlsx.

—●— BFR —●— HLRT




pooled, vl_echo (page 7 of 11). 127 proteins reach nominal p ; chance alone gives about 152 of 3,042. Spearman r and p ; q is BH within analysis and outcome. Data: correlations sheet of 03_protein_association.xlsx.

—●— BFR —●— HLRT




pooled, vl_echo (page 8 of 11). 127 proteins reach nominal p; chance alone gives about 152 of 3,042. Spearman r and p; q is BH within analysis and outcome. Data: correlations sheet of 03_protein_association.xlsx.

— BFR — HLRT



pooled, vl_echo (page 9 of 11). 127 proteins reach nominal p; chance alone gives about 152 of 3,042. Spearman r and p; q is BH within analysis and outcome. Data: correlations sheet of 03_protein_association.xlsx.


— BFR — HLRT




pooled, vl_echo (page 10 of 11). 127 proteins reach nominal p; chance alone gives about 152 of 3,042. Spearman r and p ; q is BH within analysis and outcome. Data: correlations sheet of 03_protein_association.xlsx.

—●— BFR —●— HLRT


THEM6 Q8WUY1
vl_echo $r = -0.25$ p 0.047 q 0.99



SMIM12 Q96EX1
vl_echo $r = -0.25$ p 0.048 q 0.99




UBE2L3 P68036
vl_echo $r = +0.25$ p 0.048 q 0.99




G3BP2 Q9UN86
vl_echo $r = -0.25$ p 0.048 q 0.99




UGGT1 Q9NYU2
vl_echo $r = +0.25$ p 0.048 q 0.99



ADD1 P35611
vl_echo $r = +0.24$ p 0.05 q 0.99




LDHB P07195
vl_echo $r = +0.24$ p 0.05 q 0.99



change in protein, log2

pooled, vl_echo (page 11 of 11). 127 proteins reach nominal p; chance alone gives about 152 of 3,042. Spearman r and p ; q is BH within analysis and outcome. Data: correlations sheet of 03_protein_association.xlsx.



pooled, rf_csa (page 1 of 12). 134 proteins reach nominal p; chance alone gives about 152 of 3,042. Spearman r and p ; q is BH within analysis and outcome. Data: correlations sheet of 03_protein_association.xlsx.

— BFR — HLRT



pooled, rf_csa (page 2 of 12). 134 proteins reach nominal p; chance alone gives about 152 of 3,042. Spearman r and p; q is BH within analysis and outcome. Data: correlations sheet of 03_protein_association.xlsx.

—●— BFR —●— HLRT




pooled, rf_csa (page 3 of 12). 134 proteins reach nominal p; chance alone gives about 152 of 3,042. Spearman r and p; q is BH within analysis and outcome. Data: correlations sheet of 03_protein_association.xlsx.

—●— BFR —●— HLRT




pooled, rf_csa (page 4 of 12). 134 proteins reach nominal p; chance alone gives about 152 of 3,042. Spearman r and p; q is BH within analysis and outcome. Data: correlations sheet of 03_protein_association.xlsx.

—●— BFR —●— HLRT



pooled, rf_csa (page 5 of 12). 134 proteins reach nominal p; chance alone gives about 152 of 3,042. Spearman r and p; q is BH within analysis and outcome. Data: correlations sheet of 03_protein_association.xlsx.

—●— BFR —●— HLRT




pooled, rf_csa (page 6 of 12). 134 proteins reach nominal p; chance alone gives about 152 of 3,042. Spearman r and p ; q is BH within analysis and outcome. Data: correlations sheet of 03_protein_association.xlsx.

— BFR — HLRT




pooled, rf_csa (page 7 of 12). 134 proteins reach nominal p; chance alone gives about 152 of 3,042. Spearman r and p; q is BH within analysis and outcome. Data: correlations sheet of 03_protein_association.xlsx.

—●— BFR —●— HLRT



pooled, rf_csa (page 8 of 12). 134 proteins reach nominal p; chance alone gives about 152 of 3,042. Spearman r and p; q is BH within analysis and outcome. Data: correlations sheet of 03_protein_association.xlsx.



pooled, rf_csa (page 9 of 12). 134 proteins reach nominal p; chance alone gives about 152 of 3,042. Spearman r and p; q is BH within analysis and outcome. Data: correlations sheet of 03_protein_association.xlsx.

—●— BFR —●— HLRT



pooled, rf_csa (page 10 of 12). 134 proteins reach nominal p; chance alone gives about 152 of 3,042. Spearman r and p ; q is BH within analysis and outcome. Data: correlations sheet of 03_protein_association.xlsx.


— BFR — HLRT




pooled, rf_csa (page 11 of 12). 134 proteins reach nominal p; chance alone gives about 152 of 3,042. Spearman r and p; q is BH within analysis and outcome. Data: correlations sheet of 03_protein_association.xlsx.

—●— BFR —●— HLRT

PCID2 Q5JVF3
rf_csa $r = -0.25$ $p = 0.049$ $q = 0.96$




TRAPPC11 Q7Z392
rf_csa $r = +0.25$ $p = 0.049$ $q = 0.96$




pooled, rf_csa (page 12 of 12). 134 proteins reach nominal p; chance alone gives about 152 of 3,042. Spearman r and p ; q is BH within analysis and outcome. Data: correlations sheet of 03_protein_association.xlsx.

— BFR — HLRT




pooled, rf_echo (page 1 of 10). 113 proteins reach nominal p; chance alone gives about 152 of 3,042. Spearman r and p; q is BH within analysis and outcome. Data: correlations sheet of 03_protein_association.xlsx.

—●— BFR —●— HLRT




pooled, rf_echo (page 2 of 10). 113 proteins reach nominal p; chance alone gives about 152 of 3,042. Spearman r and p; q is BH within analysis and outcome. Data: correlations sheet of 03_protein_association.xlsx.

— BFR — HLRT




pooled, rf_echo (page 3 of 10). 113 proteins reach nominal p; chance alone gives about 152 of 3,042. Spearman r and p ; q is BH within analysis and outcome. Data: correlations sheet of 03_protein_association.xlsx.

—●— BFR —●— HLRT




pooled, rf_echo (page 4 of 10). 113 proteins reach nominal p; chance alone gives about 152 of 3,042. Spearman r and p; q is BH within analysis and outcome. Data: correlations sheet of 03_protein_association.xlsx.

— BFR — HLRT




pooled, rf_echo (page 5 of 10). 113 proteins reach nominal p; chance alone gives about 152 of 3,042. Spearman r and p ; q is BH within analysis and outcome. Data: correlations sheet of 03_protein_association.xlsx.

— BFR — HLRT




pooled, rf_echo (page 6 of 10). 113 proteins reach nominal p; chance alone gives about 152 of 3,042. Spearman r and p; q is BH within analysis and outcome. Data: correlations sheet of 03_protein_association.xlsx.

—●— BFR —●— HLRT




pooled, rf_echo (page 7 of 10). 113 proteins reach nominal p; chance alone gives about 152 of 3,042. Spearman r and p; q is BH within analysis and outcome. Data: correlations sheet of 03_protein_association.xlsx.

— BFR — HLRT



pooled, rf_echo (page 8 of 10). 113 proteins reach nominal p; chance alone gives about 152 of 3,042. Spearman r and p ; q is BH within analysis and outcome. Data: correlations sheet of 03_protein_association.xlsx.


— BFR — HLRT




pooled, rf_echo (page 9 of 10). 113 proteins reach nominal p; chance alone gives about 152 of 3,042. Spearman r and p; q is BH within analysis and outcome. Data: correlations sheet of 03_protein_association.xlsx.

—●— BFR —●— HLRT


FAM98A Q8NCA5
rf_echo $r = +0.25$ $p 0.048$ $q 1$




TBC1D15 Q8TC07
rf_echo $r = -0.25$ $p 0.049$ $q 1$




SMAD2 Q15796
rf_echo $r = -0.25$ $p 0.049$ $q 1$



ANKRD2 Q9GZV1
rf_echo $r = -0.24$ $p 0.05$ $q 1$




DNAJB12 Q9NXW2
rf_echo $r = +0.24$ $p 0.05$ $q 1$



change in protein, log2


pooled, rf_echo (page 10 of 10). 113 proteins reach nominal p; chance alone gives about 152 of 3,042. Spearman r and p; q is BH within analysis and outcome. Data: correlations sheet of 03_protein_association.xlsx.

— BFR minus HLRT




differential, vl_csa (page 1 of 13). 146 proteins reach nominal p; chance alone gives about 152 of 3,042. Spearman r and p ; q is BH within analysis and outcome. Data: correlations sheet of 03_protein_association.xlsx.

— BFR minus HLRT




differential, vl_csa (page 2 of 13). 146 proteins reach nominal p; chance alone gives about 152 of 3,042. Spearman r and p; q is BH within analysis and outcome. Data: correlations sheet of 03_protein_association.xlsx.

—●— BFR minus HLRT




differential, vl_csa (page 3 of 13). 146 proteins reach nominal p; chance alone gives about 152 of 3,042. Spearman r and p; q is BH within analysis and outcome. Data: correlations sheet of 03_protein_association.xlsx.

—●— BFR minus HLRT




differential, vl_csa (page 4 of 13). 146 proteins reach nominal p; chance alone gives about 152 of 3,042. Spearman r and p; q is BH within analysis and outcome. Data: correlations sheet of 03_protein_association.xlsx.

— BFR minus HLRT




differential, vl_csa (page 5 of 13). 146 proteins reach nominal p; chance alone gives about 152 of 3,042. Spearman r and p ; q is BH within analysis and outcome. Data: correlations sheet of 03_protein_association.xlsx.

— BFR minus HLRT




differential, vl_csa (page 6 of 13). 146 proteins reach nominal p; chance alone gives about 152 of 3,042. Spearman r and p ; q is BH within analysis and outcome. Data: correlations sheet of 03_protein_association.xlsx.

—●— BFR minus HLRT




differential, *vl_csa* (page 7 of 13). 146 proteins reach nominal p; chance alone gives about 152 of 3,042. Spearman *r* and p; q is BH within analysis and outcome. Data: correlations sheet of 03_protein_association.xlsx.

— BFR minus HLRT




differential, vl_csa (page 8 of 13). 146 proteins reach nominal p; chance alone gives about 152 of 3,042. Spearman r and p ; q is BH within analysis and outcome. Data: correlations sheet of 03_protein_association.xlsx.

—●— BFR minus HLRT




differential, vl_csa (page 9 of 13). 146 proteins reach nominal p; chance alone gives about 152 of 3,042. Spearman r and p; q is BH within analysis and outcome. Data: correlations sheet of 03_protein_association.xlsx.

—●— BFR minus HLRT




differential, vl_csa (page 10 of 13). 146 proteins reach nominal p; chance alone gives about 152 of 3,042. Spearman r and p; q is BH within analysis and outcome. Data: correlations sheet of 03_protein_association.xlsx.

— BFR minus HLRT



differential, vl_csa (page 11 of 13). 146 proteins reach nominal p; chance alone gives about 152 of 3,042. Spearman r and p; q is BH within analysis and outcome. Data: correlations sheet of 03_protein_association.xlsx.

—●— BFR minus HLRT




differential, vl_csa (page 12 of 13). 146 proteins reach nominal p; chance alone gives about 152 of 3,042. Spearman r and p; q is BH within analysis and outcome. Data: correlations sheet of 03_protein_association.xlsx.

—●— BFR minus HLRT

CYB5A P00167
vl_csa r = -0.35 p 0.049 q 0.99


ARL3 P36405
vl_csa r = +0.35 p 0.05 q 0.99




differential, vl_csa (page 13 of 13). 146 proteins reach nominal p; chance alone gives about 152 of 3,042. Spearman r and p; q is BH within analysis and outcome. Data: correlations sheet of 03_protein_association.xlsx.

—●— BFR minus HLRT


RAB1B Q9H0U4
vl_echo $r = -0.53$ $p = 0.0022$ $q = 0.96$




STX4 Q12846
vl_echo $r = +0.52$ $p = 0.0024$ $q = 0.96$




FN1 P02751
vl_echo $r = +0.52$ $p = 0.0026$ $q = 0.96$




CIAO2A Q9H5X1
vl_echo $r = -0.52$ $p = 0.0027$ $q = 0.96$




CRAT P43155
vl_echo $r = -0.51$ $p = 0.0031$ $q = 0.96$




NUP93 Q8N1F7
vl_echo $r = +0.51$ $p = 0.0033$ $q = 0.96$




SEC13 P55735
vl_echo $r = -0.50$ $p = 0.0039$ $q = 0.96$




EPS15L1 Q9UBC2
vl_echo $r = +0.49$ $p = 0.0047$ $q = 0.96$




NAMPT P43490
vl_echo $r = -0.49$ $p = 0.0048$ $q = 0.96$




ITIH2 P19823
vl_echo $r = +0.49$ $p = 0.0049$ $q = 0.96$



GCLC P48506
vl_echo $r = +0.49$ $p = 0.0052$ $q = 0.96$



STOM P27105
vl_echo $r = +0.49$ $p = 0.0053$ $q = 0.96$




change in protein, log2


differential, vl_echo (page 1 of 11). 130 proteins reach nominal p; chance alone gives about 152 of 3,042. Spearman r and p; q is BH within analysis and outcome. Data: correlations sheet of 03_protein_association.xlsx.

—●— BFR minus HLRT


GBE1 Q04446
vl_echo $r = -0.48$ $p = 0.0055$ $q = 0.96$




SCAMP1 Q15126
vl_echo $r = -0.48$ $p = 0.0057$ $q = 0.96$




MKRN2 Q9H000
vl_echo $r = +0.48$ $p = 0.0059$ $q = 0.96$




ACSF3 Q4G176
vl_echo $r = -0.48$ $p = 0.006$ $q = 0.96$




BLVRB P30043
vl_echo $r = +0.48$ $p = 0.0063$ $q = 0.96$




GOSR2 Q14653
vl_echo $r = -0.48$ $p = 0.0065$ $q = 0.96$




MICOS13 Q5XKP0
vl_echo $r = -0.47$ $p = 0.0068$ $q = 0.96$




ANK1 P16157
vl_echo $r = +0.47$ $p = 0.0069$ $q = 0.96$




NIT1 Q86X76
vl_echo $r = -0.47$ $p = 0.007$ $q = 0.96$




PRNP P04156
vl_echo $r = +0.47$ $p = 0.0072$ $q = 0.96$



SPTB P11277
vl_echo $r = +0.47$ $p = 0.0073$ $q = 0.96$



SERPINF1 P36955
vl_echo $r = +0.47$ $p = 0.0078$ $q = 0.96$




change in protein, log2


differential, vl_echo (page 2 of 11). 130 proteins reach nominal p; chance alone gives about 152 of 3,042. Spearman r and p; q is BH within analysis and outcome. Data: correlations sheet of 03_protein_association.xlsx.

—●— BFR minus HLRT


EFTUD2 Q15029
vl_echo $r = -0.46$ $p = 0.0083$ $q = 0.96$




ADD1 P35611
vl_echo $r = +0.46$ $p = 0.0086$ $q = 0.96$




EIF2B3 Q9NR50
vl_echo $r = -0.46$ $p = 0.0089$ $q = 0.96$




NBAS A2RRP1
vl_echo $r = -0.45$ $p = 0.01$ $q = 0.96$




ARF4 P18085
vl_echo $r = -0.45$ $p = 0.01$ $q = 0.96$




A2M P01023
vl_echo $r = +0.45$ $p = 0.011$ $q = 0.96$




PRKAB2 O43741
vl_echo $r = -0.45$ $p = 0.011$ $q = 0.96$




ATP2B1 P20020
vl_echo $r = +0.45$ $p = 0.011$ $q = 0.96$




LANCL2 Q9NS86
vl_echo $r = -0.45$ $p = 0.011$ $q = 0.96$




TKT P29401
vl_echo $r = +0.44$ $p = 0.012$ $q = 0.96$



ALAD P13716
vl_echo $r = +0.44$ $p = 0.012$ $q = 0.96$




CYC1 P08574
vl_echo $r = -0.44$ $p = 0.012$ $q = 0.96$



change in protein, log2

differential, vl_echo (page 3 of 11). 130 proteins reach nominal p; chance alone gives about 152 of 3,042. Spearman r and p; q is BH within analysis and outcome. Data: correlations sheet of 03_protein_association.xlsx.


—●— BFR minus HLRT




differential, vl_echo (page 4 of 11). 130 proteins reach nominal p; chance alone gives about 152 of 3,042. Spearman r and p; q is BH within analysis and outcome. Data: correlations sheet of 03_protein_association.xlsx.

—●— BFR minus HLRT


PGM1 P36871
vl_echo r = +0.41 p 0.019 q 0.98




NT5C1A Q9BX13
vl_echo r = +0.41 p 0.019 q 0.98




MRPS2 Q9Y399
vl_echo r = -0.41 p 0.019 q 0.98




METT15 Q9NRN9
vl_echo r = +0.41 p 0.019 q 0.98




TSPO P30536
vl_echo r = -0.41 p 0.02 q 0.98




EPB41 P11171
vl_echo r = +0.41 p 0.02 q 0.98




CD151 P48509
vl_echo r = -0.41 p 0.021 q 0.98




AKR1C3 P42330
vl_echo r = -0.41 p 0.021 q 0.98




SOD3 P08294
vl_echo r = +0.41 p 0.021 q 0.98




HLA-DRB1 P01911
vl_echo r = +0.41 p 0.021 q 0.98



PTPA Q15257
vl_echo r = +0.41 p 0.022 q 0.98




SUB1 P53999
vl_echo r = -0.41 p 0.022 q 0.98



change in protein, log2

differential, vl_echo (page 5 of 11). 130 proteins reach nominal p; chance alone gives about 152 of 3,042. Spearman r and p; q is BH within analysis and outcome. Data: correlations sheet of 03_protein_association.xlsx.


—●— BFR minus HLRT




differential, vl_echo (page 6 of 11). 130 proteins reach nominal p; chance alone gives about 152 of 3,042. Spearman r and p; q is BH within analysis and outcome. Data: correlations sheet of 03_protein_association.xlsx.

—●— BFR minus HLRT


MMAB Q96EY8
vl_echo $r = -0.40$ p 0.026 q 0.98




UFSP2 Q9NUQ7
vl_echo $r = +0.39$ p 0.026 q 0.98




DCXR Q7Z4W1
vl_echo $r = -0.39$ p 0.027 q 0.98




HSD17B10 Q99714
vl_echo $r = -0.39$ p 0.027 q 0.98




RTCA O00442
vl_echo $r = +0.39$ p 0.028 q 0.98




SETD7 Q8WTS6
vl_echo $r = +0.39$ p 0.028 q 0.98




NIPSNAP3A Q9UFN0
vl_echo $r = -0.39$ p 0.028 q 0.98




BPGM P07738
vl_echo $r = +0.39$ p 0.028 q 0.98




MMUT P22033
vl_echo $r = -0.39$ p 0.029 q 0.98




NAA10 P41227
vl_echo $r = -0.39$ p 0.029 q 0.98



MTCH1 Q9NZJ7
vl_echo $r = -0.39$ p 0.029 q 0.98



IPO5 O00410
vl_echo $r = +0.38$ p 0.03 q 0.98




change in protein, log2


differential, vl_echo (page 7 of 11). 130 proteins reach nominal p; chance alone gives about 152 of 3,042. Spearman r and p; q is BH within analysis and outcome. Data: correlations sheet of 03_protein_association.xlsx.

—●— BFR minus HLRT


MVD P53602
vl_echo $r = +0.38$ p 0.032 q 0.98




TTC1 Q99614
vl_echo $r = +0.38$ p 0.032 q 0.98




SNCG O76070
vl_echo $r = +0.38$ p 0.033 q 0.98




IARS2 Q9NSE4
vl_echo $r = -0.38$ p 0.033 q 0.98




PPM1F P49593
vl_echo $r = +0.38$ p 0.034 q 0.98




AKTIP Q9H8T0
vl_echo $r = +0.38$ p 0.034 q 0.98




TOMM22 Q9NS69
vl_echo $r = +0.37$ p 0.035 q 0.98




SYPL2 Q5VXT5
vl_echo $r = +0.37$ p 0.036 q 0.98




OSBPL11 Q9BXB4
vl_echo $r = +0.37$ p 0.036 q 0.98




RRM2B Q7LG56
vl_echo $r = +0.37$ p 0.036 q 0.98



DIP2C Q9Y2E4
vl_echo $r = -0.37$ p 0.037 q 0.98




MTMR6 Q9Y217
vl_echo $r = +0.37$ p 0.037 q 0.98



change in protein, log2

differential, vl_echo (page 8 of 11). 130 proteins reach nominal p; chance alone gives about 152 of 3,042. Spearman r and p; q is BH within analysis and outcome. Data: correlations sheet of 03_protein_association.xlsx.


—●— BFR minus HLRT




differential, vl_echo (page 9 of 11). 130 proteins reach nominal p; chance alone gives about 152 of 3,042. Spearman r and p; q is BH within analysis and outcome. Data: correlations sheet of 03_protein_association.xlsx.

—●— BFR minus HLRT


EEFSEC P57772
vl_echo $r = -0.36$ p 0.043 q 0.98




SRP72 O76094
vl_echo $r = +0.36$ p 0.043 q 0.98




IDH3B O43837
vl_echo $r = -0.36$ p 0.043 q 0.98




SNX1 Q13596
vl_echo $r = +0.36$ p 0.043 q 0.98




TUBB4A P04350
vl_echo $r = +0.36$ p 0.044 q 0.98




ATP5IF1 Q9UII2
vl_echo $r = -0.36$ p 0.044 q 0.98




ART3 Q13508
vl_echo $r = +0.36$ p 0.045 q 0.98




ATP5F1C P36542
vl_echo $r = -0.36$ p 0.045 q 0.98




YBX3 P16989
vl_echo $r = -0.36$ p 0.046 q 0.98




SF3B2 Q13435
vl_echo $r = +0.36$ p 0.046 q 0.98



SLC2A1 P11166
vl_echo $r = +0.36$ p 0.046 q 0.98



FAM49A Q9H0Q0
vl_echo $r = -0.36$ p 0.046 q 0.98




change in protein, log2


differential, vl_echo (page 10 of 11). 130 proteins reach nominal p; chance alone gives about 152 of 3,042. Spearman r and p ; q is BH within analysis and outcome. Data: correlations sheet of 03_protein_association.xlsx.

—●— BFR minus HLRT


CLPB Q9H078
vl_echo $r = -0.36$ $p 0.046$ $q 0.98$




AHCYL1 O43865
vl_echo $r = -0.36$ $p 0.047$ $q 0.98$




UNC45B Q8IWX7
vl_echo $r = -0.35$ $p 0.047$ $q 0.98$




NGLY1 Q96IV0
vl_echo $r = -0.35$ $p 0.047$ $q 0.98$




INPPL1 O15357
vl_echo $r = -0.35$ $p 0.047$ $q 0.98$




HNRNPDL O14979
vl_echo $r = +0.35$ $p 0.048$ $q 0.98$




NNT Q13423
vl_echo $r = -0.35$ $p 0.049$ $q 0.98$




CDC34 P49427
vl_echo $r = +0.35$ $p 0.049$ $q 0.98$



CLASP2 O75122
vl_echo $r = +0.35$ $p 0.049$ $q 0.98$




ALKBH3 Q96Q83
vl_echo $r = +0.35$ $p 0.05$ $q 0.98$



change in protein, log2


differential, vl_echo (page 11 of 11). 130 proteins reach nominal p; chance alone gives about 152 of 3,042. Spearman r and p; q is BH within analysis and outcome. Data: correlations sheet of 03_protein_association.xlsx.

—●— BFR minus HLRT




differential, rf_csa (page 1 of 14). 168 proteins reach nominal p; chance alone gives about 152 of 3,042. Spearman r and p; q is BH within analysis and outcome. Data: correlations sheet of 03_protein_association.xlsx.

—●— BFR minus HLRT




differential, rf_csa (page 2 of 14). 168 proteins reach nominal p; chance alone gives about 152 of 3,042. Spearman r and p; q is BH within analysis and outcome. Data: correlations sheet of 03_protein_association.xlsx.

—●— BFR minus HLRT




differential, rf_csa (page 3 of 14). 168 proteins reach nominal p; chance alone gives about 152 of 3,042. Spearman r and p; q is BH within analysis and outcome. Data: correlations sheet of 03_protein_association.xlsx.

—●— BFR minus HLRT




differential, rf_csa (page 4 of 14). 168 proteins reach nominal p; chance alone gives about 152 of 3,042. Spearman r and p; q is BH within analysis and outcome. Data: correlations sheet of 03_protein_association.xlsx.

—●— BFR minus HLRT




differential, rf_csa (page 5 of 14). 168 proteins reach nominal p; chance alone gives about 152 of 3,042. Spearman r and p; q is BH within analysis and outcome. Data: correlations sheet of 03_protein_association.xlsx.

—●— BFR minus HLRT




differential, rf_csa (page 6 of 14). 168 proteins reach nominal p; chance alone gives about 152 of 3,042. Spearman r and p; q is BH within analysis and outcome. Data: correlations sheet of 03_protein_association.xlsx.

—●— BFR minus HLRT




differential, rf_csa (page 7 of 14). 168 proteins reach nominal p; chance alone gives about 152 of 3,042. Spearman r and p; q is BH within analysis and outcome. Data: correlations sheet of 03_protein_association.xlsx.

—●— BFR minus HLRT




differential, rf_csa (page 8 of 14). 168 proteins reach nominal p; chance alone gives about 152 of 3,042. Spearman r and p; q is BH within analysis and outcome. Data: correlations sheet of 03_protein_association.xlsx.

—●— BFR minus HLRT




differential, rf_csa (page 9 of 14). 168 proteins reach nominal p; chance alone gives about 152 of 3,042. Spearman r and p; q is BH within analysis and outcome. Data: correlations sheet of 03_protein_association.xlsx.

—●— BFR minus HLRT




differential, rf_csa (page 10 of 14). 168 proteins reach nominal p; chance alone gives about 152 of 3,042. Spearman r and p; q is BH within analysis and outcome. Data: correlations sheet of 03_protein_association.xlsx.

—●— BFR minus HLRT




differential, rf_csa (page 11 of 14). 168 proteins reach nominal p; chance alone gives about 152 of 3,042. Spearman r and p; q is BH within analysis and outcome. Data: correlations sheet of 03_protein_association.xlsx.

—●— BFR minus HLRT




differential, rf_csa (page 12 of 14). 168 proteins reach nominal p; chance alone gives about 152 of 3,042. Spearman r and p; q is BH within analysis and outcome. Data: correlations sheet of 03_protein_association.xlsx.

—●— BFR minus HLRT




differential, rf_csa (page 13 of 14). 168 proteins reach nominal p; chance alone gives about 152 of 3,042. Spearman r and p; q is BH within analysis and outcome. Data: correlations sheet of 03_protein_association.xlsx.

—●— BFR minus HLRT




differential, rf_csa (page 14 of 14). 168 proteins reach nominal p; chance alone gives about 152 of 3,042. Spearman r and p; q is BH within analysis and outcome. Data: correlations sheet of 03_protein_association.xlsx.

—●— BFR minus HLRT




differential, rf_echo (page 1 of 10). 116 proteins reach nominal p; chance alone gives about 152 of 3,042. Spearman r and p; q is BH within analysis and outcome. Data: correlations sheet of 03_protein_association.xlsx.

—●— BFR minus HLRT




differential, rf_echo (page 2 of 10). 116 proteins reach nominal p; chance alone gives about 152 of 3,042. Spearman r and p; q is BH within analysis and outcome. Data: correlations sheet of 03_protein_association.xlsx.

—●— BFR minus HLRT




differential, rf_echo (page 3 of 10). 116 proteins reach nominal p; chance alone gives about 152 of 3,042. Spearman r and p; q is BH within analysis and outcome. Data: correlations sheet of 03_protein_association.xlsx.

—●— BFR minus HLRT




differential, rf_echo (page 4 of 10). 116 proteins reach nominal p; chance alone gives about 152 of 3,042. Spearman r and p; q is BH within analysis and outcome. Data: correlations sheet of 03_protein_association.xlsx.

—●— BFR minus HLRT




differential, rf_echo (page 5 of 10). 116 proteins reach nominal p; chance alone gives about 152 of 3,042. Spearman r and p; q is BH within analysis and outcome. Data: correlations sheet of 03_protein_association.xlsx.

— BFR minus HLRT




differential, rf_echo (page 6 of 10). 116 proteins reach nominal p; chance alone gives about 152 of 3,042. Spearman r and p; q is BH within analysis and outcome. Data: correlations sheet of 03_protein_association.xlsx.

—●— BFR minus HLRT




differential, rf_echo (page 7 of 10). 116 proteins reach nominal p; chance alone gives about 152 of 3,042. Spearman r and p; q is BH within analysis and outcome. Data: correlations sheet of 03_protein_association.xlsx.

—●— BFR minus HLRT




differential, rf_echo (page 8 of 10). 116 proteins reach nominal p; chance alone gives about 152 of 3,042. Spearman r and p; q is BH within analysis and outcome. Data: correlations sheet of 03_protein_association.xlsx.

—●— BFR minus HLRT



differential, rf_echo (page 9 of 10). 116 proteins reach nominal p; chance alone gives about 152 of 3,042. Spearman r and p; q is BH within analysis and outcome. Data: correlations sheet of 03_protein_association.xlsx.

—●— BFR minus HLRT



differential, rf_echo (page 10 of 10). 116 proteins reach nominal p; chance alone gives about 152 of 3,042. Spearman r and p; q is BH within analysis and outcome. Data: correlations sheet of 03_protein_association.xlsx.