



A

BFR_Post-Pre, 10 of 88 survivors




B

HLRT_Post-Pre, 10 of 68 survivors




C

Modality_x_Time_Interaction, 10 of 10 survivors



D


BFR_Post-HLRT_Post, 10 of 52 survivors



S1 Figure. Ten strongest collapse survivors, all collections. (A) BFR_Post-Pre. (B) HLRT_Post-Pre. (C) Modality_x_Time_Interaction. (D) BFR_Post-HLRT_Post. Up to ten collapsePathways survivors per contrast, lowest adjusted p first; FDR is BH within contrast. Point size is the number of measured genes in the set; colour is the collection. Contrasts with no survivor are omitted. Data: set_tests sheet of 01_run_fgsea_and_fry.xlsx.


A

BFR_Post-Pre, 4 of 4 survivors




B

HLRT_Post-Pre, 3 of 3 survivors




C

Modality_x_Time_Interaction, 1 of 1 survivors



D


BFR_Post-HLRT_Post, 3 of 3 survivors



S2 Figure. Ten strongest collapse survivors, Hallmark. (A) BFR_Post-Pre. (B) HLRT_Post-Pre. (C) Modality_x_Time_Interaction. (D) BFR_Post-HLRT_Post. Up to ten collapsePathways survivors per contrast, lowest adjusted p first; FDR is BH within contrast. Point size is the number of measured genes in the set; colour is $-\log_{10}$ FDR. Contrasts with no survivor are omitted. Data: set_tests sheet of 01_run_fgsea_and_fry.xlsx.


A

BFR_Post-Pre, 10 of 23 survivors



B

HLRT_Post-Pre, 10 of 18 survivors




C

BFR_Post-HLRT_Post, 10 of 12 survivors




S3 Figure. Ten strongest collapse survivors, Reactome. (A) BFR_Post-Pre. (B) HLRT_Post-Pre. (C) BFR_Post-HLRT_Post. Up to ten collapsePathways survivors per contrast, lowest adjusted p first; FDR is BH within contrast. Point size is the number of measured genes in the set; colour is $-\log_{10}$ FDR. Contrasts with no survivor are omitted. Data: set_tests sheet of 01_run_fgsea_and_fry.xlsx.


A



B




C



S4 Figure. Ten strongest collapse survivors, KEGG_Legacy. (A) BFR_Post-Pre. (B) HLRT_Post-Pre. (C) BFR_Post-HLRT_Post. Up to ten collapsePathways survivors per contrast, lowest adjusted p first; FDR is BH within contrast. Point size is the number of measured genes in the set; colour is $-\log_{10}$ FDR. Contrasts with no survivor are omitted. Data: set_tests sheet of 01_run_fgsea_and_fry.xlsx.


A

BFR_Post-Pre, 10 of 50 survivors




B

HLRT_Post-Pre, 10 of 39 survivors




C

Modality_x_Time_Interaction, 7 of 7 survivors



D

BFR_Post-HLRT_Post, 10 of 27 survivors



S5 Figure. Ten strongest collapse survivors, GOBP. (A) BFR_Post-Pre. (B) HLRT_Post-Pre. (C) Modality_x_Time_Interaction. (D) BFR_Post-HLRT_Post. Up to ten collapsePathways survivors per contrast, lowest adjusted p first; FDR is BH within contrast. Point size is the number of measured genes in the set; colour is $-\log_{10}$ FDR. Contrasts with no survivor are omitted. Data: set_tests sheet of 01_run_fgsea_and_fry.xlsx.

A

BFR_Post-Pre, 5 of 5 survivors

Nucleobase-Containing Small Molecule
Metabolic Process

Protein Maturation

Nervous System Process

Mitotic Cell Cycle

DNA Repair

-2

-1

0

1

normalised enrichment score

B

HLRT_Post-Pre, 1 of 1 survivors

DNA Repair

-1.5

-1.0

-0.5

0.0

normalised enrichment score

 $-\log_{10}$ FDR

9

6

3

C

Modality_x_Time_Interaction, 2 of 2 survivors

Muscle System Process

Cytoplasmic Translation

-1.5

-1.0

-0.5

0.0

normalised enrichment score

genes

100

200

300

D

BFR_Post-HLRT_Post, 4 of 4 survivors

Lipid Metabolic Process

Cell Adhesion

Cytoskeleton Organization

Muscle System Process

-2


-1

0

1

normalised enrichment score

S6 Figure. Ten strongest collapse survivors, GO_Slim. (A) BFR_Post-Pre. (B) HLRT_Post-Pre. (C) Modality_x_Time_Interaction. (D) BFR_Post-HLRT_Post. Up to ten collapsePathways survivors per contrast, lowest adjusted p first; FDR is BH within contrast. Point size is the number of measured genes in the set; colour is $-\log_{10}$ FDR. Contrasts with no survivor are omitted. Data: set_tests sheet of 01_run_fgsea_and_fry.xlsx.



S7 Figure. Significant sets before and after collapse. Sets at FDR 0.05 per collection and contrast, before and after collapsePathways, which keeps a set only if it stands alone given a stronger set's leading edge. Data: set_tests sheet of 01_run_fgsea_and_fry.xlsx.