


**BFR minus high load, within participant**


Spearman, differential analysis, 32 paired participants

BFR HLRT


GOBP: Prostanoid  
Metabolism vs rf\_echo  
r = -0.65 p = 8.9e-05




GOBP: Reg. Membrane  
Depolarization vs rf\_echo  
r = +0.58 p = 0.00063




GO\_Slim: Cytoskel. Org. vs rf\_echo  
r = +0.44 p = 0.013




GO\_Slim: Circulatory  
System Process vs vl\_csa  
r = -0.44 p = 0.013




Hallmark: Heme  
Metabolism vs vl\_echo  
r = +0.47 p = 0.007




Hallmark: UPR vs rf\_csa  
r = +0.41 p = 0.02




KEGG\_Legacy: Hypertrophic  
Cardiomyopathy  
Hcm vs rf\_echo  
r = +0.46 p = 0.0081




KEGG\_Legacy: WNT Signaling vs rf\_echo  
r = -0.45 p = 0.011



Reactome: Copii Mediated  
Vesicle  
Transport vs vl\_echo  
r = -0.52 p = 0.0024




Reactome: Cargo  
Concentration  
In The Er vs vl\_echo  
r = -0.48 p = 0.0055



change in set score, T2 - T1, one point per leg

Training response against phenotype, all legs

Spearman, pooled analysis, 65 legs, both arms pooled




Strongest 2 set-outcome pairs per collection of 270 reaching nominal p. Lines are fitted within each arm; the header r is the pooled correlation that selected the panel. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO


# Nominal hits relative to chance, by collection

paired Wilcoxon per set, 5 collections, uncorrected p


Pre to post, BFR




Pre to post, HL




Baseline BFR vs HL (control)



Post BFR vs HL




Change, BFR vs HL



0 2 4 6 8  
observed nominal hits / chance expectation  
Bar length is observed nominal hits divided by the count that collection returns under the null. Red clears 1, grey does not

# Change, BFR vs HL


singscore per set, 32 paired participants, AUC with direction fixed



Strongest 2 sets per collection of 43 reaching nominal p. Red separates higher in BFR, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test

# Post BFR vs HL


singscore per set, 32 paired participants, AUC with direction fixed



Strongest 2 sets per collection of 94 reaching nominal p. Red separates higher in BFR, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test. Nominal p, uncorrected.

# Pre to post, BFR


singscore per set, 32 paired legs, AUC with direction fixed



Strongest 2 sets per collection of 391 reaching nominal p. Red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test. Nominal

# Pre to post, HL

singscore per set, 33 paired legs, AUC with direction fixed



Strongest 2 sets per collection of 389 reaching nominal p. Red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test. Nominal p, un