







S13 Figure (page 1 of 33). Pre to post, BFR. ROC curves for all 391 sets whose singscore separates the groups at nominal p, across 32 paired legs, smallest p first. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430. Data: set_auc sheet of 05_classify_and_associate_sets.xlsx.




S13 Figure (page 2 of 33). Pre to post, BFR. ROC curves for all 391 sets whose singscore separates the groups at nominal p, across 32 paired legs, smallest p first. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430. Data: set_auc sheet of 05_classify_and_associate_sets.xlsx.




S13 Figure (page 3 of 33). Pre to post, BFR. ROC curves for all 391 sets whose singscore separates the groups at nominal p, across 32 paired legs, smallest p first. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430. Data: set_auc sheet of 05_classify_and_associate_sets.xlsx.




S13 Figure (page 4 of 33). Pre to post, BFR. ROC curves for all 391 sets whose sing score separates the groups at nominal p, across 32 paired legs, smallest p first. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430. Data: set_auc sheet of 05_classify_and_associate_sets.xlsx.




S13 Figure (page 5 of 33). Pre to post, BFR. ROC curves for all 391 sets whose singscore separates the groups at nominal p, across 32 paired legs, smallest p first. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430. Data: set_auc sheet of 05_classify_and_associate_sets.xlsx.




S13 Figure (page 6 of 33). Pre to post, BFR. ROC curves for all 391 sets whose singscore separates the groups at nominal p, across 32 paired legs, smallest p first. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430. Data: set_auc sheet of 05_classify_and_associate_sets.xlsx.




S13 Figure (page 7 of 33). Pre to post, BFR. ROC curves for all 391 sets whose singscore separates the groups at nominal p, across 32 paired legs, smallest p first. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430. Data: set_auc sheet of 05_classify_and_associate_sets.xlsx.




S13 Figure (page 8 of 33). Pre to post, BFR. ROC curves for all 391 sets whose singscore separates the groups at nominal p, across 32 paired legs, smallest p first. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430. Data: set_auc sheet of 05_classify_and_associate_sets.xlsx.




S13 Figure (page 9 of 33). Pre to post, BFR. ROC curves for all 391 sets whose singscore separates the groups at nominal p, across 32 paired legs, smallest p first. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430. Data: set_auc sheet of 05_classify_and_associate_sets.xlsx.




S13 Figure (page 10 of 33). Pre to post, BFR. ROC curves for all 391 sets whose singscore separates the groups at nominal p, across 32 paired legs, smallest p first. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430. Data: set_auc sheet of 05_classify_and_associate_sets.xlsx.




S13 Figure (page 11 of 33). Pre to post, BFR. ROC curves for all 391 sets whose sing score separates the groups at nominal p, across 32 paired legs, smallest p first. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430. Data: set_auc sheet of 05_classify_and_associate_sets.xlsx.




S13 Figure (page 12 of 33). Pre to post, BFR. ROC curves for all 391 sets whose singscore separates the groups at nominal p, across 32 paired legs, smallest p first. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430. Data: set_auc sheet of 05_classify_and_associate_sets.xlsx.




S13 Figure (page 13 of 33). Pre to post, BFR. ROC curves for all 391 sets whose sing score separates the groups at nominal p, across 32 paired legs, smallest p first. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430. Data: set_auc sheet of 05_classify_and_associate_sets.xlsx.




S13 Figure (page 14 of 33). Pre to post, BFR. ROC curves for all 391 sets whose sing score separates the groups at nominal p, across 32 paired legs, smallest p first. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430. Data: set_auc sheet of 05_classify_and_associate_sets.xlsx.




S13 Figure (page 15 of 33). Pre to post, BFR. ROC curves for all 391 sets whose singscore separates the groups at nominal p, across 32 paired legs, smallest p first. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430. Data: set_auc sheet of 05_classify_and_associate_sets.xlsx.




S13 Figure (page 16 of 33). Pre to post, BFR. ROC curves for all 391 sets whose singscore separates the groups at nominal p, across 32 paired legs, smallest p first. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430. Data: set_auc sheet of 05_classify_and_associate_sets.xlsx.




S13 Figure (page 17 of 33). Pre to post, BFR. ROC curves for all 391 sets whose singscore separates the groups at nominal p, across 32 paired legs, smallest p first. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430. Data: set_auc sheet of 05_classify_and_associate_sets.xlsx.




S13 Figure (page 18 of 33). Pre to post, BFR. ROC curves for all 391 sets whose sing score separates the groups at nominal p, across 32 paired legs, smallest p first. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430. Data: set_auc sheet of 05_classify_and_associate_sets.xlsx.




S13 Figure (page 19 of 33). Pre to post, BFR. ROC curves for all 391 sets whose sing score separates the groups at nominal p, across 32 paired legs, smallest p first. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430. Data: set_auc sheet of 05_classify_and_associate_sets.xlsx.




S13 Figure (page 20 of 33). Pre to post, BFR. ROC curves for all 391 sets whose sing score separates the groups at nominal p, across 32 paired legs, smallest p first. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430. Data: set_auc sheet of 05_classify_and_associate_sets.xlsx.




S13 Figure (page 21 of 33). Pre to post, BFR. ROC curves for all 391 sets whose singscore separates the groups at nominal p, across 32 paired legs, smallest p first. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430. Data: set_auc sheet of 05_classify_and_associate_sets.xlsx.




S13 Figure (page 22 of 33). Pre to post, BFR. ROC curves for all 391 sets whose singscore separates the groups at nominal p, across 32 paired legs, smallest p first. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430. Data: set_auc sheet of 05_classify_and_associate_sets.xlsx.




S13 Figure (page 23 of 33). Pre to post, BFR. ROC curves for all 391 sets whose singscore separates the groups at nominal p, across 32 paired legs, smallest p first. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430. Data: set_auc sheet of 05_classify_and_associate_sets.xlsx.




S13 Figure (page 24 of 33). Pre to post, BFR. ROC curves for all 391 sets whose sing score separates the groups at nominal p, across 32 paired legs, smallest p first. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430. Data: set_auc sheet of 05_classify_and_associate_sets.xlsx.




S13 Figure (page 25 of 33). Pre to post, BFR. ROC curves for all 391 sets whose singscore separates the groups at nominal p, across 32 paired legs, smallest p first. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430. Data: set_auc sheet of 05_classify_and_associate_sets.xlsx.




S13 Figure (page 26 of 33). Pre to post, BFR. ROC curves for all 391 sets whose singscore separates the groups at nominal p, across 32 paired legs, smallest p first. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430. Data: set_auc sheet of 05_classify_and_associate_sets.xlsx.




S13 Figure (page 27 of 33). Pre to post, BFR. ROC curves for all 391 sets whose singscore separates the groups at nominal p, across 32 paired legs, smallest p first. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430. Data: set_auc sheet of 05_classify_and_associate_sets.xlsx.




S13 Figure (page 28 of 33). Pre to post, BFR. ROC curves for all 391 sets whose singscore separates the groups at nominal p, across 32 paired legs, smallest p first. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430. Data: set_auc sheet of 05_classify_and_associate_sets.xlsx.




S13 Figure (page 29 of 33). Pre to post, BFR. ROC curves for all 391 sets whose singscore separates the groups at nominal p, across 32 paired legs, smallest p first. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430. Data: set_auc sheet of 05_classify_and_associate_sets.xlsx.




S13 Figure (page 30 of 33). Pre to post, BFR. ROC curves for all 391 sets whose sing score separates the groups at nominal p, across 32 paired legs, smallest p first. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430. Data: set_auc sheet of 05_classify_and_associate_sets.xlsx.




S13 Figure (page 31 of 33). Pre to post, BFR. ROC curves for all 391 sets whose singscore separates the groups at nominal p, across 32 paired legs, smallest p first. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430. Data: set_auc sheet of 05_classify_and_associate_sets.xlsx.




S13 Figure (page 32 of 33). Pre to post, BFR. ROC curves for all 391 sets whose sing score separates the groups at nominal p, across 32 paired legs, smallest p first. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430. Data: set_auc sheet of 05_classify_and_associate_sets.xlsx.




S13 Figure (page 33 of 33). Pre to post, BFR. ROC curves for all 391 sets whose singscore separates the groups at nominal p, across 32 paired legs, smallest p first. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430. Data: set_auc sheet of 05_classify_and_associate_sets.xlsx.




S14 Figure (page 1 of 33). Pre to post, HLRT. ROC curves for all 389 sets whose singscore separates the groups at nominal p, across 33 paired legs, smallest p first. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430. Data: set_auc sheet of 05_classify_and_associate_sets.xlsx.




S14 Figure (page 2 of 33). Pre to post, HLRT. ROC curves for all 389 sets whose sing score separates the groups at nominal p, across 33 paired legs, smallest p first. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430. Data: set_auc sheet of 05_classify_and_associate_sets.xlsx.




S14 Figure (page 3 of 33). Pre to post, HLRT. ROC curves for all 389 sets whose sing score separates the groups at nominal p, across 33 paired legs, smallest p first. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430. Data: set_auc sheet of 05_classify_and_associate_sets.xlsx.




S14 Figure (page 4 of 33). Pre to post, HLRT. ROC curves for all 389 sets whose singscore separates the groups at nominal p, across 33 paired legs, smallest p first. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430. Data: set_auc sheet of 05_classify_and_associate_sets.xlsx.




S14 Figure (page 5 of 33). Pre to post, HLRT. ROC curves for all 389 sets whose singscore separates the groups at nominal p, across 33 paired legs, smallest p first. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430. Data: set_auc sheet of 05_classify_and_associate_sets.xlsx.




S14 Figure (page 6 of 33). Pre to post, HLRT. ROC curves for all 389 sets whose singscore separates the groups at nominal p, across 33 paired legs, smallest p first. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430. Data: set_auc sheet of 05_classify_and_associate_sets.xlsx.




S14 Figure (page 7 of 33). Pre to post, HLRT. ROC curves for all 389 sets whose sing score separates the groups at nominal p, across 33 paired legs, smallest p first. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430. Data: set_auc sheet of 05_classify_and_associate_sets.xlsx.




S14 Figure (page 8 of 33). Pre to post, HLRT. ROC curves for all 389 sets whose singscore separates the groups at nominal p, across 33 paired legs, smallest p first. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430. Data: set_auc sheet of 05_classify_and_associate_sets.xlsx.




S14 Figure (page 9 of 33). Pre to post, HLRT. ROC curves for all 389 sets whose singscore separates the groups at nominal p, across 33 paired legs, smallest p first. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430. Data: set_auc sheet of 05_classify_and_associate_sets.xlsx.




S14 Figure (page 10 of 33). Pre to post, HLRT. ROC curves for all 389 sets whose singscore separates the groups at nominal p, across 33 paired legs, smallest p first. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430. Data: set_auc sheet of 05_classify_and_associate_sets.xlsx.




S14 Figure (page 11 of 33). Pre to post, HLRT. ROC curves for all 389 sets whose singscore separates the groups at nominal p, across 33 paired legs, smallest p first. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430. Data: set_auc sheet of 05_classify_and_associate_sets.xlsx.




S14 Figure (page 12 of 33). Pre to post, HLRT. ROC curves for all 389 sets whose singscore separates the groups at nominal p, across 33 paired legs, smallest p first. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430. Data: set_auc sheet of 05_classify_and_associate_sets.xlsx.




S14 Figure (page 13 of 33). Pre to post, HLRT. ROC curves for all 389 sets whose singscore separates the groups at nominal p, across 33 paired legs, smallest p first. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430. Data: set_auc sheet of 05_classify_and_associate_sets.xlsx.




S14 Figure (page 14 of 33). Pre to post, HLRT. ROC curves for all 389 sets whose singscore separates the groups at nominal p, across 33 paired legs, smallest p first. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430. Data: set_auc sheet of 05_classify_and_associate_sets.xlsx.




S14 Figure (page 15 of 33). Pre to post, HLRT. ROC curves for all 389 sets whose singscore separates the groups at nominal p, across 33 paired legs, smallest p first. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430. Data: set_auc sheet of 05_classify_and_associate_sets.xlsx.




S14 Figure (page 16 of 33). Pre to post, HLRT. ROC curves for all 389 sets whose singoscore separates the groups at nominal p, across 33 paired legs, smallest p first. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430. Data: set_auc sheet of 05_classify_and_associate_sets.xlsx.




S14 Figure (page 17 of 33). Pre to post, HLRT. ROC curves for all 389 sets whose sing score separates the groups at nominal p, across 33 paired legs, smallest p first. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430. Data: set_auc sheet of 05_classify_and_associate_sets.xlsx.




S14 Figure (page 18 of 33). Pre to post, HLRT. ROC curves for all 389 sets whose sing score separates the groups at nominal p, across 33 paired legs, smallest p first. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430. Data: set_auc sheet of 05_classify_and_associate_sets.xlsx.




S14 Figure (page 19 of 33). Pre to post, HLRT. ROC curves for all 389 sets whose singscore separates the groups at nominal p, across 33 paired legs, smallest p first. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430. Data: set_auc sheet of 05_classify_and_associate_sets.xlsx.




S14 Figure (page 20 of 33). Pre to post, HLRT. ROC curves for all 389 sets whose singscore separates the groups at nominal p, across 33 paired legs, smallest p first. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430. Data: set_auc sheet of 05_classify_and_associate_sets.xlsx.




S14 Figure (page 21 of 33). Pre to post, HLRT. ROC curves for all 389 sets whose sing score separates the groups at nominal p, across 33 paired legs, smallest p first. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430. Data: set_auc sheet of 05_classify_and_associate_sets.xlsx.




S14 Figure (page 22 of 33). Pre to post, HLRT. ROC curves for all 389 sets whose sing score separates the groups at nominal p, across 33 paired legs, smallest p first. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430. Data: set_auc sheet of 05_classify_and_associate_sets.xlsx.




S14 Figure (page 23 of 33). Pre to post, HLRT. ROC curves for all 389 sets whose singscore separates the groups at nominal p, across 33 paired legs, smallest p first. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430. Data: set_auc sheet of 05_classify_and_associate_sets.xlsx.




S14 Figure (page 24 of 33). Pre to post, HLRT. ROC curves for all 389 sets whose singscore separates the groups at nominal p, across 33 paired legs, smallest p first. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430. Data: set_auc sheet of 05_classify_and_associate_sets.xlsx.




S14 Figure (page 25 of 33). Pre to post, HLRT. ROC curves for all 389 sets whose singscore separates the groups at nominal p, across 33 paired legs, smallest p first. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430. Data: set_auc sheet of 05_classify_and_associate_sets.xlsx.




S14 Figure (page 26 of 33). Pre to post, HLRT. ROC curves for all 389 sets whose singscore separates the groups at nominal p, across 33 paired legs, smallest p first. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430. Data: set_auc sheet of 05_classify_and_associate_sets.xlsx.




S14 Figure (page 27 of 33). Pre to post, HLRT. ROC curves for all 389 sets whose sing score separates the groups at nominal p, across 33 paired legs, smallest p first. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430. Data: set_auc sheet of 05_classify_and_associate_sets.xlsx.




S14 Figure (page 28 of 33). Pre to post, HLRT. ROC curves for all 389 sets whose singscore separates the groups at nominal p, across 33 paired legs, smallest p first. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430. Data: set_auc sheet of 05_classify_and_associate_sets.xlsx.




S14 Figure (page 29 of 33). Pre to post, HLRT. ROC curves for all 389 sets whose sing score separates the groups at nominal p, across 33 paired legs, smallest p first. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430. Data: set_auc sheet of 05_classify_and_associate_sets.xlsx.




S14 Figure (page 30 of 33). Pre to post, HLRT. ROC curves for all 389 sets whose sing score separates the groups at nominal p, across 33 paired legs, smallest p first. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430. Data: set_auc sheet of 05_classify_and_associate_sets.xlsx.




S14 Figure (page 31 of 33). Pre to post, HLRT. ROC curves for all 389 sets whose sing score separates the groups at nominal p, across 33 paired legs, smallest p first. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430. Data: set_auc sheet of 05_classify_and_associate_sets.xlsx.




S14 Figure (page 32 of 33). Pre to post, HLRT. ROC curves for all 389 sets whose singscore separates the groups at nominal p, across 33 paired legs, smallest p first. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430. Data: set_auc sheet of 05_classify_and_associate_sets.xlsx.




S14 Figure (page 33 of 33). Pre to post, HLRT. ROC curves for all 389 sets whose singscore separates the groups at nominal p, across 33 paired legs, smallest p first. AUC has its direction fixed: red separates higher in post, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430. Data: set_auc sheet of 05_classify_and_associate_sets.xlsx.




S15 Figure (page 1 of 8). Post BFR vs HLRT. ROC curves for all 94 sets whose singscore separates the groups at nominal p, across 32 paired participants, smallest p first. AUC has its direction fixed: red separates higher in BFR, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430. Data: set_auc sheet of 05_classify_and_associate_sets.xlsx.




S15 Figure (page 2 of 8). Post BFR vs HLRT. ROC curves for all 94 sets whose singscore separates the groups at nominal p, across 32 paired participants, smallest p first. AUC has its direction fixed: red separates higher in BFR, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430. Data: set_auc sheet of 05_classify_and_associate_sets.xlsx.




S15 Figure (page 3 of 8). Post BFR vs HLRT. ROC curves for all 94 sets whose sing score separates the groups at nominal p, across 32 paired participants, smallest p first. AUC has its direction fixed: red separates higher in BFR, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430. Data: set_auc sheet of 05_classify_and_associate_sets.xlsx.




S15 Figure (page 4 of 8). Post BFR vs HLRT. ROC curves for all 94 sets whose singscore separates the groups at nominal p, across 32 paired participants, smallest p first. AUC has its direction fixed: red separates higher in BFR, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430. Data: set_auc sheet of 05_classify_and_associate_sets.xlsx.




S15 Figure (page 5 of 8). Post BFR vs HLRT. ROC curves for all 94 sets whose singscore separates the groups at nominal p, across 32 paired participants, smallest p first. AUC has its direction fixed: red separates higher in BFR, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430. Data: set_auc sheet of 05_classify_and_associate_sets.xlsx.




S15 Figure (page 6 of 8). Post BFR vs HLRT. ROC curves for all 94 sets whose singscore separates the groups at nominal p, across 32 paired participants, smallest p first. AUC has its direction fixed: red separates higher in BFR, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430. Data: set_auc sheet of 05_classify_and_associate_sets.xlsx.




S15 Figure (page 7 of 8). Post BFR vs HLRT. ROC curves for all 94 sets whose singscore separates the groups at nominal p, across 32 paired participants, smallest p first. AUC has its direction fixed: red separates higher in BFR, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430. Data: set_auc sheet of 05_classify_and_associate_sets.xlsx.




S15 Figure (page 8 of 8). Post BFR vs HLRT. ROC curves for all 94 sets whose singscore separates the groups at nominal p, across 32 paired participants, smallest p first. AUC has its direction fixed: red separates higher in BFR, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430. Data: set_auc sheet of 05_classify_and_associate_sets.xlsx.




S16 Figure (page 1 of 4). Change, BFR vs HLRT. ROC curves for all 43 sets whose singscore separates the groups at nominal p, across 32 paired participants, smallest p first. AUC has its direction fixed: red separates higher in BFR, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430. Data: set_auc sheet of 05_classify_and_associate_sets.xlsx.



S16 Figure (page 2 of 4). Change, BFR vs HLRT. ROC curves for all 43 sets whose singscore separates the groups at nominal p, across 32 paired participants, smallest p first. AUC has its direction fixed: red separates higher in BFR, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430. Data: set_auc sheet of 05_classify_and_associate_sets.xlsx.















S16 Figure (page 3 of 4). Change, BFR vs HLRT. ROC curves for all 43 sets whose singscore separates the groups at nominal p, across 32 paired participants, smallest p first. AUC has its direction fixed: red separates higher in BFR, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430. Data: set_auc sheet of 05_classify_and_associate_sets.xlsx.



S16 Figure (page 4 of 4). Change, BFR vs HLRT. ROC curves for all 43 sets whose singScore separates the groups at nominal p, across 32 paired participants, smallest p first. AUC has its direction fixed: red separates higher in BFR, blue lower. Shading is area under the curve, dashed line chance. p from the paired Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430. Data: set_auc sheet of 05_classify_and_associate_sets.xlsx.




change in phenotype



change in set score, T2 – T1, one point per leg


S17 Figure (page 1 of 23). Training response against phenotype, all legs. All 270 set–outcome pairs whose Spearman correlation reaches nominal p in the pooled analysis (65 legs, both arms pooled), smallest p first. Lines are fitted within each arm; the header r is the pooled correlation and the inset gives it within each arm. q from BH within collection and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430. Data: set_association and set_by_arm sheets of 05_classify_and_associate_sets.xlsx.




S17 Figure (page 2 of 23). Training response against phenotype, all legs. All 270 set-outcome pairs whose Spearman correlation reaches nominal p in the pooled analysis (65 legs, both arms pooled), smallest p first. Lines are fitted within each arm; the header r is the pooled correlation and the inset gives it within each arm. q from BH within collection and outcome. Nominal p , uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430. Data: set_association and set_by_arm sheets of 05_classify_and_associate_sets.xlsx.




change in phenotype




S17 Figure (page 3 of 23). Training response against phenotype, all legs. All 270 set-outcome pairs whose Spearman correlation reaches nominal p in the pooled analysis (65 legs, both arms pooled), smallest p first. Lines are fitted within each arm; the header r is the pooled correlation and the inset gives it within each arm. q from BH within collection and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430. Data: set_association and set_by_arm sheets of 05_classify_and_associate_sets.xlsx.




S17 Figure (page 4 of 23). Training response against phenotype, all legs. All 270 set-outcome pairs whose Spearman correlation reaches nominal p in the pooled analysis (65 legs, both arms pooled), smallest p first. Lines are fitted within each arm; the header r is the pooled correlation and the inset gives it within each arm. q from BH within collection and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430. Data: set_association and set_by_arm sheets of 05_classify_and_associate_sets.xlsx.




S17 Figure (page 5 of 23). Training response against phenotype, all legs. All 270 set–outcome pairs whose Spearman correlation reaches nominal p in the pooled analysis (65 legs, both arms pooled), smallest p first. Lines are fitted within each arm; the header r is the pooled correlation and the inset gives it within each arm. q from BH within collection and outcome. Nominal p , uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430. Data: set_association and set_by_arm sheets of 05_classify_and_associate_sets.xlsx.




S17 Figure (page 6 of 23). Training response against phenotype, all legs. All 270 set-outcome pairs whose Spearman correlation reaches nominal p in the pooled analysis (65 legs, both arms pooled), smallest p first. Lines are fitted within each arm; the header r is the pooled correlation and the inset gives it within each arm. q from BH within collection and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430. Data: set_association and set_by_arm sheets of 05_classify_and_associate_sets.xlsx.




S17 Figure (page 7 of 23). Training response against phenotype, all legs. All 270 set-outcome pairs whose Spearman correlation reaches nominal p in the pooled analysis (65 legs, both arms pooled), smallest p first. Lines are fitted within each arm; the header r is the pooled correlation and the inset gives it within each arm. q from BH within collection and outcome. Nominal p , uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430. Data: set_association and set_by_arm sheets of 05_classify_and_associate_sets.xlsx.




S17 Figure (page 8 of 23). Training response against phenotype, all legs. All 270 set-outcome pairs whose Spearman correlation reaches nominal p in the pooled analysis (65 legs, both arms pooled), smallest p first. Lines are fitted within each arm; the header r is the pooled correlation and the inset gives it within each arm. q from BH within collection and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430. Data: set_association and set_by_arm sheets of 05_classify_and_associate_sets.xlsx.




S17 Figure (page 9 of 23). Training response against phenotype, all legs. All 270 set-outcome pairs whose Spearman correlation reaches nominal p in the pooled analysis (65 legs, both arms pooled), smallest p first. Lines are fitted within each arm; the header r is the pooled correlation and the inset gives it within each arm. q from BH within collection and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430. Data: set_association and set_by_arm sheets of 05_classify_and_associate_sets.xlsx.




S17 Figure (page 10 of 23). Training response against phenotype, all legs. All 270 set-outcome pairs whose Spearman correlation reaches nominal p in the pooled analysis (65 legs, both arms pooled), smallest p first. Lines are fitted within each arm; the header r is the pooled correlation and the inset gives it within each arm. q from BH within collection and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430. Data: set_association and set_by_arm sheets of 05_classify_and_associate_sets.xlsx.




S17 Figure (page 11 of 23). Training response against phenotype, all legs. All 270 set-outcome pairs whose Spearman correlation reaches nominal p in the pooled analysis (65 legs, both arms pooled), smallest p first. Lines are fitted within each arm; the header r is the pooled correlation and the inset gives it within each arm. q from BH within collection and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430. Data: set_association and set_by_arm sheets of 05_classify_and_associate_sets.xlsx.




S17 Figure (page 12 of 23). Training response against phenotype, all legs. All 270 set-outcome pairs whose Spearman correlation reaches nominal p in the pooled analysis (65 legs, both arms pooled), smallest p first. Lines are fitted within each arm; the header r is the pooled correlation and the inset gives it within each arm. q from BH within collection and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430. Data: set_association and set_by_arm sheets of 05_classify_and_associate_sets.xlsx.



S17 Figure (page 13 of 23). Training response against phenotype, all legs. All 270 set-outcome pairs whose Spearman correlation reaches nominal p in the pooled analysis (65 legs, both arms pooled), smallest p first. Lines are fitted within each arm; the header r is the pooled correlation and the inset gives it within each arm. q from BH within collection and outcome. Nominal p , uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430. Data: set_association and set_by_arm sheets of 05_classify_and_associate_sets.xlsx.















S17 Figure (page 14 of 23). Training response against phenotype, all legs. All 270 set-outcome pairs whose Spearman correlation reaches nominal p in the pooled analysis (65 legs, both arms pooled), smallest p first. Lines are fitted within each arm; the header r is the pooled correlation and the inset gives it within each arm. q from BH within collection and outcome. Nominal p , uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430. Data: set_association and set_by_arm sheets of 05_classify_and_associate_sets.xlsx.



S17 Figure (page 15 of 23). Training response against phenotype, all legs. All 270 set-outcome pairs whose Spearman correlation reaches nominal p in the pooled analysis (65 legs, both arms pooled), smallest p first. Lines are fitted within each arm; the header r is the pooled correlation and the inset gives it within each arm. q from BH within collection and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430. Data: set_association and set_by_arm sheets of 05_classify_and_associate_sets.xlsx.




change in phenotype




change in set score, T2 - T1, one point per leg

S17 Figure (page 16 of 23). Training response against phenotype, all legs. All 270 set-outcome pairs whose Spearman correlation reaches nominal p in the pooled analysis (65 legs, both arms pooled), smallest p first. Lines are fitted within each arm; the header r is the pooled correlation and the inset gives it within each arm. q from BH within collection and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430. Data: set_association and set_by_arm sheets of 05_classify_and_associate_sets.xlsx.




S17 Figure (page 17 of 23). Training response against phenotype, all legs. All 270 set-outcome pairs whose Spearman correlation reaches nominal p in the pooled analysis (65 legs, both arms pooled), smallest p first. Lines are fitted within each arm; the header r is the pooled correlation and the inset gives it within each arm. q from BH within collection and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430. Data: set_association and set_by_arm sheets of 05_classify_and_associate_sets.xlsx.




S17 Figure (page 18 of 23). Training response against phenotype, all legs. All 270 set-outcome pairs whose Spearman correlation reaches nominal p in the pooled analysis (65 legs, both arms pooled), smallest p first. Lines are fitted within each arm; the header r is the pooled correlation and the inset gives it within each arm. q from BH within collection and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430. Data: set_association and set_by_arm sheets of 05_classify_and_associate_sets.xlsx.




change in phenotype




S17 Figure (page 19 of 23). Training response against phenotype, all legs. All 270 set-outcome pairs whose Spearman correlation reaches nominal p in the pooled analysis (65 legs, both arms pooled), smallest p first. Lines are fitted within each arm; the header r is the pooled correlation and the inset gives it within each arm. q from BH within collection and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430. Data: set_association and set_by_arm sheets of 05_classify_and_associate_sets.xlsx.




S17 Figure (page 20 of 23). Training response against phenotype, all legs. All 270 set-outcome pairs whose Spearman correlation reaches nominal p in the pooled analysis (65 legs, both arms pooled), smallest p first. Lines are fitted within each arm; the header r is the pooled correlation and the inset gives it within each arm. q from BH within collection and outcome. Nominal p , uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430. Data: set_association and set_by_arm sheets of 05_classify_and_associate_sets.xlsx.




S17 Figure (page 21 of 23). Training response against phenotype, all legs. All 270 set-outcome pairs whose Spearman correlation reaches nominal p in the pooled analysis (65 legs, both arms pooled), smallest p first. Lines are fitted within each arm; the header r is the pooled correlation and the inset gives it within each arm. q from BH within collection and outcome. Nominal p , uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430. Data: set_association and set_by_arm sheets of 05_classify_and_associate_sets.xlsx.




S17 Figure (page 22 of 23). Training response against phenotype, all legs. All 270 set-outcome pairs whose Spearman correlation reaches nominal p in the pooled analysis (65 legs, both arms pooled), smallest p first. Lines are fitted within each arm; the header r is the pooled correlation and the inset gives it within each arm. q from BH within collection and outcome. Nominal p , uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430. Data: set_association and set_by_arm sheets of 05_classify_and_associate_sets.xlsx.




S17 Figure (page 23 of 23). Training response against phenotype, all legs. All 270 set-outcome pairs whose Spearman correlation reaches nominal p in the pooled analysis (65 legs, both arms pooled), smallest p first. Lines are fitted within each arm; the header r is the pooled correlation and the inset gives it within each arm. q from BH within collection and outcome. Nominal p , uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430. Data: set_association and set_by_arm sheets of 05_classify_and_associate_sets.xlsx.




S18 Figure (page 1 of 26). BFR minus HLRT, within participant. All 303 set–outcome pairs whose Spearman correlation reaches nominal p in the differential analysis (32 paired participants), smallest p first. Lines are fitted within each arm; the header r is the differential correlation and the inset gives it within each arm. q from BH within collection and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430. Data: set_association and set_by_arm sheets of 05_classify_and_associate_sets.xlsx.



S18 Figure (page 2 of 26). BFR minus HLRT, within participant. All 303 set-outcome pairs whose Spearman correlation reaches nominal p in the differential analysis (32 paired participants), smallest p first. Lines are fitted within each arm; the header r is the differential correlation and the inset gives it within each arm. q from BH within collection and outcome. Nominal p , uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430. Data: set_association and set_by_arm sheets of 05_classify_and_associate_sets.xlsx.




S18 Figure (page 3 of 26). BFR minus HLRT, within participant. All 303 set-outcome pairs whose Spearman correlation reaches nominal p in the differential analysis (32 paired participants), smallest p first. Lines are fitted within each arm; the header r is the differential correlation and the inset gives it within each arm. q from BH within collection and outcome. Nominal p , uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430. Data: set_association and set_by_arm sheets of 05_classify_and_associate_sets.xlsx.




S18 Figure (page 4 of 26). BFR minus HLRT, within participant. All 303 set-outcome pairs whose Spearman correlation reaches nominal p in the differential analysis (32 paired participants), smallest p first. Lines are fitted within each arm; the header r is the differential correlation and the inset gives it within each arm. q from BH within collection and outcome. Nominal p , uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430. Data: set_association and set_by_arm sheets of 05_classify_and_associate_sets.xlsx.




change in phenotype




S18 Figure (page 5 of 26). BFR minus HLRT, within participant. All 303 set-outcome pairs whose Spearman correlation reaches nominal p in the differential analysis (32 paired participants), smallest p first. Lines are fitted within each arm; the header r is the differential correlation and the inset gives it within each arm. q from BH within collection and outcome. Nominal p , uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430. Data: set_association and set_by_arm sheets of 05_classify_and_associate_sets.xlsx.




S18 Figure (page 6 of 26). BFR minus HLRT, within participant. All 303 set-outcome pairs whose Spearman correlation reaches nominal p in the differential analysis (32 paired participants), smallest p first. Lines are fitted within each arm; the header r is the differential correlation and the inset gives it within each arm. q from BH within collection and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430. Data: set_association and set_by_arm sheets of 05_classify_and_associate_sets.xlsx.




S18 Figure (page 7 of 26). BFR minus HLRT, within participant. All 303 set-outcome pairs whose Spearman correlation reaches nominal p in the differential analysis (32 paired participants), smallest p first. Lines are fitted within each arm; the header r is the differential correlation and the inset gives it within each arm. q from BH within collection and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430. Data: set_association and set_by_arm sheets of 05_classify_and_associate_sets.xlsx.




S18 Figure (page 8 of 26). BFR minus HLRT, within participant. All 303 set-outcome pairs whose Spearman correlation reaches nominal p in the differential analysis (32 paired participants), smallest p first. Lines are fitted within each arm; the header r is the differential correlation and the inset gives it within each arm. q from BH within collection and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430. Data: set_association and set_by_arm sheets of 05_classify_and_associate_sets.xlsx.




S18 Figure (page 9 of 26). BFR minus HLRT, within participant. All 303 set-outcome pairs whose Spearman correlation reaches nominal p in the differential analysis (32 paired participants), smallest p first. Lines are fitted within each arm; the header r is the differential correlation and the inset gives it within each arm. q from BH within collection and outcome. Nominal p , uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430. Data: set_association and set_by_arm sheets of 05_classify_and_associate_sets.xlsx.




S18 Figure (page 10 of 26). BFR minus HLRT, within participant. All 303 set-outcome pairs whose Spearman correlation reaches nominal p in the differential analysis (32 paired participants), smallest p first. Lines are fitted within each arm; the header r is the differential correlation and the inset gives it within each arm. q from BH within collection and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430. Data: set_association and set_by_arm sheets of 05_classify_and_associate_sets.xlsx.




S18 Figure (page 11 of 26). BFR minus HLRT, within participant. All 303 set-outcome pairs whose Spearman correlation reaches nominal p in the differential analysis (32 paired participants), smallest p first. Lines are fitted within each arm; the header r is the differential correlation and the inset gives it within each arm. q from BH within collection and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430. Data: set_association and set_by_arm sheets of 05_classify_and_associate_sets.xlsx.




S18 Figure (page 12 of 26). BFR minus HLRT, within participant. All 303 set-outcome pairs whose Spearman correlation reaches nominal p in the differential analysis (32 paired participants), smallest p first. Lines are fitted within each arm; the header r is the differential correlation and the inset gives it within each arm. q from BH within collection and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430. Data: set_association and set_by_arm sheets of 05_classify_and_associate_sets.xlsx.




S18 Figure (page 13 of 26). BFR minus HLRT, within participant. All 303 set-outcome pairs whose Spearman correlation reaches nominal p in the differential analysis (32 paired participants), smallest p first. Lines are fitted within each arm; the header r is the differential correlation and the inset gives it within each arm. q from BH within collection and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430. Data: set_association and set_by_arm sheets of 05_classify_and_associate_sets.xlsx.




S18 Figure (page 14 of 26). BFR minus HLRT, within participant. All 303 set-outcome pairs whose Spearman correlation reaches nominal p in the differential analysis (32 paired participants), smallest p first. Lines are fitted within each arm; the header r is the differential correlation and the inset gives it within each arm. q from BH within collection and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430. Data: set_association and set_by_arm sheets of 05_classify_and_associate_sets.xlsx.




S18 Figure (page 15 of 26). BFR minus HLRT, within participant. All 303 set-outcome pairs whose Spearman correlation reaches nominal p in the differential analysis (32 paired participants), smallest p first. Lines are fitted within each arm; the header r is the differential correlation and the inset gives it within each arm. q from BH within collection and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430. Data: set_association and set_by_arm sheets of 05_classify_and_associate_sets.xlsx.



S18 Figure (page 16 of 26). BFR minus HLRT, within participant. All 303 set-outcome pairs whose Spearman correlation reaches nominal p in the differential analysis (32 paired participants), smallest p first. Lines are fitted within each arm; the header r is the differential correlation and the inset gives it within each arm. q from BH within collection and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430. Data: set_association and set_by_arm sheets of 05_classify_and_associate_sets.xlsx.



S18 Figure (page 17 of 26). BFR minus HLRT, within participant. All 303 set-outcome pairs whose Spearman correlation reaches nominal p in the differential analysis (32 paired participants), smallest p first. Lines are fitted within each arm; the header r is the differential correlation and the inset gives it within each arm. q from BH within collection and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430. Data: set_association and set_by_arm sheets of 05_classify_and_associate_sets.xlsx.






S18 Figure (page 18 of 26). BFR minus HLRT, within participant. All 303 set-outcome pairs whose Spearman correlation reaches nominal p in the differential analysis (32 paired participants), smallest p first. Lines are fitted within each arm; the header r is the differential correlation and the inset gives it within each arm. q from BH within collection and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430. Data: set_association and set_by_arm sheets of 05_classify_and_associate_sets.xlsx.



GO_Slim: Programmed Cell Death
vs vl_csa $r = -0.37$ $p = 0.037$ $q = 0.82$

KEGG_Legacy: Glioma
vs rf_echo $r = -0.37$ $p = 0.037$ $q = 0.34$




GOBP: Response To Leukemia Inhibitory
Factor
vs rf_csa $r = -0.37$ $p = 0.037$ $q = 1$



GOBP: Regulation Of Steroid Metabolic
Process
vs vl_echo $r = -0.37$ $p = 0.037$ $q = 0.9$

GOBP: Actin Polymerization Or
Depolymerization
vs vl_csa $r = -0.37$ $p = 0.037$ $q = 0.88$




GOBP: Intrinsic Apoptotic Signaling
Pathway By p53 Class Mediator
vs rf_csa $r = -0.37$ $p = 0.037$ $q = 1$



GOBP: Cellular Response To Nutrient
Levels
vs vl_echo $r = +0.37$ $p = 0.038$ $q = 0.9$

GOBP: Response To Amino Acid Starvation
vs rf_csa $r = -0.37$ $p = 0.038$ $q = 1$




GOBP: Regulation Of Amide Metabolic
Process
vs vl_csa $r = -0.37$ $p = 0.038$ $q = 0.88$



GOBP: Mesoderm Development
vs vl_echo $r = -0.37$ $p = 0.038$ $q = 0.9$


Hallmark: IL-2/STAT5 Signaling
vs rf_echo $r = +0.37$ $p = 0.038$ $q = 0.9$

Reactome: High Laminar Flow Shear Stress
Activates Signaling By Piezo1 And Pecam1
Cdh5 Kdr In Endothelial Cells
vs rf_csa $r = -0.37$ $p = 0.039$ $q = 0.84$




change in set score, T2 - T1, one point per leg


S18 Figure (page 19 of 26). BFR minus HLRT, within participant. All 303 set-outcome pairs whose Spearman correlation reaches nominal p in the differential analysis (32 paired participants), smallest p first. Lines are fitted within each arm; the header r is the differential correlation and the inset gives it within each arm. q from BH within collection and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430. Data: set_association and set_by_arm sheets of 05_classify_and_associate_sets.xlsx.




S18 Figure (page 20 of 26). BFR minus HLRT, within participant. All 303 set-outcome pairs whose Spearman correlation reaches nominal p in the differential analysis (32 paired participants), smallest p first. Lines are fitted within each arm; the header r is the differential correlation and the inset gives it within each arm. q from BH within collection and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430. Data: set_association and set_by_arm sheets of 05_classify_and_associate_sets.xlsx.




S18 Figure (page 21 of 26). BFR minus HLRT, within participant. All 303 set-outcome pairs whose Spearman correlation reaches nominal p in the differential analysis (32 paired participants), smallest p first. Lines are fitted within each arm; the header r is the differential correlation and the inset gives it within each arm. q from BH within collection and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430. Data: set_association and set_by_arm sheets of 05_classify_and_associate_sets.xlsx.



S18 Figure (page 22 of 26). BFR minus HLRT, within participant. All 303 set-outcome pairs whose Spearman correlation reaches nominal p in the differential analysis (32 paired participants), smallest p first. Lines are fitted within each arm; the header r is the differential correlation and the inset gives it within each arm. q from BH within collection and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430. Data: set_association and set_by_arm sheets of 05_classify_and_associate_sets.xlsx.




S18 Figure (page 23 of 26). BFR minus HLRT, within participant. All 303 set-outcome pairs whose Spearman correlation reaches nominal p in the differential analysis (32 paired participants), smallest p first. Lines are fitted within each arm; the header r is the differential correlation and the inset gives it within each arm. q from BH within collection and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430. Data: set_association and set_by_arm sheets of 05_classify_and_associate_sets.xlsx.




S18 Figure (page 24 of 26). BFR minus HLRT, within participant. All 303 set-outcome pairs whose Spearman correlation reaches nominal p in the differential analysis (32 paired participants), smallest p first. Lines are fitted within each arm; the header r is the differential correlation and the inset gives it within each arm. q from BH within collection and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430. Data: set_association and set_by_arm sheets of 05_classify_and_associate_sets.xlsx.




change in phenotype



S18 Figure (page 25 of 26). BFR minus HLRT, within participant. All 303 set-outcome pairs whose Spearman correlation reaches nominal p in the differential analysis (32 paired participants), smallest p first. Lines are fitted within each arm; the header r is the differential correlation and the inset gives it within each arm. q from BH within collection and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430. Data: set_association and set_by_arm sheets of 05_classify_and_associate_sets.xlsx.



S18 Figure (page 26 of 26). BFR minus HLRT, within participant. All 303 set-outcome pairs whose Spearman correlation reaches nominal p in the differential analysis (32 paired participants), smallest p first. Lines are fitted within each arm; the header r is the differential correlation and the inset gives it within each arm. q from BH within collection and outcome. Nominal p , uncorrected. Each collection is read against its own expectation: GOBP 68.3 of 1366, GO_Slim 3.0 of 59, Hallmark 2.1 of 41, KEGG_Legacy 4.7 of 94, Reactome 21.5 of 430. Data: set_association and set_by_arm sheets of 05_classify_and_associate_sets.xlsx.



S19 Figure. Nominal hits relative to chance, by collection. Paired Wilcoxon per set across 5 collections, uncorrected p. Bar length is observed nominal hits divided by the count that collection returns under the null; red clears 1, grey does not. Labels give observed of tested. Data: chance_expectation sheet of 05_classify_and_associate_sets.xlsx.