


Nominal hits relative to chance, by collection


Wilcoxon per set, 5 collections, uncorrected p



Bar length is observed nominal hits divided by the count that collection returns under the null. Red clears 1, grey does not. Labels give observed of tested. Table: c_data/05_classify_and_associate_sets.xlsx, chance_expectation.

Training, HR (T1 to T2)


singscore per set, 6 paired subjects, AUC with direction fixed



All 50 sets reaching nominal p, by collection then p. Red separates higher in T2, blue lower. Shading is area under the curve, dashed line chance. p from the Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Training, HR (T1 to T2)


singscore per set, 6 paired subjects, AUC with direction fixed



All 50 sets reaching nominal p, by collection then p. Red separates higher in T2, blue lower. Shading is area under the curve, dashed line chance. p from the Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Training, HR (T1 to T2)


singscore per set, 6 paired subjects, AUC with direction fixed



All 50 sets reaching nominal p, by collection then p. Red separates higher in T2, blue lower. Shading is area under the curve, dashed line chance. p from the Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Training, HR (T1 to T2)


singscore per set, 6 paired subjects, AUC with direction fixed



All 50 sets reaching nominal p, by collection then p. Red separates higher in T2, blue lower. Shading is area under the curve, dashed line chance. p from the Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Training, HR (T1 to T2)


singscore per set, 6 paired subjects, AUC with direction fixed



All 50 sets reaching nominal p, by collection then p. Red separates higher in T2, blue lower. Shading is area under the curve, dashed line chance. p from the Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Training, LR (T1 to T2)


singscore per set, 8 paired subjects, AUC with direction fixed



All 30 sets reaching nominal p, by collection then p. Red separates higher in T2, blue lower. Shading is area under the curve, dashed line chance. p from the Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Training, LR (T1 to T2)


singscore per set, 8 paired subjects, AUC with direction fixed



All 30 sets reaching nominal p, by collection then p. Red separates higher in T2, blue lower. Shading is area under the curve, dashed line chance. p from the Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Training, LR (T1 to T2)


singscore per set, 8 paired subjects, AUC with direction fixed



All 30 sets reaching nominal p, by collection then p. Red separates higher in T2, blue lower. Shading is area under the curve, dashed line chance. p from the Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Acute bout, HR (T2 to T3)


singscore per set, 7 paired subjects, AUC with direction fixed



All 113 sets reaching nominal p, by collection then p. Red separates higher in T3, blue lower. Shading is area under the curve, dashed line chance. p from the Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Acute bout, HR (T2 to T3)


singscore per set, 7 paired subjects, AUC with direction fixed



All 113 sets reaching nominal p, by collection then p. Red separates higher in T3, blue lower. Shading is area under the curve, dashed line chance. p from the Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Acute bout, HR (T2 to T3)


singscore per set, 7 paired subjects, AUC with direction fixed



All 113 sets reaching nominal p, by collection then p. Red separates higher in T3, blue lower. Shading is area under the curve, dashed line chance. p from the Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Acute bout, HR (T2 to T3)


singscore per set, 7 paired subjects, AUC with direction fixed



All 113 sets reaching nominal p, by collection then p. Red separates higher in T3, blue lower. Shading is area under the curve, dashed line chance. p from the Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Acute bout, HR (T2 to T3)


singscore per set, 7 paired subjects, AUC with direction fixed



All 113 sets reaching nominal p, by collection then p. Red separates higher in T3, blue lower. Shading is area under the curve, dashed line chance. p from the Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Acute bout, HR (T2 to T3)


singscore per set, 7 paired subjects, AUC with direction fixed



All 113 sets reaching nominal p, by collection then p. Red separates higher in T3, blue lower. Shading is area under the curve, dashed line chance. p from the Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Acute bout, HR (T2 to T3)


singscore per set, 7 paired subjects, AUC with direction fixed



All 113 sets reaching nominal p, by collection then p. Red separates higher in T3, blue lower. Shading is area under the curve, dashed line chance. p from the Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Acute bout, HR (T2 to T3)


singscore per set, 7 paired subjects, AUC with direction fixed



All 113 sets reaching nominal p, by collection then p. Red separates higher in T3, blue lower. Shading is area under the curve, dashed line chance. p from the Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Acute bout, HR (T2 to T3)


singscore per set, 7 paired subjects, AUC with direction fixed



All 113 sets reaching nominal p, by collection then p. Red separates higher in T3, blue lower. Shading is area under the curve, dashed line chance. p from the Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Acute bout, HR (T2 to T3)


singscore per set, 7 paired subjects, AUC with direction fixed



All 113 sets reaching nominal p, by collection then p. Red separates higher in T3, blue lower. Shading is area under the curve, dashed line chance. p from the Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Acute bout, LR (T2 to T3)


singscore per set, 8 paired subjects, AUC with direction fixed



All 153 sets reaching nominal p, by collection then p. Red separates higher in T3, blue lower. Shading is area under the curve, dashed line chance. p from the Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Acute bout, LR (T2 to T3)


singscore per set, 8 paired subjects, AUC with direction fixed



All 153 sets reaching nominal p, by collection then p. Red separates higher in T3, blue lower. Shading is area under the curve, dashed line chance. p from the Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Acute bout, LR (T2 to T3)


singscore per set, 8 paired subjects, AUC with direction fixed



All 153 sets reaching nominal p, by collection then p. Red separates higher in T3, blue lower. Shading is area under the curve, dashed line chance. p from the Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Acute bout, LR (T2 to T3)


singscore per set, 8 paired subjects, AUC with direction fixed



All 153 sets reaching nominal p, by collection then p. Red separates higher in T3, blue lower. Shading is area under the curve, dashed line chance. p from the Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Acute bout, LR (T2 to T3)


singscore per set, 8 paired subjects, AUC with direction fixed



All 153 sets reaching nominal p, by collection then p. Red separates higher in T3, blue lower. Shading is area under the curve, dashed line chance. p from the Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Acute bout, LR (T2 to T3)


singscore per set, 8 paired subjects, AUC with direction fixed



All 153 sets reaching nominal p, by collection then p. Red separates higher in T3, blue lower. Shading is area under the curve, dashed line chance. p from the Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Acute bout, LR (T2 to T3)


singscore per set, 8 paired subjects, AUC with direction fixed



All 153 sets reaching nominal p, by collection then p. Red separates higher in T3, blue lower. Shading is area under the curve, dashed line chance. p from the Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Acute bout, LR (T2 to T3)


singscore per set, 8 paired subjects, AUC with direction fixed



All 153 sets reaching nominal p, by collection then p. Red separates higher in T3, blue lower. Shading is area under the curve, dashed line chance. p from the Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Acute bout, LR (T2 to T3)


singscore per set, 8 paired subjects, AUC with direction fixed



All 153 sets reaching nominal p, by collection then p. Red separates higher in T3, blue lower. Shading is area under the curve, dashed line chance. p from the Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Acute bout, LR (T2 to T3)


singscore per set, 8 paired subjects, AUC with direction fixed



All 153 sets reaching nominal p, by collection then p. Red separates higher in T3, blue lower. Shading is area under the curve, dashed line chance. p from the Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Acute bout, LR (T2 to T3)


singscore per set, 8 paired subjects, AUC with direction fixed



All 153 sets reaching nominal p, by collection then p. Red separates higher in T3, blue lower. Shading is area under the curve, dashed line chance. p from the Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Acute bout, LR (T2 to T3)


singscore per set, 8 paired subjects, AUC with direction fixed



All 153 sets reaching nominal p, by collection then p. Red separates higher in T3, blue lower. Shading is area under the curve, dashed line chance. p from the Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Acute bout, LR (T2 to T3)


singscore per set, 8 paired subjects, AUC with direction fixed



All 153 sets reaching nominal p, by collection then p. Red separates higher in T3, blue lower. Shading is area under the curve, dashed line chance. p from the Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

HR vs LR at T2


singscore per set, 7 subjects, AUC with direction fixed



All 14 sets reaching nominal p, by collection then p. Red separates higher in HR, blue lower. Shading is area under the curve, dashed line chance. p from the Wilcoxon rank-sum test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

HR vs LR at T2


singscore per set, 7 subjects, AUC with direction fixed



All 14 sets reaching nominal p, by collection then p. Red separates higher in HR, blue lower. Shading is area under the curve, dashed line chance. p from the Wilcoxon rank-sum test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

HR vs LR, training change


singscore per set, 6 subjects, AUC with direction fixed



All 37 sets reaching nominal p, by collection then p. Red separates higher in HR, blue lower. Shading is area under the curve, dashed line chance. p from the Wilcoxon rank-sum test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

HR vs LR, training change


singscore per set, 6 subjects, AUC with direction fixed



All 37 sets reaching nominal p, by collection then p. Red separates higher in HR, blue lower. Shading is area under the curve, dashed line chance. p from the Wilcoxon rank-sum test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

HR vs LR, training change


singscore per set, 6 subjects, AUC with direction fixed



All 37 sets reaching nominal p, by collection then p. Red separates higher in HR, blue lower. Shading is area under the curve, dashed line chance. p from the Wilcoxon rank-sum test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

HR vs LR, training change


singscore per set, 6 subjects, AUC with direction fixed



All 37 sets reaching nominal p, by collection then p. Red separates higher in HR, blue lower. Shading is area under the curve, dashed line chance. p from the Wilcoxon rank-sum test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

HR vs LR, acute change


singscore per set, 7 subjects, AUC with direction fixed



All 56 sets reaching nominal p, by collection then p. Red separates higher in HR, blue lower. Shading is area under the curve, dashed line chance. p from the Wilcoxon rank-sum test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

HR vs LR, acute change


singscore per set, 7 subjects, AUC with direction fixed



All 56 sets reaching nominal p, by collection then p. Red separates higher in HR, blue lower. Shading is area under the curve, dashed line chance. p from the Wilcoxon rank-sum test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

HR vs LR, acute change


singscore per set, 7 subjects, AUC with direction fixed



All 56 sets reaching nominal p, by collection then p. Red separates higher in HR, blue lower. Shading is area under the curve, dashed line chance. p from the Wilcoxon rank-sum test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

HR vs LR, acute change


singscore per set, 7 subjects, AUC with direction fixed



All 56 sets reaching nominal p, by collection then p. Red separates higher in HR, blue lower. Shading is area under the curve, dashed line chance. p from the Wilcoxon rank-sum test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

HR vs LR, acute change

singscore per set, 7 subjects, AUC with direction fixed




All 56 sets reaching nominal p, by collection then p. Red separates higher in HR, blue lower. Shading is area under the curve, dashed line chance. p from the Wilcoxon rank-sum test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, training change (T2 – T1)

Spearman, subjects pooled across arms

HR LR




All 518 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, training change (T2 – T1)

Spearman, subjects pooled across arms

HR LR




All 518 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, training change (T2 – T1)

Spearman, subjects pooled across arms

HR LR




All 518 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, training change (T2 – T1)

Spearman, subjects pooled across arms


HR LR



All 518 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, training change (T2 – T1)


Spearman, subjects pooled across arms



All 518 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header ρ is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, training change (T2 – T1)

Spearman, subjects pooled across arms



All 518 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, training change (T2 – T1)

Spearman, subjects pooled across arms







GOBP: MT Cytoskel.
Org. Involved
In Mitosis vs d_1rm_ext
rho = -0.67 p 0.012 q 0.34

GOBP: Resp. to
Estradiol vs d_1rm_ext
rho = -0.67 p 0.012 q 0.34

GOBP: Positive
Reg. Neuron
Projection
Development vs d_nfbire_l
rho = +0.65 p 0.012 q 0.97

GOBP: Cellular
Senescence vs d_1rm_ext
rho = +0.67 p 0.012 q 0.34







GOBP: Double Strand
Break Repair vs d_1rm_ext
rho = -0.67 p 0.012 q 0.34

GOBP: Lymphocyte
Homeostasis vs d_1rm_ext
rho = -0.67 p 0.012 q 0.34

GOBP: T Cell
Homeostasis vs d_1rm_ext
rho = -0.67 p 0.012 q 0.34

GOBP: Immune Response
Regulating
Cell Surface
Receptor
Signaling vs d_1rm_ext
rho = +0.67 p 0.013 q 0.34







GOBP: Nucleotide
Biosynthesis vs d_fcscs_II
rho = +0.64 p 0.013 q 0.96

GOBP: Negative Reg.
Locomotion vs d_nfbire_mixed
rho = +0.64 p 0.013 q 0.99

GOBP: Stem Cell
Differentiation vs comp_hypertrophy
rho = -0.64 p 0.013 q 0.99

GOBP: Protein
Localization To
Extracellular
Region vs d_fcscs_II
rho = -0.64 p 0.013 q 0.96



set score, training change (T2 – T1), one point per subject


All 518 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, training change (T2 – T1)


Spearman, subjects pooled across arms




GOBP: Hemostasis vs d_1rm_legpress
rho = -0.64 p 0.013 q 0.99




GOBP: Negative Reg.
Transmembrane
Transport vs d_1rm_legpress
rho = +0.64 p 0.013 q 0.99




GOBP: MT Based
Transport vs comp_hypertrophy
rho = -0.64 p 0.014 q 0.99




GOBP: Reg. Heart
Contraction vs volume_load
rho = +0.64 p 0.014 q 0.87




GOBP: Protein
Localization To
Mito. vs d_1rm_ext
rho = +0.66 p 0.014 q 0.34




GOBP: Cell Surface
Receptor
Protein Serine
Threonine
Kinase
Signaling vs d_1rm_legpress
rho = -0.64 p 0.014 q 0.99




GOBP: Alpha Beta T
Cell Activation vs d_1rm_ext
rho = -0.66 p 0.014 q 0.34




GOBP: Reg.
Hemopoiesis vs d_1rm_ext
rho = -0.66 p 0.014 q 0.34




GOBP: Hormone
Transport vs d_fcsa_mixed
rho = -0.64 p 0.015 q 0.98




GOBP: Chromosome
Segregation vs d_1rm_ext
rho = -0.66 p 0.015 q 0.34



GOBP: Connective
Tissue
Development vs d_1rm_ext
rho = +0.66 p 0.015 q 0.34



GOBP: Negative Reg.
Monoatomic Ion
Transport vs d_1rm_legpress
rho = +0.63 p 0.015 q 0.99




set score, training change (T2 – T1), one point per subject

All 518 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, training change (T2 – T1)

Spearman, subjects pooled across arms

HR LR




All 518 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, training change (T2 – T1)

Spearman, subjects pooled across arms

HR LR




All 518 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, training change (T2 – T1)

Spearman, subjects pooled across arms

HR LR




All 518 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, training change (T2 – T1)

Spearman, subjects pooled across arms


HR LR



All 518 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, training change (T2 – T1)


Spearman, subjects pooled across arms



All 518 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, training change (T2 – T1)

Spearman, subjects pooled across arms




All 518 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, training change (T2 – T1)

Spearman, subjects pooled across arms

HR LR




All 518 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, training change (T2 – T1)

Spearman, subjects pooled across arms


HR LR



All 518 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, training change (T2 – T1)


Spearman, subjects pooled across arms



All 518 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, training change (T2 – T1)

Spearman, subjects pooled across arms




All 518 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header ρ is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, training change (T2 – T1)


Spearman, subjects pooled across arms




GOBP: Reg. Cell Junction
Assembly vs d_fcsc_mixed
 $\rho = -0.57$ p 0.034 q 0.98




GOBP: Cellular Resp. to Biotic Stimulus vs d_nfibre_mixed
 $\rho = +0.57$ p 0.034 q 0.99




GOBP: Cellular Resp. to Toxic Substance vs d_mcsa
 $\rho = +0.57$ p 0.034 q 0.99




GOBP: Monosaccharide Metabolism vs volume_load
 $\rho = +0.57$ p 0.034 q 0.87




GOBP: Neurotransmitter Transport vs volume_load
 $\rho = -0.57$ p 0.034 q 0.87




GOBP: Reg. Muscle Contraction vs volume_load
 $\rho = +0.57$ p 0.034 q 0.87




GOBP: Vacuole Org. vs volume_load
 $\rho = -0.57$ p 0.034 q 0.87




GOBP: Lymphocyte Differentiation vs d_1rm_ext
 $\rho = -0.59$ p 0.034 q 0.43




GOBP: Actin Filament Polymerization vs d_1rm_legpress
 $\rho = -0.57$ p 0.034 q 0.99




GOBP: Cardiac Muscle Cell Action Potential vs d_1rm_legpress
 $\rho = +0.57$ p 0.034 q 0.99



GOBP: Reg. Cardiac Muscle Contraction By Reg. The Release Of Sequestered Calcium Ion vs d_1rm_legpress
 $\rho = +0.57$ p 0.034 q 0.99



GOBP: Positive Reg. Cell Cycle vs d_1rm_ext
 $\rho = -0.59$ p 0.035 q 0.43




set score, training change (T2 – T1), one point per subject

All 518 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, training change (T2 – T1)

Spearman, subjects pooled across arms




All 518 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, training change (T2 – T1)


Spearman, subjects pooled across arms

HR LR


GOBP: Methylation vs volume_load
rho = -0.56 p 0.035 q 0.87




GOBP: Positive Reg.
Intracell.
Transport vs volume_load
rho = -0.56 p 0.035 q 0.87




GOBP: Cell
Communication
By Electrical
Coupling vs d_1rm_legpress
rho = +0.56 p 0.036 q 0.99




GOBP: Mitotic Nuclear
Division vs d_1rm_legpress
rho = +0.56 p 0.036 q 0.99




GOBP: Neural Nucleus
Development vs d_nfibre_l
rho = +0.56 p 0.037 q 0.97




GOBP: Resp. to
Leukemia
Inhibitory
Factor vs d_nfibre_l
rho = +0.56 p 0.037 q 0.97




GOBP: Substantia
Nigra
Development vs d_nfibre_l
rho = +0.56 p 0.037 q 0.97




GOBP: Ameboidal Type
Cell Migration vs comp_hypertrophy
rho = -0.56 p 0.037 q 0.99




GOBP: Double Strand
Break Repair vs comp_hypertrophy
rho = -0.56 p 0.037 q 0.99




GOBP: Hormone
Transport vs comp_hypertrophy
rho = -0.56 p 0.037 q 0.99



GOBP: Resp. to Purine
Containing
Compound vs comp_hypertrophy
rho = +0.56 p 0.037 q 0.99



GOBP: Resp. to
Topologically
Incorrect
Protein vs comp_hypertrophy
rho = +0.56 p 0.037 q 0.99



set score, training change (T2 – T1), one point per subject


All 518 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, training change (T2 – T1)


Spearman, subjects pooled across arms




GOBP: Myeloid Cell
Differentiation vs d_fcsa_I
rho = -0.56 p 0.037 q 0.96




GOBP: Establishment
Of Cell
Polarity vs d_fcsa_mixed
rho = -0.56 p 0.037 q 0.98




GOBP: Cytosolic
Transport vs d_nfibre_mixed
rho = +0.56 p 0.037 q 0.99




GOBP: Mitophagy vs d_1rm_ext
rho = +0.58 p 0.037 q 0.45




GOBP: Resp. to
Osmotic Stress vs d_nfibre_I
rho = +0.56 p 0.038 q 0.97




GOBP: Cardiac Muscle
Contraction vs d_1rm_legpress
rho = +0.56 p 0.038 q 0.99




GOBP: Positive Reg.
Apoptotic
Signaling vs d_1rm_legpress
rho = -0.56 p 0.038 q 0.99




GOBP: Resp. to
Endoplasmic
Reticulum
Stress vs d_1rm_ext
rho = +0.58 p 0.038 q 0.46




GOBP: Negative Reg.
Cell Cycle
Process vs d_nfibre_I
rho = -0.56 p 0.039 q 0.97




GOBP: Reg. Extrinsic
Apoptotic
Signaling vs d_nfibre_I
rho = -0.56 p 0.039 q 0.97



GOBP: NTP Metabolism vs d_fcsa_mixed
rho = +0.56 p 0.039 q 0.98



GOBP: Cell Junction
Org. vs d_mcsa
rho = +0.56 p 0.039 q 0.99



set score, training change (T2 – T1), one point per subject


All 518 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, training change (T2 – T1)


Spearman, subjects pooled across arms




GOBP: Detoxification vs d_mcsa
rho = +0.56 p 0.039 q 0.99




GOBP: Cell Killing vs volume_load
rho = +0.56 p 0.039 q 0.87




GOBP: Postsynapse
Org. vs volume_load
rho = +0.56 p 0.039 q 0.87




GOBP: Hormone
Transport vs d_fcsa_l
rho = -0.56 p 0.039 q 0.99




GOBP: Reg.
Macroautophagy vs d_fcsa_l
rho = -0.56 p 0.039 q 0.99




GOBP: Reg. Cell
Matrix Adhesion vs d_fcsa_II
rho = -0.56 p 0.039 q 0.96




GOBP: Resp. to Virus vs d_fcsa_II
rho = -0.56 p 0.039 q 0.96




GOBP: Resp. to Virus vs d_fcsa_mixed
rho = -0.56 p 0.039 q 0.98




GOBP: Reg. Protein
Localization To
Nucleus vs d_nfibre_mixed
rho = -0.56 p 0.039 q 0.99




GOBP: Dephosphorylation vs d_mcsa
rho = -0.56 p 0.039 q 0.99



GOBP: Tumor Necrosis
Factor
Superfamily
Cytokine
Production vs d_mcsa
rho = -0.56 p 0.039 q 0.99



GOBP: Type I
Interferon
Production vs d_mcsa
rho = -0.56 p 0.039 q 0.99





set score, training change (T2 – T1), one point per subject

All 518 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, training change (T2 – T1)

Spearman, subjects pooled across arms




All 518 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, training change (T2 – T1)

Spearman, subjects pooled across arms



HR LR



All 518 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, training change (T2 – T1)

Spearman, subjects pooled across arms




All 518 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, training change (T2 – T1)

Spearman, subjects pooled across arms

HR LR




All 518 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, training change (T2 – T1)

Spearman, subjects pooled across arms



HR LR



All 518 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header ρ is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, training change (T2 – T1)

Spearman, subjects pooled across arms




All 518 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, training change (T2 – T1)

Spearman, subjects pooled across arms


HR LR



All 518 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, training change (T2 – T1)

Spearman, subjects pooled across arms




All 518 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, training change (T2 – T1)

Spearman, subjects pooled across arms


HR LR



All 518 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, training change (T2 – T1)


Spearman, subjects pooled across arms



All 518 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, training change (T2 – T1)

Spearman, subjects pooled across arms




All 518 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, training change (T2 – T1)

Spearman, subjects pooled across arms


HR LR



All 518 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, training change (T2 – T1)

Spearman, subjects pooled across arms



All 518 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, training change (T2 – T1)

Spearman, subjects pooled across arms





HR LR

Reactome: Rac2 GTPase
Cycle vs d_1rm_ext
 $\rho = +0.66$ $p = 0.014$ $q = 0.27$

Reactome: Reg. Homotypic
Cell Adhesion vs d_1rm_ext
 $\rho = -0.66$ $p = 0.014$ $q = 0.27$

Reactome: Fcgamma
Receptor Fcgr
Dependent
Phagocytosis vs d_1rm_ext
 $\rho = +0.66$ $p = 0.014$ $q = 0.27$

Reactome: Reg. PD-L1
CD274
Expression vs d_1rm_ext
 $\rho = -0.66$ $p = 0.014$ $q = 0.27$







Reactome: Mitophagy vs d_nfibre_I
 $\rho = -0.63$ $p = 0.015$ $q = 0.95$

Reactome: M Phase vs d_1rm_ext
 $\rho = -0.65$ $p = 0.016$ $q = 0.27$

Reactome: Signaling By
Ntrks vs comp_hypertrophy
 $\rho = -0.63$ $p = 0.016$ $q = 0.98$

Reactome: Sars Cov
Infections vs d_1rm_ext
 $\rho = +0.65$ $p = 0.016$ $q = 0.27$







Reactome: Platelet
Activation
Signaling &
Aggregation vs d_fcsl_I
 $\rho = -0.63$ $p = 0.017$ $q = 0.93$

Reactome: Nuclear
Envelope Ne
Reassembly vs d_1rm_ext
 $\rho = -0.65$ $p = 0.017$ $q = 0.27$

Reactome: Sars Cov 2
Infection vs d_1rm_ext
 $\rho = +0.65$ $p = 0.017$ $q = 0.27$

Reactome: Mito.
Translation
Elongation vs d_nfibre_I
 $\rho = -0.62$ $p = 0.017$ $q = 0.95$



set score, training change (T2 – T1), one point per subject


All 518 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, training change (T2 – T1)


Spearman, subjects pooled across arms

HR LR


Reactome: Raf Activation vs d_mcsa
rho = -0.62 p 0.018 q 0.99




Reactome: Phase Ii
Conjugation Of
Compounds vs d_1rm_legpress
rho = +0.62 p 0.018 q 0.99




Reactome: RhoA GTPase
Cycle vs volume_load
rho = +0.62 p 0.019 q 0.93




Reactome: Hsp90 Chaperone
Cycle For
Steroid Hormone
Receptors Shr
In The Presence
Of Ligand vs d_1rm_ext
rho = -0.64 p 0.019 q 0.29




Reactome: Signaling By
Ntrks vs d_fcsc_II
rho = -0.61 p 0.02 q 0.93




Reactome: Clec7a Dectin 1
Signaling vs d_1rm_ext
rho = -0.63 p 0.02 q 0.29




Reactome: C Type Lectin
Receptors Clrs vs d_1rm_ext
rho = -0.63 p 0.02 q 0.29




Reactome: DNA Replication
Pre Initiation vs d_1rm_ext
rho = -0.62 p 0.023 q 0.3




Reactome: Rhog GTPase
Cycle vs d_1rm_ext
rho = +0.62 p 0.023 q 0.3




Reactome: Oncogenic MAPK
Signaling vs d_nfibre_mixed
rho = -0.60 p 0.023 q 0.98



Reactome: Hcmv Infection vs volume_load
rho = -0.60 p 0.023 q 0.93



Reactome: Rab
Geranylgeranylation vs d_mcsa
rho = +0.60 p 0.023 q 0.99




set score, training change (T2 – T1), one point per subject

All 518 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, training change (T2 – T1)

Spearman, subjects pooled across arms




All 518 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, training change (T2 – T1)

Spearman, subjects pooled across arms

HR LR




All 518 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, training change (T2 – T1)

Spearman, subjects pooled across arms

HR LR




All 518 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, training change (T2 – T1)

Spearman, subjects pooled across arms



HR LR



All 518 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, training change (T2 – T1)

Spearman, subjects pooled across arms




All 518 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, training change (T2 – T1)

Spearman, subjects pooled across arms


HR LR



All 518 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, level at T1

Spearman, subjects pooled across arms




All 576 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, level at T1

Spearman, subjects pooled across arms


HR LR



All 576 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, level at T1


Spearman, subjects pooled across arms



All 576 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header ρ is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, level at T1

Spearman, subjects pooled across arms




All 576 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, level at T1


Spearman, subjects pooled across arms




GOBP: Membrane
Depolarization vs d_mcsa
rho = -0.66 p 0.0078 q 0.99




GOBP: Resp. to
Leukemia
Inhibitory
Factor vs d_1rm_legpress
rho = -0.66 p 0.0079 q 0.53




GOBP: CD4 Positive
Alpha Beta T
Cell Activation vs d_1rm_ext
rho = +0.68 p 0.0079 q 0.33




GOBP: Recombinational
Repair vs d_1rm_ext
rho = +0.67 p 0.0082 q 0.33




GOBP: Resp. to
Reactive Oxygen
Species vs d_1rm_ext
rho = -0.67 p 0.0082 q 0.33




GOBP: Carboxylic Acid
Transmembrane
Transport vs d_fcsc_II
rho = -0.65 p 0.0082 q 0.98




GOBP: Cytoskel.
Dependent
Intracell.
Transport vs d_fcsc_mixed
rho = +0.65 p 0.0087 q 1




GOBP: Nucleoside
Diphosphate
Metabolism vs volume_load
rho = -0.65 p 0.0087 q 0.84




GOBP: Negative Reg.
Kinase Activity vs d_1rm_ext
rho = +0.67 p 0.0088 q 0.34




GOBP: Calcium
Mediated
Signaling vs d_mcsa
rho = -0.65 p 0.0092 q 0.99



GOBP: Carbohydrate
Catabolism vs volume_load
rho = -0.65 p 0.0092 q 0.84



GOBP: Reg. G Protein
Coupled
Receptor
Signaling vs d_fcsc_II
rho = -0.64 p 0.0097 q 0.98




set score, level at T1, one point per subject

All 576 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, level at T1


Spearman, subjects pooled across arms



All 576 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, level at T1

Spearman, subjects pooled across arms




All 576 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, level at T1


Spearman, subjects pooled across arms




GOBP: Spindle Org. vs d_1rm_legpress
rho = -0.62 p 0.014 q 0.53




GOBP: Negative Reg. Protein Localization vs d_1rm_ext
rho = +0.64 p 0.014 q 0.36




GOBP: Translational Elongation vs comp_hypertrophy
rho = -0.62 p 0.014 q 0.99




GOBP: Reg. Cell Substrate Junction Org. vs d_fcsa_II
rho = +0.62 p 0.014 q 0.98




GOBP: Lymphocyte Homeostasis vs d_1rm_ext
rho = +0.64 p 0.014 q 0.36




GOBP: T Cell Homeostasis vs d_1rm_ext
rho = +0.64 p 0.014 q 0.36




GOBP: Spindle Assembly vs d_1rm_legpress
rho = -0.62 p 0.014 q 0.53




GOBP: mRNA Catabolism vs d_1rm_legpress
rho = +0.62 p 0.014 q 0.53




GOBP: Lamellipodium Assembly vs d_fcsa_mixed
rho = -0.61 p 0.015 q 1




GOBP: Reg. Hemopoiesis vs d_1rm_ext
rho = +0.63 p 0.015 q 0.36



GOBP: Resp. to Oxidative Stress vs d_fcsa_mixed
rho = -0.61 p 0.015 q 1



GOBP: Establishment Of Protein Localization To Organelle vs d_fcsa_mixed
rho = -0.61 p 0.016 q 1



set score, level at T1, one point per subject


All 576 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, level at T1


Spearman, subjects pooled across arms




GOBP: Fertilization vs volume_load
rho = +0.61 p 0.016 q 0.84




GOBP: Cellular Senescence vs d_1rm_ext
rho = -0.63 p 0.016 q 0.37




GOBP: DNA Templated Transcription Initiation vs d_mcsa
rho = +0.61 p 0.016 q 0.99




GOBP: Reg. Monoatomic Ion Transmembrane Transport vs d_mcsa
rho = -0.61 p 0.017 q 0.99




GOBP: Polyol Metabolism vs d_1rm_legpress
rho = -0.61 p 0.017 q 0.53




GOBP: Reg. Insulin Secretion vs d_1rm_legpress
rho = -0.61 p 0.017 q 0.53




GOBP: Reg. Post Translational Protein Mod. vs d_1rm_legpress
rho = -0.61 p 0.017 q 0.53




GOBP: Reg. Protein Transport vs d_1rm_legpress
rho = -0.61 p 0.017 q 0.53




GOBP: Establishment Of Protein Localization To Organelle vs comp_hypertrophy
rho = -0.60 p 0.017 q 0.99




GOBP: Learning vs d_fcsl_I
rho = -0.60 p 0.017 q 1



GOBP: Type II Interferon Production vs d_1rm_ext
rho = +0.62 p 0.017 q 0.39



GOBP: Positive Reg. Peptide Secretion vs d_1rm_legpress
rho = -0.60 p 0.017 q 0.53




set score, level at T1, one point per subject

All 576 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, level at T1

Spearman, subjects pooled across arms




All 576 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, level at T1


Spearman, subjects pooled across arms




GOBP: Positive Reg.
Developmental
Growth vs volume_load
rho = -0.59 p 0.02 q 0.84




GOBP: Single
Fertilization vs volume_load
rho = +0.59 p 0.02 q 0.84




GOBP: Double Strand
Break Repair vs d_1rm_ext
rho = +0.61 p 0.02 q 0.39




GOBP: Import Into
Nucleus vs d_1rm_ext
rho = +0.61 p 0.02 q 0.39




GOBP: Methylation vs d_1rm_ext
rho = +0.61 p 0.021 q 0.39




GOBP: Positive Reg.
Monoatomic Ion
Transport vs d_1rm_ext
rho = +0.61 p 0.021 q 0.39




GOBP: Reg. G Protein
Coupled
Receptor
Signaling vs comp_hypertrophy
rho = -0.59 p 0.021 q 0.99




GOBP: Resp. to Purine
Containing
Compound vs comp_hypertrophy
rho = -0.59 p 0.021 q 0.99




GOBP: MT Based
Transport vs d_fcsa_II
rho = +0.59 p 0.021 q 0.98




GOBP: Telomere Org. vs d_1rm_ext
rho = +0.61 p 0.021 q 0.39



GOBP: Translational
Elongation vs d_1rm_ext
rho = -0.61 p 0.021 q 0.39



GOBP: Negative Reg.
Molecular
Function vs d_nfibre_I
rho = -0.59 p 0.021 q 0.99




set score, level at T1, one point per subject

All 576 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, level at T1



Spearman, subjects pooled across arms



All 576 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, level at T1


Spearman, subjects pooled across arms



All 576 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, level at T1



Spearman, subjects pooled across arms



All 576 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, level at T1


Spearman, subjects pooled across arms



All 576 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, level at T1


Spearman, subjects pooled across arms



All 576 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, level at T1

Spearman, subjects pooled across arms




All 576 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, level at T1


Spearman, subjects pooled across arms




GOBP: Single
Fertilization vs d_1rm_legpress
rho = +0.55 p 0.033 q 0.53




GOBP: Reg. Hormone
Secretion vs d_1rm_legpress
rho = -0.55 p 0.033 q 0.53




GOBP: Nuclear Export vs d_1rm_ext
rho = +0.57 p 0.033 q 0.45




GOBP: Reg. Protein
Transport vs d_1rm_ext
rho = +0.57 p 0.033 q 0.45




GOBP: Positive Reg.
Transmembrane
Transport vs d_nfibre_l
rho = -0.55 p 0.033 q 0.99




GOBP: Reg. Kinase
Activity vs comp_hypertrophy
rho = +0.55 p 0.034 q 0.99




GOBP: Synaptic
Vesicle
Recycling vs d_mcsa
rho = +0.55 p 0.034 q 0.99




GOBP: Nuclear
Transcribed
mRNA Catabolism vs volume_load
rho = +0.55 p 0.034 q 0.84




GOBP: Reg. Cardiac
Muscle
Contraction
By Reg. The
Release Of
Sequestered
Calcium Ion vs volume_load
rho = -0.55 p 0.034 q 0.84




GOBP: Resp. to
Oxidative
Stress vs d_fcsl_l
rho = -0.55 p 0.034 q 1



GOBP: Reg. Cell
Substrate
Adhesion vs d_1rm_ext
rho = +0.57 p 0.034 q 0.45



GOBP: Vesicle
Localization vs d_1rm_ext
rho = +0.57 p 0.034 q 0.45



set score, level at T1, one point per subject


All 576 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, level at T1


Spearman, subjects pooled across arms




GOBP: Reg. Monoatomic
Ion Transport vs d_mcsa
 $\rho = -0.55$ p 0.035 q 0.99




GOBP: Golgi Org. vs d_1rm_ext
 $\rho = -0.56$ p 0.036 q 0.45




GOBP: Mitophagy vs d_1rm_ext
 $\rho = -0.56$ p 0.036 q 0.45




GOBP: Positive Reg.
WNT Signaling vs d_1rm_ext
 $\rho = +0.56$ p 0.036 q 0.45




GOBP: Reg.
Cytoplasmic
Translation vs d_1rm_legpress
 $\rho = +0.54$ p 0.036 q 0.53




GOBP: Cellular Resp.
to Chemical
Stress vs d_fcscs_l
 $\rho = -0.54$ p 0.037 q 1




GOBP: Reg. Actomyosin
Structure Org. vs d_fcscs_l
 $\rho = +0.54$ p 0.037 q 1




GOBP: Reg. Cell
Substrate
Junction Org. vs d_fcscs_mixed
 $\rho = +0.54$ p 0.037 q 1




GOBP: Calcium Ion
Homeostasis vs d_mcsa
 $\rho = -0.54$ p 0.037 q 0.99




GOBP: Cytoskel.
Dependent
Intracell.
Transport vs d_mcsa
 $\rho = +0.54$ p 0.037 q 0.99



GOBP: Reg. mRNA
Processing vs volume_load
 $\rho = +0.54$ p 0.037 q 0.84



GOBP: Cellular Resp.
to Reactive
Oxygen Species vs d_1rm_ext
 $\rho = -0.56$ p 0.037 q 0.45





set score, level at T1, one point per subject

All 576 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, level at T1


Spearman, subjects pooled across arms



All 576 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, level at T1


Spearman, subjects pooled across arms



All 576 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, level at T1


Spearman, subjects pooled across arms



All 576 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, level at T1



Spearman, subjects pooled across arms



All 576 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, level at T1

Spearman, subjects pooled across arms




All 576 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, level at T1


Spearman, subjects pooled across arms




GOBP: Carboxylic Acid
Transmembrane
Transport vs comp_hypertrophy
rho = -0.52 p 0.044 q 0.99




GOBP: Negative Reg.
Monoatomic Ion
Transmembrane
Transport vs d_fcsl_II
rho = -0.52 p 0.044 q 0.98




GOBP: Sterol
Biosynthesis vs d_fcsl_II
rho = -0.52 p 0.044 q 0.98




GOBP: Learning vs d_fcsl_mixed
rho = -0.52 p 0.044 q 1




GOBP: Positive Reg.
Apoptotic
Signaling vs d_mcsa
rho = -0.52 p 0.044 q 0.99




GOBP: Reg. Release
Of Sequestered
Calcium Ion
Into Cytosol
By Sarcoplasmic
Reticulum vs d_mcsa
rho = -0.52 p 0.044 q 0.99




GOBP: NADH
Dehydrogenase
Complex
Assembly vs volume_load
rho = -0.52 p 0.044 q 0.84




GOBP: Neurotransmitter
Transport vs volume_load
rho = +0.52 p 0.044 q 0.84




GOBP: Reg. Resp. to
Wounding vs volume_load
rho = -0.52 p 0.044 q 0.84




GOBP: Resp. System
Development vs volume_load
rho = -0.52 p 0.044 q 0.84



GOBP: Negative Reg.
Organelle Org. vs d_1rm_1egpress
rho = +0.52 p 0.045 q 0.53



GOBP: Positive Reg.
Carbohydrate
Metabolism vs d_1rm_1egpress
rho = -0.52 p 0.045 q 0.53



set score, level at T1, one point per subject

All 576 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.


Set score against phenotype, level at T1

Spearman, subjects pooled across arms

HR LR


GOBP: Ras Protein
Signal

Transduction vs d_1rm_legpress
rho = -0.52 p 0.045 q 0.53




GOBP: Reg. Neuron
Projection

Development vs d_1rm_legpress
rho = -0.52 p 0.045 q 0.53




GOBP: Positive
Reg. Protein

Transport vs d_1rm_ext
rho = +0.54 p 0.045 q 0.45



GOBP: RNA


Localization vs d_1rm_ext
rho = +0.54 p 0.045 q 0.45



GOBP: Resp. to
Carbohydrate vs d_1rm_ext


rho = +0.54 p 0.046 q 0.45

phenotype




GOBP: Reg. G Protein
Coupled Receptor

Signaling vs d_nfibre_l
rho = +0.52 p 0.046 q 0.99




GOBP: Positive Reg.
Catalytic

Activity vs comp_hypertrophy
rho = +0.52 p 0.046 q 0.99




GOBP: Signal
Transduction

By p53 Class
Mediator vs comp_hypertrophy
rho = -0.52 p 0.046 q 0.99




GOBP: MT Based

Transport vs d_fcsm_mixed
rho = +0.52 p 0.046 q 1




GOBP: Negative Reg.

Cell Cycle vs d_nfibre_mixed
rho = +0.52 p 0.046 q 0.99




GOBP: Reg. Cell
Substrate

Junction Org. vs d_mcsa
rho = +0.52 p 0.046 q 0.99



GOBP: Carboxylic Acid
Transmembrane

Transport vs volume_load
rho = -0.52 p 0.046 q 0.84





set score, level at T1, one point per subject

All 576 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, level at T1

Spearman, subjects pooled across arms



All 576 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, level at T1

Spearman, subjects pooled across arms





HR LR

GOBP: Mito. Resp.
Chain Complex
Assembly vs d_1rm_ext
 $\rho = -0.54$ $p = 0.047$ $q = 0.45$

GOBP: Resp. to
Nutrient vs d_fcsl_I
 $\rho = -0.52$ $p = 0.048$ $q = 1$

GOBP: Vesicle
Localization vs d_mcsa
 $\rho = +0.52$ $p = 0.048$ $q = 0.99$

GOBP: Reg. Intracell.
Transport vs d_1rm_legpress
 $\rho = -0.52$ $p = 0.049$ $q = 0.53$







GOBP: Reg. Cardiac
Muscle
Contraction
By Calcium Ion
Signaling vs comp_hypertrophy
 $\rho = -0.51$ $p = 0.05$ $q = 0.99$

GOBP: Vesicle
Localization vs comp_hypertrophy
 $\rho = +0.51$ $p = 0.05$ $q = 0.99$

GOBP: Negative
Reg. Cell
Development vs d_fcsl_II
 $\rho = -0.51$ $p = 0.05$ $q = 0.98$

GOBP: Pyridine
Containing
Compound
Metabolism vs d_fcsl_II
 $\rho = -0.51$ $p = 0.05$ $q = 0.98$

phenotype







GOBP: Reg. Actomyosin
Structure Org. vs d_fcsl_mixed
 $\rho = +0.51$ $p = 0.05$ $q = 1$

GOBP: Reg.
Carbohydrate
Metabolism vs d_fcsl_mixed
 $\rho = -0.51$ $p = 0.05$ $q = 1$

GOBP: Embryonic Organ
Development vs volume_load
 $\rho = -0.51$ $p = 0.05$ $q = 0.84$

GOBP: Reg. Muscle
System Process vs volume_load
 $\rho = -0.51$ $p = 0.05$ $q = 0.84$





set score, level at T1, one point per subject

All 576 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, level at T1



Spearman, subjects pooled across arms



All 576 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, level at T1


Spearman, subjects pooled across arms



All 576 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, level at T1

Spearman, subjects pooled across arms





set score, level at T1, one point per subject

All 576 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, level at T1


Spearman, subjects pooled across arms



All 576 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, level at T1

Spearman, subjects pooled across arms




All 576 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, level at T1


Spearman, subjects pooled across arms




Reactome: Cooperation
Of Prefoldin
& Tric Cct In
Actin & Tubulin
Folding vs volume_load
rho = +0.75 p 0.0012 q 0.21




Reactome: Formation Of
Tubulin Folding
Intermediates
By Cct Tric vs volume_load
rho = +0.75 p 0.0013 q 0.21




Reactome: Abc Family
Proteins
Mediated
Transport vs d_1rm_ext
rho = +0.77 p 0.0013 q 0.07




Reactome: Potential
Therapeutics
For Sars vs d_1rm_ext
rho = +0.76 p 0.0016 q 0.07




Reactome: Adherens
Junctions
Interactions vs d_1rm_ext
rho = +0.75 p 0.0022 q 0.07




Reactome: PCP/CE Pathway vs d_1rm_ext
rho = +0.75 p 0.0022 q 0.07




Reactome: Signaling By
The B Cell
Receptor Bcr vs d_1rm_ext
rho = +0.75 p 0.0022 q 0.07




Reactome: Reg. PD-L1
CD274
Expression vs d_1rm_ext
rho = +0.74 p 0.0023 q 0.07




Reactome: Mito.
Translation
Elongation vs d_1rm_ext
rho = -0.74 p 0.0023 q 0.07




Reactome: Metabolism Of
Polyamines vs d_1rm_ext
rho = +0.74 p 0.0027 q 0.07



Reactome: Cellular Resp.
to Heat Stress vs d_1rm_ext
rho = +0.73 p 0.0028 q 0.07



Reactome: DNA Replication
Pre Initiation vs d_1rm_ext
rho = +0.73 p 0.0031 q 0.07





set score, level at T1, one point per subject

All 576 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, level at T1



Spearman, subjects pooled across arms



All 576 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, level at T1


Spearman, subjects pooled across arms



All 576 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, level at T1



Spearman, subjects pooled across arms



All 576 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, level at T1

Spearman, subjects pooled across arms





set score, level at T1, one point per subject

All 576 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, level at T1


Spearman, subjects pooled across arms



All 576 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, level at T1



Spearman, subjects pooled across arms



All 576 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, level at T1


Spearman, subjects pooled across arms




All 576 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, level at T1


Spearman, subjects pooled across arms




Reactome: Aggrephagy vs d_mcsa
rho = +0.58 p 0.023 q 0.58




Reactome: Trans Golgi
Network Vesicle
Budding vs d_mcsa
rho = +0.58 p 0.023 q 0.58




Reactome: Hsp90 Chaperone
Cycle For
Steroid Hormone
Receptors Shr
In The Presence
Of Ligand vs volume_load
rho = +0.58 p 0.023 q 0.68




Reactome: Degradation Of
Beta Catenin By
The Destruction
Complex vs d_1rm_ext
rho = +0.60 p 0.023 q 0.1




Reactome: Cellular Resp.
to Chemical
Stress vs d_1rm_legpress
rho = -0.58 p 0.023 q 0.56




Reactome: G Alpha I
Signalling
Events vs d_1rm_legpress
rho = -0.58 p 0.023 q 0.56




Reactome: Transcriptional
Regulation By
Tp53 vs comp_hypertrophy
rho = -0.58 p 0.024 q 1




Reactome: Dengue
Virus Host
Interactions vs d_1rm_ext
rho = +0.59 p 0.025 q 0.11




Reactome: Diseases
Of Signal
Transduction By
Growth Factor
Receptors
& Second
Messengers vs d_mcsa
rho = +0.57 p 0.025 q 0.58




Reactome: Signaling By
Alk In Cancer vs d_mcsa
rho = +0.57 p 0.025 q 0.58



Reactome: Interleukin
1 Family
Signaling vs d_1rm_ext
rho = +0.59 p 0.026 q 0.11



Reactome: Transcriptional
Regulation By
Runx2 vs d_1rm_ext
rho = +0.59 p 0.026 q 0.11





set score, level at T1, one point per subject

All 576 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, level at T1



Spearman, subjects pooled across arms



All 576 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, level at T1



Spearman, subjects pooled across arms



All 576 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, level at T1


Spearman, subjects pooled across arms



All 576 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, level at T1

Spearman, subjects pooled across arms




All 576 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, level at T1


Spearman, subjects pooled across arms




Reactome: Esr Mediated Signaling vs d_1rm_ext
rho = +0.55 p 0.043 q 0.14




Reactome: Myd88 Independent Tlr4 Cascade vs d_1rm_legpress
rho = -0.53 p 0.044 q 0.56




Reactome: Phase Ii Conjugation Of Compounds vs d_1rm_legpress
rho = -0.53 p 0.044 q 0.56




Reactome: G1 S DNA Damage Checkpoints vs d_1rm_ext
rho = +0.54 p 0.044 q 0.14




Reactome: Ubiquitin Mediated Degradation Of Phosphorylated Cdc25a vs d_1rm_ext
rho = +0.54 p 0.044 q 0.14




Reactome: Antigen Processing Cross Presentation vs d_mcsa
rho = +0.52 p 0.044 q 0.61




Reactome: Sars Cov 2 Infection vs d_mcsa
rho = -0.52 p 0.044 q 0.61




Reactome: Intrinsic Pathway For Apoptosis vs volume_load
rho = -0.52 p 0.044 q 0.78




Reactome: Resolution Of Sister Chromatid Cohesion vs volume_load
rho = +0.52 p 0.044 q 0.78




Reactome: Auf1 Hnrnp D0 Binds & Destabilizes mRNA vs d_1rm_ext
rho = +0.54 p 0.045 q 0.14



Reactome: Glycogen Metabolism vs d_mcsa
rho = +0.52 p 0.046 q 0.61



Reactome: Tp53 Regulates Metabolic Genes vs volume_load
rho = -0.52 p 0.046 q 0.78





set score, level at T1, one point per subject

All 576 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, level at T1

Spearman, subjects pooled across arms




All 576 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, acute change (T3 – T2)

Spearman, subjects pooled across arms

HR LR




All 511 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, acute change (T3 – T2)

Spearman, subjects pooled across arms

HR LR



All 511 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.


Set score against phenotype, acute change (T3 – T2)

Spearman, subjects pooled across arms




GOBP: Positive
Reg. Telomere


Maintenance vs d_1rm_ext
rho = -0.72 p 0.0038 q 0.96




GOBP: Positive
Reg. Protein
Secretion vs comp_hypertrophy
rho = +0.70 p 0.0039 q 0.49




GOBP: Protein
Homotetramerization vs d_fcsl_II
rho = -0.69 p 0.0042 q 0.91




GOBP: Reg. Lymphocyte
Differentiation vs d_fcsl_mixed
rho = -0.69 p 0.0042 q 1




GOBP: Reg. Protein
Localization To
Nucleus vs d_nfibre_mixed
rho = +0.69 p 0.0044 q 0.67




GOBP: Amide Transport vs comp_hypertrophy
rho = -0.69 p 0.0045 q 0.49




GOBP: Reg. Lymphocyte
Differentiation vs d_nfibre_mixed
rho = +0.69 p 0.0045 q 0.67




GOBP: Cellular
Resp. to
Topologically
Incorrect
Protein vs d_mcsa
rho = +0.69 p 0.0045 q 0.73




GOBP: Protein
Depolymerization vs comp_hypertrophy
rho = -0.68 p 0.0051 q 0.49




GOBP: Cytoplasmic MT
Org. vs d_mcsa
rho = +0.68 p 0.0054 q 0.73



GOBP: Positive Reg.
Apoptotic
Signaling vs comp_hypertrophy
rho = +0.67 p 0.0058 q 0.49



GOBP: Reg. Neuron
Apoptotic
Process vs d_mcsa
rho = +0.67 p 0.0058 q 0.73



set score, acute change (T3 – T2), one point per subject


All 511 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, acute change (T3 – T2)


Spearman, subjects pooled across arms




GOBP: Protein
Homotetramerization vs comp_hypertrophy
 $\rho = -0.67$ $p = 0.0058$ $q = 0.49$




GOBP: Resp. to Heat vs d_mcsa
 $\rho = +0.67$ $p = 0.0066$ $q = 0.73$




GOBP: Endosomal
Transport vs comp_hypertrophy
 $\rho = +0.66$ $p = 0.0069$ $q = 0.49$




GOBP: Acetyl Coa
Metabolism vs comp_hypertrophy
 $\rho = -0.66$ $p = 0.0069$ $q = 0.49$




GOBP: Viral Genome
Replication vs d_nfbire_mixed
 $\rho = -0.66$ $p = 0.0069$ $q = 0.84$




GOBP: Cellular Resp.
to Oxygen
Levels vs d_1rm_legpress
 $\rho = -0.66$ $p = 0.007$ $q = 0.99$




GOBP: Protein
Tetramerization vs d_fcsl_I
 $\rho = -0.66$ $p = 0.0073$ $q = 0.99$




GOBP: Reg.
Nucleocytoplasmic
Transport vs volume_load
 $\rho = +0.66$ $p = 0.0073$ $q = 0.99$




GOBP: Reg. Lymphocyte
Differentiation vs d_nfbire_I
 $\rho = +0.66$ $p = 0.0077$ $q = 0.92$




GOBP: Sensory
Perception
Of Mechanical
Stimulus vs d_fcsl_I
 $\rho = -0.66$ $p = 0.0078$ $q = 0.99$



GOBP: Protein
Tetramerization vs d_fcsl_II
 $\rho = -0.66$ $p = 0.0078$ $q = 0.91$



GOBP: Reg. Intracell.
Transport vs comp_hypertrophy
 $\rho = +0.66$ $p = 0.0078$ $q = 0.49$




set score, acute change (T3 – T2), one point per subject

All 511 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header ρ is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, acute change (T3 – T2)

Spearman, subjects pooled across arms




All 511 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header ρ is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, acute change (T3 – T2)

Spearman, subjects pooled across arms



GOBP: tRNA Processing vs d_mcsa
rho = +0.64 p 0.0097 q 0.73




GOBP: Positive Reg.

Proteolysis

Involved

In Protein

Catabolism vs d_mcsa
rho = +0.64 p 0.01 q 0.73




GOBP: Reg. Mito.

Membrane

Potential vs d_nfibre_mixed


rho = +0.64 p 0.01 q 0.84



GOBP: Primary Alcohol

Metabolism vs d_fcsa_l

rho = +0.63 p 0.011 q 0.91




GOBP: Cellular Resp.

to Heat vs d_mcsa


rho = +0.63 p 0.011 q 0.73

phenotype



GOBP: rRNA Metabolism vs d_mcsa

rho = +0.63 p 0.011 q 0.73




GOBP: Cellular Resp.

to Abiotic

Stimulus vs d_1rm_ext


rho = -0.65 p 0.012 q 0.96



GOBP: Positive Reg.

WNT Signaling vs d_nfibre_l


rho = -0.63 p 0.012 q 0.92



GOBP: Reg. Nuclear

Division vs d_nfibre_l

rho = -0.63 p 0.012 q 0.92




GOBP: Protein

Localization To

Extracellular

Region vs d_fcsa_l


rho = +0.63 p 0.012 q 0.99



GOBP: Reg. Chromosome

Segregation vs d_nfibre_l


rho = -0.63 p 0.013 q 0.92



GOBP: Protein

Homotetramerization vs d_fcsa_l

rho = -0.62 p 0.013 q 0.99




set score, acute change (T3 – T2), one point per subject

All 511 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, acute change (T3 – T2)

Spearman, subjects pooled across arms



All 511 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.


Set score against phenotype, acute change (T3 – T2)

Spearman, subjects pooled across arms

HR LR


GOBP: Resp. to
Ionizing

Radiation vs d_1rm_ext
rho = -0.64 p 0.014 q 0.96




GOBP: Intrinsic
Apoptotic

Signaling vs comp_hypertrophy
rho = +0.61 p 0.015 q 0.53




GOBP: Positive
Reg. Protein

Polymerization vs comp_hypertrophy
rho = +0.61 p 0.015 q 0.53




GOBP: Reg. Mito. Org. vs d_nfibre_mixed
rho = +0.61 p 0.015 q 0.84




GOBP: Reg. Protein
Containing
Complex

Disassembly vs d_nfibre_mixed
rho = +0.61 p 0.015 q 0.84




GOBP: Neuron
Migration vs comp_hypertrophy

rho = +0.61 p 0.016 q 0.53




GOBP: Resp. to
Endoplasmic
Reticulum

Stress vs comp_hypertrophy
rho = +0.61 p 0.016 q 0.53




GOBP: Protein
Depolymerization vs d_fcsa_II

rho = -0.61 p 0.016 q 0.91




GOBP: Protein
Localization To
Extracellular

Region vs d_fcsa_mixed
rho = +0.61 p 0.016 q 1




GOBP: Reg. Post
Translational

Protein Mod. vs d_mcsa
rho = +0.61 p 0.016 q 0.74




GOBP: Membrane
Depolarization vs d_nfibre_I

rho = +0.61 p 0.016 q 0.92



GOBP: MT
Polymerization
Or

Depolymerization vs comp_hypertrophy
rho = +0.61 p 0.016 q 0.53




set score, acute change (T3 – T2), one point per subject

All 511 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, acute change (T3 – T2)

Spearman, subjects pooled across arms


HR LR



All 511 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, acute change (T3 – T2)

Spearman, subjects pooled across arms




All 511 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, acute change (T3 – T2)

Spearman, subjects pooled across arms

HR LR




All 511 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, acute change (T3 – T2)


Spearman, subjects pooled across arms




GOBP: Organ Growth vs d_fcsc_II
rho = +0.59 p 0.021 q 0.91




GOBP: Polyol
Metabolism vs d_fcsc_II
rho = -0.59 p 0.021 q 0.91




GOBP: Reg. Canonical
WNT Signaling vs d_fcsc_mixed
rho = +0.59 p 0.021 q 1




GOBP: Nadplplus
Metabolism vs d_nfbre_mixed
rho = +0.59 p 0.021 q 0.84




GOBP: Positive Reg.
Chromosome Org. vs d_1rm_ext
rho = -0.61 p 0.021 q 0.96




GOBP: Reg. MT
Polymerization
Or
Depolymerization vs comp_hypertrophy
rho = +0.59 p 0.022 q 0.53




GOBP: Resp. to
Topologically
Incorrect
Protein vs comp_hypertrophy
rho = +0.59 p 0.022 q 0.53




GOBP: Positive Reg.
Cell Projection
Org. vs d_fcsc_II
rho = +0.59 p 0.022 q 0.91




GOBP: Reg. WNT
Signaling vs d_fcsc_II
rho = +0.59 p 0.022 q 0.91




GOBP: Amide Transport vs d_mcsa
rho = -0.59 p 0.022 q 0.78



GOBP: Negative
Reg. Protein
Localization vs d_1rm_legpress
rho = +0.58 p 0.022 q 0.99



GOBP: Protein Complex
Oligomerization vs d_nfbre_I
rho = +0.58 p 0.023 q 0.92



set score, acute change (T3 – T2), one point per subject


All 511 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, acute change (T3 – T2)


Spearman, subjects pooled across arms

HR LR


GOBP: Positive
Reg. Protein
Localization To
Nucleus vs comp_hypertrophy
 $\rho = -0.58$ p 0.023 q 0.53




GOBP: Reg. Leukocyte
Differentiation vs d_fcscsa_I
 $\rho = -0.58$ p 0.023 q 0.99




GOBP: Negative Reg.
Transmembrane
Receptor
Protein Serine
Threonine
Kinase
Signaling vs d_fcscsa_II
 $\rho = +0.58$ p 0.023 q 0.91




GOBP: Reg. Protein
Depolymerization vs d_fcscsa_II
 $\rho = -0.58$ p 0.023 q 0.91




GOBP: Primary Alcohol
Metabolism vs d_fcscsa_mixed
 $\rho = +0.58$ p 0.023 q 1




GOBP: Protein Complex
Oligomerization vs d_fcscsa_mixed
 $\rho = -0.58$ p 0.023 q 1




GOBP: Reg.
Muscle Cell
Differentiation vs d_nfibre_mixed
 $\rho = +0.58$ p 0.023 q 0.84




GOBP: Cellular Resp.
to Osmotic
Stress vs d_1rm_ext
 $\rho = -0.60$ p 0.023 q 0.96




GOBP: Reg. Chemotaxis vs d_1rm_ext
 $\rho = -0.60$ p 0.023 q 0.96




GOBP: AA Activation vs d_1rm_ext
 $\rho = +0.60$ p 0.024 q 0.96



GOBP: Positive Reg.
Vasculature
Development vs comp_hypertrophy
 $\rho = -0.58$ p 0.024 q 0.53



GOBP: Reg. Canonical
WNT Signaling vs d_fcscsa_I
 $\rho = +0.58$ p 0.024 q 0.99




set score, acute change (T3 – T2), one point per subject

All 511 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, acute change (T3 – T2)

Spearman, subjects pooled across arms


HR LR



All 511 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, acute change (T3 – T2)


Spearman, subjects pooled across arms



All 511 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, acute change (T3 – T2)

Spearman, subjects pooled across arms




All 511 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, acute change (T3 – T2)

Spearman, subjects pooled across arms

HR LR




All 511 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, acute change (T3 – T2)

Spearman, subjects pooled across arms


HR LR



All 511 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, acute change (T3 – T2)

Spearman, subjects pooled across arms




All 511 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, acute change (T3 – T2)


Spearman, subjects pooled across arms




GOBP: Reg. Heart
Contraction vs d_1rm_legpress
 $\rho = -0.55$ $p = 0.033$ $q = 0.99$




GOBP: Positive Reg.
Calcium Ion
Transport vs d_1rm_ext
 $\rho = -0.57$ $p = 0.033$ $q = 0.96$




GOBP: Reg. Cellular
Resp. to Growth
Factor Stimulus vs d_fcscs_II
 $\rho = +0.55$ $p = 0.034$ $q = 0.91$




GOBP: Cell Killing vs d_mcsa
 $\rho = +0.55$ $p = 0.034$ $q = 0.83$




GOBP: Reg. Cardiac
Muscle
Contraction
By Reg. The
Release Of
Sequestered
Calcium Ion vs d_nfibre_mixed
 $\rho = -0.55$ $p = 0.034$ $q = 0.84$




GOBP: Reg. Protein
Containing
Complex
Disassembly vs d_nfibre_I
 $\rho = +0.55$ $p = 0.034$ $q = 0.92$




GOBP: Platelet
Activation vs d_1rm_ext
 $\rho = -0.57$ $p = 0.035$ $q = 0.96$




GOBP: Ras Protein
Signal
Transduction vs d_1rm_ext
 $\rho = -0.57$ $p = 0.035$ $q = 0.96$




GOBP: Nucleoside
Diphosphate
Metabolism vs d_nfibre_mixed
 $\rho = +0.55$ $p = 0.035$ $q = 0.84$




GOBP: Translational
Elongation vs d_nfibre_mixed
 $\rho = -0.55$ $p = 0.035$ $q = 0.84$



GOBP: Glycerolipid
Metabolism vs d_mcsa
 $\rho = -0.55$ $p = 0.035$ $q = 0.83$



GOBP: Reg.
Cytoplasmic
Translation vs d_mcsa
 $\rho = +0.55$ $p = 0.035$ $q = 0.83$





set score, acute change (T3 – T2), one point per subject

All 511 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, acute change (T3 – T2)


Spearman, subjects pooled across arms



All 511 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, acute change (T3 – T2)

Spearman, subjects pooled across arms




All 511 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, acute change (T3 – T2)

Spearman, subjects pooled across arms

HR LR




All 511 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, acute change (T3 – T2)

Spearman, subjects pooled across arms

HR LR




All 511 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, acute change (T3 – T2)


Spearman, subjects pooled across arms




GOBP: Positive Reg.
Immune Effector
Process vs comp_hypertrophy
 $\rho = +0.53$ p 0.043 q 0.62




GOBP: Positive Reg.
Leukocyte
Mediated
Immunity vs comp_hypertrophy
 $\rho = +0.53$ p 0.043 q 0.62




GOBP: Glutathione
Metabolism vs d_fcscs_I
 $\rho = -0.53$ p 0.043 q 0.99




GOBP: Cell Surface
Receptor
Protein Serine
Threonine
Kinase
Signaling vs d_fcscs_II
 $\rho = +0.53$ p 0.043 q 0.91




GOBP: Alpha AA
Biosynthesis vs d_fcscs_mixed
 $\rho = -0.53$ p 0.043 q 1




GOBP: Positive
Reg. Protein
Localization To
Nucleus vs d_fcscs_mixed
 $\rho = -0.53$ p 0.043 q 1




GOBP: Reg. Mito.
Membrane
Potential vs d_nfibre_I
 $\rho = +0.53$ p 0.043 q 0.92




GOBP: Negative Reg.
Leukocyte Cell
Adhesion vs d_fcscs_mixed
 $\rho = -0.53$ p 0.043 q 1




GOBP: Cardiac
Muscle Cell
Contraction vs d_1rm_legpress
 $\rho = -0.53$ p 0.044 q 0.99




GOBP: Reg. Protein
Localization To
Nucleus vs comp_hypertrophy
 $\rho = -0.53$ p 0.044 q 0.62



GOBP: Resp. to Heat vs comp_hypertrophy
 $\rho = +0.53$ p 0.044 q 0.62



GOBP: Cardiac Chamber
Development vs comp_hypertrophy
 $\rho = +0.52$ p 0.044 q 0.62



set score, acute change (T3 – T2), one point per subject

All 511 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.


Set score against phenotype, acute change (T3 – T2)

Spearman, subjects pooled across arms


HR LR

GOBP: Positive Reg.
Cell Projection


Org. vs comp_hypertrophy
 $\rho = +0.52$ $p = 0.044$ $q = 0.62$




GOBP: Vesicle Org. vs comp_hypertrophy
 $\rho = +0.52$ $p = 0.044$ $q = 0.62$




GOBP: Lymphocyte
Homeostasis vs d_fcscs_I
 $\rho = -0.52$ $p = 0.044$ $q = 0.99$




GOBP: Positive
Reg. Protein
Secretion vs d_fcscs_I
 $\rho = +0.52$ $p = 0.044$ $q = 0.99$




GOBP: Protein
Homooligomerization vs d_fcscs_I
 $\rho = -0.52$ $p = 0.044$ $q = 0.99$




GOBP: Reg. Protein
Import Into
Nucleus vs d_fcscs_I
 $\rho = -0.52$ $p = 0.044$ $q = 0.99$




GOBP: T Cell
Homeostasis vs d_fcscs_I
 $\rho = -0.52$ $p = 0.044$ $q = 0.99$




GOBP: Polysaccharide
Catabolism vs d_fcscs_II
 $\rho = -0.52$ $p = 0.044$ $q = 0.91$




GOBP: Lymphocyte
Homeostasis vs d_fcscs_mixed
 $\rho = -0.52$ $p = 0.044$ $q = 1$




GOBP: Polylol
Metabolism vs d_fcscs_mixed
 $\rho = -0.52$ $p = 0.044$ $q = 1$



GOBP: Reg. Leukocyte
Differentiation vs d_fcscs_mixed
 $\rho = -0.52$ $p = 0.044$ $q = 1$



GOBP: T Cell
Homeostasis vs d_fcscs_mixed
 $\rho = -0.52$ $p = 0.044$ $q = 1$




set score, acute change (T3 – T2), one point per subject


All 511 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, acute change (T3 – T2)


Spearman, subjects pooled across arms




GOBP: Acetyl Coa
Biosynthesis vs d_mcsa
rho = -0.52 p 0.044 q 0.83




GOBP: Reg. Synaptic
Plasticity vs d_mcsa
rho = +0.52 p 0.044 q 0.83




GOBP: Translational
Initiation vs d_mcsa
rho = +0.52 p 0.044 q 0.83




GOBP: Neutral Lipid
Metabolism vs d_1rm_legpress
rho = +0.52 p 0.045 q 0.99




GOBP: Vesicle
Mediated
Transport In
Synapse vs d_1rm_ext
rho = -0.54 p 0.045 q 0.96




GOBP: Cardiac Muscle
Contraction vs d_1rm_legpress
rho = -0.52 p 0.046 q 0.99




GOBP: Reg. Protein
Import Into
Nucleus vs comp_hypertrophy
rho = -0.52 p 0.046 q 0.62




GOBP: Reg. WNT
Signaling vs comp_hypertrophy
rho = +0.52 p 0.046 q 0.62




GOBP: Alpha AA
Biosynthesis vs d_fcscs_II
rho = -0.52 p 0.046 q 0.91




GOBP: Reg. Intracell.
Transport vs d_fcscs_II
rho = +0.52 p 0.046 q 0.91



GOBP: Reg. Protein
Import Into
Nucleus vs d_fcscs_II
rho = -0.52 p 0.046 q 0.91



GOBP: Reg.
Transmembrane
Receptor
Protein Serine
Threonine
Kinase
Signaling vs d_fcscs_II
rho = +0.52 p 0.046 q 0.91




set score, acute change (T3 – T2), one point per subject

All 511 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, acute change (T3 – T2)



Spearman, subjects pooled across arms



All 511 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, acute change (T3 – T2)

Spearman, subjects pooled across arms




All 511 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, acute change (T3 – T2)

Spearman, subjects pooled across arms

HR LR















All 511 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, acute change (T3 – T2)

Spearman, subjects pooled across arms

HR LR




set score, acute change (T3 – T2), one point per subject

All 511 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, acute change (T3 – T2)


Spearman, subjects pooled across arms



All 511 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, acute change (T3 – T2)

Spearman, subjects pooled across arms




All 511 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, acute change (T3 – T2)


Spearman, subjects pooled across arms




KEGG_Legacy: Ppar Signaling vs d_mcsa
rho = -0.52 p 0.044 q 0.55



Reactome: Anchoring Of
The Basal Body
To The Plasma
Membrane vs comp_hypertrophy
rho = +0.86 p 3.8e-05 q 0.012




Reactome: Ion Homeostasis vs d_1rm_legpress
rho = -0.78 p 0.00054 q 0.18




Reactome: Antigen
Processing Ub
ATP Independent
Proteas.


Degradation vs d_nfibre_I
rho = +0.75 p 0.0012 q 0.4




Reactome: Cardiac
Conduction vs d_1rm_legpress
rho = -0.74 p 0.0016 q 0.26




Reactome: Phase I
Functionalization
Of Compounds vs d_mcsa
rho = -0.74 p 0.0016 q 0.54



Reactome: Reg. Plk1
Activity At G2
M Transition vs comp_hypertrophy
rho = +0.72 p 0.0022 q 0.3




Reactome: Rho Gtpases
Activate
Formins vs comp_hypertrophy
rho = +0.71 p 0.003 q 0.3




Reactome: Antigen
Processing Ub
ATP Independent
Proteas.


Degradation vs d_nfibre_mixed
rho = +0.71 p 0.003 q 0.64



Reactome: Cellular
Senescence vs d_1rm_ext
rho = +0.73 p 0.0032 q 0.97




Reactome: Rhobtb2 GTPase
Cycle vs d_nfibre_I
rho = +0.71 p 0.0033 q 0.54



Reactome: Resolution
Of Sister
Chromatid

Cohesion vs comp_hypertrophy
rho = +0.70 p 0.0037 q 0.3





set score, acute change (T3 – T2), one point per subject

All 511 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, acute change (T3 – T2)

Spearman, subjects pooled across arms




All 511 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, acute change (T3 – T2)

Spearman, subjects pooled across arms

HR LR




All 511 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, acute change (T3 – T2)

Spearman, subjects pooled across arms


HR LR



All 511 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, acute change (T3 – T2)


Spearman, subjects pooled across arms



All 511 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, acute change (T3 – T2)


Spearman, subjects pooled across arms



All 511 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, acute change (T3 – T2)


Spearman, subjects pooled across arms



All 511 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, acute change (T3 – T2)


Spearman, subjects pooled across arms



All 511 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, acute change (T3 – T2)


Spearman, subjects pooled across arms




All 511 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, acute change (T3 – T2)

Spearman, subjects pooled across arms



phenotype



All 511 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.