

Classification overview: proteins



All 1,900 proteins, one row each. Rows are ordered by average−linkage clustering (1 − Pearson r) of limpa's matrix, for display only. Median change colours stop at the 99th percentile of |change|, 0.96. Grey: not tested. Table: c_data/03_classify.xlsx, auc.

Training, HR (T1 to T2)


65 of 1900 proteins at p < 0.05, 0 at BH < 0.05. Page 1 of 6.



Wilcoxon signed−rank test on up to 6 pairs; smallest attainable p 0.031. Header: median paired change, p, BH q within task, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

Training, HR (T1 to T2)


65 of 1900 proteins at p < 0.05, 0 at BH < 0.05. Page 2 of 6.



Wilcoxon signed−rank test on up to 6 pairs; smallest attainable p 0.031. Header: median paired change, p, BH q within task, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

Training, HR (T1 to T2)


65 of 1900 proteins at p < 0.05, 0 at BH < 0.05. Page 3 of 6.



Wilcoxon signed−rank test on up to 6 pairs; smallest attainable p 0.031. Header: median paired change, p, BH q within task, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

Training, HR (T1 to T2)


65 of 1900 proteins at p < 0.05, 0 at BH < 0.05. Page 4 of 6.



Wilcoxon signed−rank test on up to 6 pairs; smallest attainable p 0.031. Header: median paired change, p, BH q within task, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

Training, HR (T1 to T2)


65 of 1900 proteins at p < 0.05, 0 at BH < 0.05. Page 5 of 6.



Wilcoxon signed−rank test on up to 6 pairs; smallest attainable p 0.031. Header: median paired change, p, BH q within task, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

Training, HR (T1 to T2)


65 of 1900 proteins at p < 0.05, 0 at BH < 0.05. Page 6 of 6.



Wilcoxon signed−rank test on up to 6 pairs; smallest attainable p 0.031. Header: median paired change, p, BH q within task, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

Training, LR (T1 to T2)


117 of 1900 proteins at p < 0.05, 0 at BH < 0.05. Page 1 of 10.



Wilcoxon signed−rank test on up to 8 pairs; smallest attainable p 0.0078. Header: median paired change, p, BH q within task, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

Training, LR (T1 to T2)


117 of 1900 proteins at p < 0.05, 0 at BH < 0.05. Page 2 of 10.



Wilcoxon signed−rank test on up to 8 pairs; smallest attainable p 0.0078. Header: median paired change, p, BH q within task, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

Training, LR (T1 to T2)


117 of 1900 proteins at p < 0.05, 0 at BH < 0.05. Page 3 of 10.



Wilcoxon signed−rank test on up to 8 pairs; smallest attainable p 0.0078. Header: median paired change, p, BH q within task, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

Training, LR (T1 to T2)


117 of 1900 proteins at p < 0.05, 0 at BH < 0.05. Page 4 of 10.



Wilcoxon signed−rank test on up to 8 pairs; smallest attainable p 0.0078. Header: median paired change, p, BH q within task, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

Training, LR (T1 to T2)


117 of 1900 proteins at p < 0.05, 0 at BH < 0.05. Page 5 of 10.



Wilcoxon signed−rank test on up to 8 pairs; smallest attainable p 0.0078. Header: median paired change, p, BH q within task, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

Training, LR (T1 to T2)


117 of 1900 proteins at p < 0.05, 0 at BH < 0.05. Page 6 of 10.



Wilcoxon signed−rank test on up to 8 pairs; smallest attainable p 0.0078. Header: median paired change, p, BH q within task, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

Training, LR (T1 to T2)


117 of 1900 proteins at p < 0.05, 0 at BH < 0.05. Page 7 of 10.



Wilcoxon signed−rank test on up to 8 pairs; smallest attainable p 0.0078. Header: median paired change, p, BH q within task, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

Training, LR (T1 to T2)


117 of 1900 proteins at p < 0.05, 0 at BH < 0.05. Page 8 of 10.



Wilcoxon signed−rank test on up to 8 pairs; smallest attainable p 0.0078. Header: median paired change, p, BH q within task, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

Training, LR (T1 to T2)


117 of 1900 proteins at p < 0.05, 0 at BH < 0.05. Page 9 of 10.



Wilcoxon signed−rank test on up to 8 pairs; smallest attainable p 0.0078. Header: median paired change, p, BH q within task, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

Training, LR (T1 to T2)


117 of 1900 proteins at p < 0.05, 0 at BH < 0.05. Page 10 of 10.



Wilcoxon signed−rank test on up to 8 pairs; smallest attainable p 0.0078. Header: median paired change, p, BH q within task, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

Acute bout, HR (T2 to T3)


172 of 1900 proteins at p < 0.05, 0 at BH < 0.05. Page 1 of 15.



Wilcoxon signed−rank test on up to 7 pairs; smallest attainable p 0.016. Header: median paired change, p, BH q within task, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

Acute bout, HR (T2 to T3)


172 of 1900 proteins at p < 0.05, 0 at BH < 0.05. Page 2 of 15.



Wilcoxon signed−rank test on up to 7 pairs; smallest attainable p 0.016. Header: median paired change, p, BH q within task, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

Acute bout, HR (T2 to T3)


172 of 1900 proteins at p < 0.05, 0 at BH < 0.05. Page 3 of 15.



Wilcoxon signed−rank test on up to 7 pairs; smallest attainable p 0.016. Header: median paired change, p, BH q within task, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

Acute bout, HR (T2 to T3)


172 of 1900 proteins at p < 0.05, 0 at BH < 0.05. Page 4 of 15.



Wilcoxon signed−rank test on up to 7 pairs; smallest attainable p 0.016. Header: median paired change, p, BH q within task, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

Acute bout, HR (T2 to T3)


172 of 1900 proteins at p < 0.05, 0 at BH < 0.05. Page 5 of 15.



Wilcoxon signed−rank test on up to 7 pairs; smallest attainable p 0.016. Header: median paired change, p, BH q within task, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

Acute bout, HR (T2 to T3)


172 of 1900 proteins at p < 0.05, 0 at BH < 0.05. Page 6 of 15.



Wilcoxon signed−rank test on up to 7 pairs; smallest attainable p 0.016. Header: median paired change, p, BH q within task, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

Acute bout, HR (T2 to T3)


172 of 1900 proteins at p < 0.05, 0 at BH < 0.05. Page 7 of 15.



Wilcoxon signed−rank test on up to 7 pairs; smallest attainable p 0.016. Header: median paired change, p, BH q within task, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

Acute bout, HR (T2 to T3)


172 of 1900 proteins at p < 0.05, 0 at BH < 0.05. Page 8 of 15.



Wilcoxon signed−rank test on up to 7 pairs; smallest attainable p 0.016. Header: median paired change, p, BH q within task, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

Acute bout, HR (T2 to T3)


172 of 1900 proteins at p < 0.05, 0 at BH < 0.05. Page 9 of 15.



Wilcoxon signed−rank test on up to 7 pairs; smallest attainable p 0.016. Header: median paired change, p, BH q within task, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

Acute bout, HR (T2 to T3)


172 of 1900 proteins at p < 0.05, 0 at BH < 0.05. Page 10 of 15.



Wilcoxon signed−rank test on up to 7 pairs; smallest attainable p 0.016. Header: median paired change, p, BH q within task, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

Acute bout, HR (T2 to T3)


172 of 1900 proteins at p < 0.05, 0 at BH < 0.05. Page 11 of 15.



Wilcoxon signed−rank test on up to 7 pairs; smallest attainable p 0.016. Header: median paired change, p, BH q within task, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

Acute bout, HR (T2 to T3)


172 of 1900 proteins at p < 0.05, 0 at BH < 0.05. Page 12 of 15.



Wilcoxon signed−rank test on up to 7 pairs; smallest attainable p 0.016. Header: median paired change, p, BH q within task, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

Acute bout, HR (T2 to T3)


172 of 1900 proteins at p < 0.05, 0 at BH < 0.05. Page 13 of 15.



Wilcoxon signed−rank test on up to 7 pairs; smallest attainable p 0.016. Header: median paired change, p, BH q within task, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

Acute bout, HR (T2 to T3)


172 of 1900 proteins at p < 0.05, 0 at BH < 0.05. Page 14 of 15.



Wilcoxon signed−rank test on up to 7 pairs; smallest attainable p 0.016. Header: median paired change, p, BH q within task, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

Acute bout, HR (T2 to T3)


172 of 1900 proteins at p < 0.05, 0 at BH < 0.05. Page 15 of 15.



Wilcoxon signed−rank test on up to 7 pairs; smallest attainable p 0.016. Header: median paired change, p, BH q within task, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

Acute bout, LR (T2 to T3)


229 of 1900 proteins at p < 0.05, 0 at BH < 0.05. Page 1 of 20.



Wilcoxon signed−rank test on up to 8 pairs; smallest attainable p 0.0078. Header: median paired change, p, BH q within task, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

Acute bout, LR (T2 to T3)


229 of 1900 proteins at p < 0.05, 0 at BH < 0.05. Page 2 of 20.



Wilcoxon signed−rank test on up to 8 pairs; smallest attainable p 0.0078. Header: median paired change, p, BH q within task, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

Acute bout, LR (T2 to T3)


229 of 1900 proteins at p < 0.05, 0 at BH < 0.05. Page 3 of 20.



Wilcoxon signed−rank test on up to 8 pairs; smallest attainable p 0.0078. Header: median paired change, p, BH q within task, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

Acute bout, LR (T2 to T3)


229 of 1900 proteins at p < 0.05, 0 at BH < 0.05. Page 4 of 20.



Wilcoxon signed−rank test on up to 8 pairs; smallest attainable p 0.0078. Header: median paired change, p, BH q within task, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

Acute bout, LR (T2 to T3)


229 of 1900 proteins at p < 0.05, 0 at BH < 0.05. Page 5 of 20.



Wilcoxon signed−rank test on up to 8 pairs; smallest attainable p 0.0078. Header: median paired change, p, BH q within task, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

Acute bout, LR (T2 to T3)


229 of 1900 proteins at p < 0.05, 0 at BH < 0.05. Page 6 of 20.



Wilcoxon signed−rank test on up to 8 pairs; smallest attainable p 0.0078. Header: median paired change, p, BH q within task, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

Acute bout, LR (T2 to T3)


229 of 1900 proteins at p < 0.05, 0 at BH < 0.05. Page 7 of 20.



Wilcoxon signed−rank test on up to 8 pairs; smallest attainable p 0.0078. Header: median paired change, p, BH q within task, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

Acute bout, LR (T2 to T3)


229 of 1900 proteins at p < 0.05, 0 at BH < 0.05. Page 8 of 20.



Wilcoxon signed−rank test on up to 8 pairs; smallest attainable p 0.0078. Header: median paired change, p, BH q within task, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

Acute bout, LR (T2 to T3)


229 of 1900 proteins at p < 0.05, 0 at BH < 0.05. Page 9 of 20.



Wilcoxon signed−rank test on up to 8 pairs; smallest attainable p 0.0078. Header: median paired change, p, BH q within task, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

Acute bout, LR (T2 to T3)


229 of 1900 proteins at p < 0.05, 0 at BH < 0.05. Page 10 of 20.



Wilcoxon signed−rank test on up to 8 pairs; smallest attainable p 0.0078. Header: median paired change, p, BH q within task, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

Acute bout, LR (T2 to T3)


229 of 1900 proteins at p < 0.05, 0 at BH < 0.05. Page 11 of 20.



Wilcoxon signed−rank test on up to 8 pairs; smallest attainable p 0.0078. Header: median paired change, p, BH q within task, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

Acute bout, LR (T2 to T3)


229 of 1900 proteins at p < 0.05, 0 at BH < 0.05. Page 12 of 20.



Wilcoxon signed−rank test on up to 8 pairs; smallest attainable p 0.0078. Header: median paired change, p, BH q within task, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

Acute bout, LR (T2 to T3)


229 of 1900 proteins at p < 0.05, 0 at BH < 0.05. Page 13 of 20.



Wilcoxon signed−rank test on up to 8 pairs; smallest attainable p 0.0078. Header: median paired change, p, BH q within task, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

Acute bout, LR (T2 to T3)


229 of 1900 proteins at p < 0.05, 0 at BH < 0.05. Page 14 of 20.



Wilcoxon signed−rank test on up to 8 pairs; smallest attainable p 0.0078. Header: median paired change, p, BH q within task, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

Acute bout, LR (T2 to T3)


229 of 1900 proteins at p < 0.05, 0 at BH < 0.05. Page 15 of 20.



Wilcoxon signed−rank test on up to 8 pairs; smallest attainable p 0.0078. Header: median paired change, p, BH q within task, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

Acute bout, LR (T2 to T3)


229 of 1900 proteins at p < 0.05, 0 at BH < 0.05. Page 16 of 20.



Wilcoxon signed−rank test on up to 8 pairs; smallest attainable p 0.0078. Header: median paired change, p, BH q within task, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

Acute bout, LR (T2 to T3)


229 of 1900 proteins at p < 0.05, 0 at BH < 0.05. Page 17 of 20.



Wilcoxon signed−rank test on up to 8 pairs; smallest attainable p 0.0078. Header: median paired change, p, BH q within task, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

Acute bout, LR (T2 to T3)


229 of 1900 proteins at p < 0.05, 0 at BH < 0.05. Page 18 of 20.



Wilcoxon signed−rank test on up to 8 pairs; smallest attainable p 0.0078. Header: median paired change, p, BH q within task, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

Acute bout, LR (T2 to T3)


229 of 1900 proteins at p < 0.05, 0 at BH < 0.05. Page 19 of 20.



Wilcoxon signed−rank test on up to 8 pairs; smallest attainable p 0.0078. Header: median paired change, p, BH q within task, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

Acute bout, LR (T2 to T3)


229 of 1900 proteins at p < 0.05, 0 at BH < 0.05. Page 20 of 20.



Wilcoxon signed−rank test on up to 8 pairs; smallest attainable p 0.0078. Header: median paired change, p, BH q within task, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

HR vs LR at T1


49 of 1900 proteins at p < 0.05, 0 at BH < 0.05. Page 1 of 5.



HR (up to 7) against LR (up to 8); AUC above 0.5 means higher in HR. Wilcoxon rank−sum test; smallest attainable p 0.00031. Header: AUC with its DeLong 95% interval, p, none at AUC 0 or 1, where DeLong's variance is

HR vs LR at T1


49 of 1900 proteins at p < 0.05, 0 at BH < 0.05. Page 2 of 5.



HR (up to 7) against LR (up to 8); AUC above 0.5 means higher in HR. Wilcoxon rank−sum test; smallest attainable p 0.00031. Header: AUC with its DeLong 95% interval, p, none at AUC 0 or 1, where DeLong's variance is

HR vs LR at T1


49 of 1900 proteins at p < 0.05, 0 at BH < 0.05. Page 3 of 5.



HR (up to 7) against LR (up to 8); AUC above 0.5 means higher in HR. Wilcoxon rank−sum test; smallest attainable p 0.00031. Header: AUC with its DeLong 95% interval, p, none at AUC 0 or 1, where DeLong's variance is

HR vs LR at T1


49 of 1900 proteins at p < 0.05, 0 at BH < 0.05. Page 4 of 5.



HR (up to 7) against LR (up to 8); AUC above 0.5 means higher in HR. Wilcoxon rank−sum test; smallest attainable p 0.00031. Header: AUC with its DeLong 95% interval, p, none at AUC 0 or 1, where DeLong's variance is

HR vs LR at T1


49 of 1900 proteins at p < 0.05, 0 at BH < 0.05. Page 5 of 5.



HR (up to 7) against LR (up to 8); AUC above 0.5 means higher in HR. Wilcoxon rank−sum test; smallest attainable p 0.00031. Header: AUC with its DeLong 95% interval, p, none at AUC 0 or 1, where DeLong's variance is

HR vs LR at T2


56 of 1900 proteins at p < 0.05, 0 at BH < 0.05. Page 1 of 5.



HR (up to 7) against LR (up to 8); AUC above 0.5 means higher in HR. Wilcoxon rank−sum test; smallest attainable p 0.00031. Header: AUC with its DeLong 95% interval, p, none at AUC 0 or 1, where DeLong's variance is

HR vs LR at T2


56 of 1900 proteins at p < 0.05, 0 at BH < 0.05. Page 2 of 5.



HR (up to 7) against LR (up to 8); AUC above 0.5 means higher in HR. Wilcoxon rank−sum test; smallest attainable p 0.00031. Header: AUC with its DeLong 95% interval, p, none at AUC 0 or 1, where DeLong's variance is

HR vs LR at T2


56 of 1900 proteins at p < 0.05, 0 at BH < 0.05. Page 3 of 5.



HR (up to 7) against LR (up to 8); AUC above 0.5 means higher in HR. Wilcoxon rank−sum test; smallest attainable p 0.00031. Header: AUC with its DeLong 95% interval, p, none at AUC 0 or 1, where DeLong's variance is

HR vs LR at T2


56 of 1900 proteins at p < 0.05, 0 at BH < 0.05. Page 4 of 5.



HR (up to 7) against LR (up to 8); AUC above 0.5 means higher in HR. Wilcoxon rank−sum test; smallest attainable p 0.00031. Header: AUC with its DeLong 95% interval, p, none at AUC 0 or 1, where DeLong's variance is

HR vs LR at T2


56 of 1900 proteins at p < 0.05, 0 at BH < 0.05. Page 5 of 5.



HR (up to 7) against LR (up to 8); AUC above 0.5 means higher in HR. Wilcoxon rank−sum test; smallest attainable p 0.00031. Header: AUC with its DeLong 95% interval, p, none at AUC 0 or 1, where DeLong's variance is

HR vs LR, training change


63 of 1900 proteins at p < 0.05, 0 at BH < 0.05. Page 1 of 6.



HR (up to 6) against LR (up to 8); AUC above 0.5 means higher in HR. Wilcoxon rank−sum test; smallest attainable p 0.00067. Header: AUC with its DeLong 95% interval, p, none at AUC 0 or 1, where DeLong's variance is

HR vs LR, training change


63 of 1900 proteins at p < 0.05, 0 at BH < 0.05. Page 2 of 6.



HR (up to 6) against LR (up to 8); AUC above 0.5 means higher in HR. Wilcoxon rank−sum test; smallest attainable p 0.00067. Header: AUC with its DeLong 95% interval, p, none at AUC 0 or 1, where DeLong's variance is

HR vs LR, training change


63 of 1900 proteins at p < 0.05, 0 at BH < 0.05. Page 3 of 6.



HR (up to 6) against LR (up to 8); AUC above 0.5 means higher in HR. Wilcoxon rank−sum test; smallest attainable p 0.00067. Header: AUC with its DeLong 95% interval, p, none at AUC 0 or 1, where DeLong's variance is

HR vs LR, training change


63 of 1900 proteins at p < 0.05, 0 at BH < 0.05. Page 4 of 6.



HR (up to 6) against LR (up to 8); AUC above 0.5 means higher in HR. Wilcoxon rank−sum test; smallest attainable p 0.00067. Header: AUC with its DeLong 95% interval, p, none at AUC 0 or 1, where DeLong's variance is

HR vs LR, training change


63 of 1900 proteins at p < 0.05, 0 at BH < 0.05. Page 5 of 6.



HR (up to 6) against LR (up to 8); AUC above 0.5 means higher in HR. Wilcoxon rank−sum test; smallest attainable p 0.00067. Header: AUC with its DeLong 95% interval, p, none at AUC 0 or 1, where DeLong's variance is

HR vs LR, training change


63 of 1900 proteins at p < 0.05, 0 at BH < 0.05. Page 6 of 6.



HR (up to 6) against LR (up to 8); AUC above 0.5 means higher in HR. Wilcoxon rank−sum test; smallest attainable p 0.00067. Header: AUC with its DeLong 95% interval, p, none at AUC 0 or 1, where DeLong's variance is

HR vs LR, acute change


115 of 1900 proteins at p < 0.05, 0 at BH < 0.05. Page 1 of 10.



HR (up to 7) against LR (up to 8); AUC above 0.5 means higher in HR. Wilcoxon rank−sum test; smallest attainable p 0.00031. Header: AUC with its DeLong 95% interval, p, none at AUC 0 or 1, where DeLong's variance is

HR vs LR, acute change


115 of 1900 proteins at p < 0.05, 0 at BH < 0.05. Page 2 of 10.



HR (up to 7) against LR (up to 8); AUC above 0.5 means higher in HR. Wilcoxon rank−sum test; smallest attainable p 0.00031. Header: AUC with its DeLong 95% interval, p, none at AUC 0 or 1, where DeLong's variance is

HR vs LR, acute change


115 of 1900 proteins at p < 0.05, 0 at BH < 0.05. Page 3 of 10.



HR (up to 7) against LR (up to 8); AUC above 0.5 means higher in HR. Wilcoxon rank−sum test; smallest attainable p 0.00031. Header: AUC with its DeLong 95% interval, p, none at AUC 0 or 1, where DeLong's variance is

HR vs LR, acute change


115 of 1900 proteins at p < 0.05, 0 at BH < 0.05. Page 4 of 10.



HR (up to 7) against LR (up to 8); AUC above 0.5 means higher in HR. Wilcoxon rank−sum test; smallest attainable p 0.00031. Header: AUC with its DeLong 95% interval, p, none at AUC 0 or 1, where DeLong's variance is

HR vs LR, acute change


115 of 1900 proteins at p < 0.05, 0 at BH < 0.05. Page 5 of 10.



HR (up to 7) against LR (up to 8); AUC above 0.5 means higher in HR. Wilcoxon rank−sum test; smallest attainable p 0.00031. Header: AUC with its DeLong 95% interval, p, none at AUC 0 or 1, where DeLong's variance is

HR vs LR, acute change


115 of 1900 proteins at p < 0.05, 0 at BH < 0.05. Page 6 of 10.



HR (up to 7) against LR (up to 8); AUC above 0.5 means higher in HR. Wilcoxon rank−sum test; smallest attainable p 0.00031. Header: AUC with its DeLong 95% interval, p, none at AUC 0 or 1, where DeLong's variance is

HR vs LR, acute change


115 of 1900 proteins at p < 0.05, 0 at BH < 0.05. Page 7 of 10.



HR (up to 7) against LR (up to 8); AUC above 0.5 means higher in HR. Wilcoxon rank−sum test; smallest attainable p 0.00031. Header: AUC with its DeLong 95% interval, p, none at AUC 0 or 1, where DeLong's variance is

HR vs LR, acute change


115 of 1900 proteins at p < 0.05, 0 at BH < 0.05. Page 8 of 10.



HR (up to 7) against LR (up to 8); AUC above 0.5 means higher in HR. Wilcoxon rank−sum test; smallest attainable p 0.00031. Header: AUC with its DeLong 95% interval, p, none at AUC 0 or 1, where DeLong's variance is

HR vs LR, acute change


115 of 1900 proteins at p < 0.05, 0 at BH < 0.05. Page 9 of 10.



HR (up to 7) against LR (up to 8); AUC above 0.5 means higher in HR. Wilcoxon rank−sum test; smallest attainable p 0.00031. Header: AUC with its DeLong 95% interval, p, none at AUC 0 or 1, where DeLong's variance is

HR vs LR, acute change

115 of 1900 proteins at p < 0.05, 0 at BH < 0.05. Page 10 of 10.



HR (up to 7) against LR (up to 8); AUC above 0.5 means higher in HR. Wilcoxon rank−sum test; smallest attainable p 0.00031. Header: AUC with its DeLong 95% interval, p, none at AUC 0 or 1, where DeLong's variance is