




All 33 sets by 43 biopsies, grouped by arm and time point; column labels are subjects. Fill: singscore minus the set's mean over biopsies. Colours stop at the 99th percentile of |value|, 0.042. Rows are ordered within collection by average−linkage clustering (1 − Pearson r) of singscore, for display only. Grey in the trait tracks: not measured (T3 has no traits).

Contrast overview: Hallmark




All 33 sets by the nine contrasts. Fill: fgsea normalised enrichment score; status: p and BH q within contrast, collections pooled. Colours stop at the 99th percentile of |value|, 2.4. Rows are ordered within collection by average−linkage clustering (1 − Pearson r) of singscore, for display only. Table: c_data/set_tests.rds, set_tests.




All 328 sets by 43 biopsies, grouped by arm and time point; column labels are subjects. Fill: singscore minus the set's mean over biopsies. Colours stop at the 99th percentile of |value|, 0.05. Rows are ordered within collection by average−linkage clustering (1 − Pearson r) of singscore, for display only. Grey in the trait tracks: not measured (T3 has no traits).

Contrast overview: Reactome




All 328 sets by the nine contrasts. Fill: fgsea normalised enrichment score; status: p and BH q within contrast, collections pooled. Colours stop at the 99th percentile of |value|, 2.4. Rows are ordered within collection by average−linkage clustering (1 − Pearson r) of singscore, for display only. Table: c_data/set_tests.rds, set_tests.




All 62 sets by 43 biopsies, grouped by arm and time point; column labels are subjects. Fill: singscore minus the set's mean over biopsies. Colours stop at the 99th percentile of |value|, 0.054. Rows are ordered within collection by average−linkage clustering (1 − Pearson r) of singscore, for display only. Grey in the trait tracks: not measured (T3 has no traits).

Contrast overview: KEGG_Legacy




All 62 sets by the nine contrasts. Fill: fgsea normalised enrichment score; status: p and BH q within contrast, collections pooled. Colours stop at the 99th percentile of |value|, 2.4. Rows are ordered within collection by average−linkage clustering (1 − Pearson r) of singscore, for display only. Table: c_data/set_tests.rds, set_tests.




All 897 sets by 43 biopsies, grouped by arm and time point; column labels are subjects. Fill: singscore minus the set's mean over biopsies. Colours stop at the 99th percentile of |value|, 0.046. Rows are ordered within collection by average−linkage clustering (1 − Pearson r) of singscore, for display only. Grey in the trait tracks: not measured (T3 has no traits).

Contrast overview: GOBP




All 897 sets by the nine contrasts. Fill: fgsea normalised enrichment score; status: p and BH q within contrast, collections pooled. Colours stop at the 99th percentile of |value|, 2.4. Rows are ordered within collection by average−linkage clustering (1 − Pearson r) of singscore, for display only. Table: c_data/set_tests.rds, set_tests.



All 58 sets by 43 biopsies, grouped by arm and time point; column labels are subjects. Fill: singscore minus the set's mean over biopsies. Colours stop at the 99th percentile of |value|, 0.04. Rows are ordered within collection by average−linkage clustering (1 − Pearson r) of singscore, for display only. Grey in the trait tracks: not measured (T3 has no traits).


Contrast overview: GO_Slim




All 58 sets by the nine contrasts. Fill: fgsea normalised enrichment score; status: p and BH q within contrast, collections pooled. Colours stop at the 99th percentile of |value|, 2.4. Rows are ordered within collection by average−linkage clustering (1 − Pearson r) of singscore, for display only. Table: c_data/set_tests.rds, set_tests.

Training_C1, fgsea collapse survivors at FDR < 0.05

56 sets. Page 1 of 2.




fgsea on the moderated t ranking; BH within contrast over all collections; collapsePathways keeps sets that stay significant given a stronger set. Table: c_data/set_contrasts.xlsx, significant.




fgsea on the moderated t ranking; BH within contrast over all collections; collapsePathways keeps sets that stay significant given a stronger set. Table: c_data/set_contrasts.xlsx, significant.

Training_C2, fgsea collapse survivors at FDR < 0.05

16 sets. Page 1 of 1.




fgsea on the moderated t ranking; BH within contrast over all collections; collapsePathways keeps sets that stay significant given a stronger set. Table: c_data/set_contrasts.xlsx, significant.




fgsea on the moderated t ranking; BH within contrast over all collections; collapsePathways keeps sets that stay significant given a stronger set. Table: c_data/set_contrasts.xlsx, significant.

Acute_C1, fgsea collapse survivors at FDR < 0.05

55 sets. Page 2 of 2.




fgsea on the moderated t ranking; BH within contrast over all collections; collapsePathways keeps sets that stay significant given a stronger set. Table: c_data/set_contrasts.xlsx, significant.


Acute_C2, fgsea collapse survivors at FDR < 0.05
61 sets. Page 1 of 2.
Leukocyte Chemotaxis
Membraneless Org. Assembly
Aurka Activation By Tpx2
Sars Cov 1 Infection
Positive Reg. Proteolysis
Viral Genome Replication
MYC Targets V1
Eph Ephrin Signaling
Reg. Proteas. Ub−Dep. Protein Catabolism
Chromatin Org.
Reg. Intrinsic Apoptotic Signaling
Immune System Process
Reg. Protein Containing Complex Assembly
Cytoskel. Org.
Protein Localization
Ketone Metabolism
Lipid Metabolism
Mito. Org.
OXPHOS
Dicarboxylic Acid Metabolism
Alcohol Metabolism
Mito. Biogenesis
Gen. of Precursor Metabolites
Mito. Translation
Temperature Homeostasis
Nucleobase−Containing Small Molecule Metabolism
Mito. Protein Degradation
Inner Mito. Membrane Org.
Alpha AA Metabolism
Metabolism Of Carbohydrates & Carbohydrate Derivatives
Cytochrome Complex Assembly
FA Metabolism
Bile Acid Metabolism
Small Molecule Catabolism
Aerobic Resp. + ETC
TCA Cycle
Tricarboxylic Acid Cycle
Pyruvate Metabolism
Acyl Coa Metabolism
−2
−1
0
1
2
normalised enrichment score
proteins
50
100
150
200
250
GO_Slim
GOBP
Hallmark
Reactome
fgsea on the moderated t ranking; BH within contrast over all collections; collapsePathways keeps sets that stay significant given a stronger set. Table: c_data/set_contrasts.xlsx, significant.

Acute_C2, fgsea collapse survivors at FDR < 0.05


61 sets. Page 2 of 2.



fgsea on the moderated t ranking; BH within contrast over all collections; collapsePathways keeps sets that stay significant given a stronger set. Table: c_data/set_contrasts.xlsx, significant.

Baseline_C1vC2, fgsea collapse survivors at FDR < 0.05

46 sets. Page 1 of 2.




fgsea on the moderated t ranking; BH within contrast over all collections; collapsePathways keeps sets that stay significant given a stronger set. Table: c_data/set_contrasts.xlsx, significant.

Baseline_C1vC2, fgsea collapse survivors at FDR < 0.05

46 sets. Page 2 of 2.



fgsea on the moderated t ranking; BH within contrast over all collections; collapsePathways keeps sets that stay significant given a stronger set. Table: c_data/set_contrasts.xlsx, significant.



Trained_C1vC2, fgsea collapse survivors at FDR < 0.05
41 sets. Page 1 of 2.
Proton Transport
OXPHOS
Huntingtons Disease
Parkinsons Disease
Eukaryotic Translation Initiation
Cardiac Muscle Contraction
Gen. of Precursor Metabolites
Cytoplasmic Translation
Mito. Membrane Org.
Polysaccharide Catabolism
Protein RNA Complex Org.
Calcium Signaling
Formation Of The Dystrophin Glycoprotein Complex DGC
Mito. Protein Import
Mito. Org.
Negative Reg. Mitotic Cell Cycle
Sensory Perception Of Mechanical Stimulus
Reg. Protein Catabolism
Cytoskel. Org.
Reg. Intracell. Transport
Establishment Of Organelle Localization
Mitotic G2/M Phases
Vesicle−Mediated Transport
Negative Reg. Protein Localization
Platelet Activation Signaling & Aggregation
Aldehyde Metabolism
Cell Adhesion
Epithelial Cell Development
Rho GTPase Effectors
Cytokinesis
Copi Dependent Golgi To Er Retrograde Traffic
Positive Reg. Phosphatidylinositol 3 Kinase Protein Kinase B Signal Transduction
Receptor Mediated Endocytosis
Mitotic Spindle
Cellular Resp. to Toxic Substance
Reg. Cell Substrate Junction Org.
Hemostasis
Reg. Resp. to Wounding
Recycling Pathway Of L1
Pathogenic Escherichia Coli Infection
−2
−1
0
1
2
normalised enrichment score
proteins
50
100
150
200
GO_Slim
GOBP
Hallmark
KEGG_Legacy
Reactome
fgsea on the moderated t ranking; BH within contrast over all collections; collapsePathways keeps sets that stay significant given a stronger set. Table: c_data/set_contrasts.xlsx, significant.

Trained_C1vC2, fgsea collapse survivors at FDR < 0.05

41 sets. Page 2 of 2.




fgsea on the moderated t ranking; BH within contrast over all collections; collapsePathways keeps sets that stay significant given a stronger set. Table: c_data/set_contrasts.xlsx, significant.




fgsea on the moderated t ranking; BH within contrast over all collections; collapsePathways keeps sets that stay significant given a stronger set. Table: c_data/set_contrasts.xlsx, significant.

Acute_C1vC2, fgsea collapse survivors at FDR < 0.05

58 sets. Page 2 of 2.




fgsea on the moderated t ranking; BH within contrast over all collections; collapsePathways keeps sets that stay significant given a stronger set. Table: c_data/set_contrasts.xlsx, significant.




fgsea on the moderated t ranking; BH within contrast over all collections; collapsePathways keeps sets that stay significant given a stronger set. Table: c_data/set_contrasts.xlsx, significant.


Training_Interaction, fgsea collapse survivors at FDR < 0.05


42 sets. Page 2 of 2.



fgsea on the moderated t ranking; BH within contrast over all collections; collapsePathways keeps sets that stay significant given a stronger set. Table: c_data/set_contrasts.xlsx, significant.



Acute_Interaction, fgsea collapse survivors at FDR < 0.05
11 sets. Page 1 of 1.
Striated Muscle Contraction
Glucose Catabolism
Muscle Cell Development
Cytoskel. Org.
Reg. Translation
mRNA Metabolism
Negative Reg. Syncytium Formation By Plasma Membrane Fusion
Protein K48 Linked Ubiquitination
Glucan Metabolism
Negative Reg. Neuron Apoptotic Process
Reg. mRNA Splicing Via Spliceosome
−2
−1
0
1
2
normalised enrichment score
proteins
50
100
150
200
GO_Slim
GOBP
Reactome
fgsea on the moderated t ranking; BH within contrast over all collections; collapsePathways keeps sets that stay significant given a stronger set. Table: c_data/set_contrasts.xlsx, significant.


Training_C1, fry sets at p < 0.05
210 sets. Page 1 of 6.
Circulatory System Process
Skeletal Muscle Organ Development
Negative Reg. Protein Polymerization
Muscle Tissue Development
Cardiac Chamber Development
Protein DNA Complex Org.
Heart Morphogenesis
Myogenesis
Reg. Calcium Ion Transmembrane Transport
Membraneless Org. Assembly
Reg. Heart Contraction
Reg. Monoatomic Ion Transmembrane Transport
Actomyosin Structure Org.
Reg. Blood Circulation
Muscle Cell Development
Muscle System Process
Mitotic Prophase
Actin Mediated Cell Contraction
Reg. Striated Muscle Contraction
Striated Muscle Contraction
Actin Filament Based Movement
Striated Muscle Adaptation
Actin Filament Depolymerization
Muscle Contraction
Sarcomere Org.
Myofibril Assembly
Multicellular Organismal Movement
Skeletal Muscle Contraction
Reg. Protein Containing Complex Disassembly
Assembly in Morphogenesis
Bone Development
Reg. Protein Depolymerization
Reg. Muscle System Process
Negative Reg. Protein Containing Complex Disassembly
Heart Process
Cardiac Muscle Contraction
Muscle Organ Morphogenesis
Reg. Muscle Contraction
−3
−2
−1
0
signed −log10 p (positive: up)
proteins
40
80
120
160
GO_Slim
GOBP
Hallmark
Reactome
fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.



Training_C1, fry sets at p < 0.05
210 sets. Page 2 of 6.
Reg. Protein Secretion
Renal Cell Carcinoma
Cellular Resp. to Oxidative Stress
Establishment Of Protein Localization To Organelle
Sars Cov 2 Activates Modulates Innate & Adaptive Immune Responses
mTOR Signalling
Modified AA Biosynthesis
Mito. Translation Elongation
Acyl Coa Biosynthesis
Signaling By TGF Beta Receptor Complex
Multicellular Organism Growth
Formation Of ATP By Chemiosmotic Coupling
Protein Folding
Reg. Lipid Biosynthesis
Dicarboxylic Acid Metabolism
Resp. to Ketone
Mito. Protein Degradation
Metabolism Of Carbohydrates & Carbohydrate Derivatives
OXPHOS
Cellular Resp. to Steroid Hormone Stimulus
Reg. Insulin Secretion
Reg. Actin Filament Org.
Reg. Actin Filament Process
Reg. Calcium Ion Transport
Muscle Adaptation
Resp. to UV
Muscle Organ Development
Positive Reg. Actin Filament Bundle Assembly
Cardiac Muscle Tissue Development
Reg. Release Of Sequestered Calcium Ion Into Cytosol
Reg. Release Of Sequestered Calcium Ion Into Cytosol By Sarcoplasmic Reticulum
Muscle Hypertrophy
Vascular Smooth Muscle Contraction
Reg. Actin Filament Length
Calcium Mediated Signaling
Neuromuscular Process
Protein Depolymerization
Tight Junction
Reg. Calcium Mediated Signaling
−1
0
1
signed −log10 p (positive: up)
GO_Slim
GOBP
Hallmark
KEGG_Legacy
Reactome
proteins
50
100
150
fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.

Training_C1, fry sets at p < 0.05

210 sets. Page 3 of 6.



fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.



fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.

Training_C1, fry sets at p < 0.05


210 sets. Page 5 of 6.



fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.

Training_C1, fry sets at p < 0.05


210 sets. Page 6 of 6.




fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.


Training_C2, fry sets at p < 0.05


61 sets. Page 1 of 2.




fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.



Training_C2, fry sets at p < 0.05
61 sets. Page 2 of 2.
Establishment Of Protein Localization To Membrane
FA Derivative Metabolism
Negative Reg. Secretion
Endocytic Recycling
Sensory Processing Of Sound
Signaling By Nuclear Receptors
Reg. Postsynaptic Membrane Neurotransmitter Receptor Levels
p53 Pathway
Osteoblast Differentiation
Ossification
Protein Localization To Cell Junction
Tight Junction
Receptor Internalization
Receptor Mediated Endocytosis
Fatty Acyl Coa Metabolism
Protein Transmembrane Transport
Reg. Protein Localization To Cell Periphery
Cell Substrate Junction Org.
Nucleotide Excision Repair
Global Genome Nucleotide Excision Repair Gg Ner
DNA Double Strand Break Repair
−1
0
1
2
3
signed −log10 p (positive: up)
GOBP
Hallmark
KEGG_Legacy
Reactome
proteins
20
30
40
50
fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.


Acute_C1, fry sets at p < 0.05
171 sets. Page 1 of 5.
Fructose & Mannose Metabolism
Reg. Gen. of Precursor Metabolites
Lipid Metabolism
Protein K48 Linked Ubiquitination
Carbohydrate Catabolism
Polysaccharide Biosynthesis
Adaptive Thermogenesis
Peroxisome
Organic Acid Catabolism
Small Molecule Catabolism
Metabolism Of Vitamins & Cofactors
Peroxisomal Protein Import
AA Catabolism
Polysaccharide Catabolism
Modified AA Biosynthesis
Monosaccharide Metabolism
Glycerolipid Metabolism
Alpha AA Metabolism
L AA Catabolism
Glycogen Metabolism
Organophosphate Catabolism
Protein Polyubiquitination
Glycerophospholipid Metabolism
Cellular Resp. to Osmotic Stress
Metabolism Of Carbohydrates & Carbohydrate Derivatives
Ketone Biosynthesis
L AA Metabolism
Polyol Metabolism
Phospholipid Metabolism
Temperature Homeostasis
Resp. to Osmotic Stress
Energy Reserve Metabolism
Insulin Signaling
Glycolysis
Glucan Metabolism
Resp. to Organophosphorus
Carbohydrate Metabolism
Polysaccharide Metabolism
Modified AA Metabolism
−4
−3
−2
−1
0
signed −log10 p (positive: up)
proteins
50
100
150
200
GO_Slim
GOBP
Hallmark
KEGG_Legacy
Reactome
fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.



fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.



Acute_C1, fry sets at p < 0.05
171 sets. Page 3 of 5.
Resp. to Xenobiotic Stimulus
Interleukin 2 Production
Resp. to Nutrient
Adipogenesis
Apoptotic Mito. Changes
Monocarboxylic Acid Biosynthesis
Long Chain FA Metabolism
Lipid Oxidation
Positive Reg. Tumor Necrosis Factor Superfamily Cytokine Production
Toll Like Receptor 9 Tlr9 Cascade
DNA Damage Recognition In Gg Ner
Protein Localization
FA Beta Oxidation
Resp. to Steroid Hormone
Organic Anion Transport
Resp. to Estradiol
Protein Mod. By Small Protein Removal
Reg. Mito. Membrane Permeability
Cellular Resp. to Alcohol
Multicellular Organism Growth
Lipid Localization
Metabolism Of Water Soluble Vitamins & Cofactors
Purine Metabolism
Cytochrome Complex Assembly
FA Metabolism
Reg. Hormone Secretion
Carbohydrate Derivative Catabolism
Toll Like Receptor Cascades
Pyruvate Metabolism
Carboxylic Acid Transmembrane Transport
Monosaccharide Biosynthesis
Lipid Catabolism
Protein Homooligomerization
Reg. Peptide Transport
Nucleotide Excision Repair
Global Genome Nucleotide Excision Repair Gg Ner
AA Biosynthesis
Glucose Metabolism
Monocarboxylic Acid Catabolism
−1.5
−1.0
−0.5
0.0
signed −log10 p (positive: up)
GOBP
Hallmark
KEGG_Legacy
Reactome
proteins
20
40
60
80
fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.




fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.


Acute_C1, fry sets at p < 0.05

171 sets. Page 5 of 5.





fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.



Acute_C2, fry sets at p < 0.05
195 sets. Page 1 of 5.
Reg. Hormone Secretion
Nucleoside Phosphate Catabolism
Sulfur Compound Metabolism
Fatty Acyl Coa Metabolism
Acyl Coa Metabolism
Propanoate Metabolism
Gluconeogenesis
Ketone Metabolism
Organophosphate Catabolism
Organic Acid Catabolism
Diseases Of Metabolism
Alcohol Metabolism
FA Metabolism
Purine Containing Compound Catabolism
Lipid Metabolism
Peroxisomal Protein Import
Alpha AA Metabolism
Adaptive Thermogenesis
Polyol Metabolism
Glycolysis Gluconeogenesis
Metabolism Of Water Soluble Vitamins & Cofactors
Metabolism Of Carbohydrates & Carbohydrate Derivatives
Monocarboxylic Acid Biosynthesis
Hormone Transport
Establishment Of Protein Localization To Membrane
Pyruvate Metabolism
Metabolism Of Vitamins & Cofactors
Ketone Biosynthesis
Small Molecule Catabolism
AA Metabolism
Bile Acid Metabolism
Resp. to Organophosphorus
FA Derivative Metabolism
Metabolism Of Steroids
Glycolysis
Temperature Homeostasis
−3
−2
−1
0
signed −log10 p (positive: up)
proteins
50
100
150
200
GO_Slim
GOBP
Hallmark
KEGG_Legacy
Reactome
fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.




fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.


Acute_C2, fry sets at p < 0.05
195 sets. Page 3 of 5.
Reg. Heart Contraction
Sequestering Of Calcium Ion
Myotube Differentiation
MYC Targets V1
Positive Reg. Proteas. Protein Catabolism
Intrinsic Apoptotic Signaling In Resp. to Oxidative Stress
Protein RNA Complex Org.
Reg. Cardiac Muscle Contraction By Calcium Ion Signaling
Cytoplasmic Translational Initiation
Dengue Virus Infection
Reg. Viral Process
Selenoamino Acid Metabolism
DNA Recombination
Reg. Intrinsic Apoptotic Signaling
Maintenance Of Location
Rhythmic Process
Reg. Membrane Potential
Calcium Ion Homeostasis
Defense Resp. to Virus
E2F Targets
Ribosome Assembly
rRNA Metabolism
Muscle Cell Differentiation
Negative Reg. Molecular Function
Resp. to Heat
Taxis
Release Of Sequestered Calcium Ion Into Cytosol By Endoplasmic Reticulum
Ribonucleotide Catabolism
Clathrin Endocytosis
DNA Repair
Peroxisome
Tricarboxylic Acid Cycle
Adipogenesis
Nucleobase−Containing Small Molecule Metabolism
Citrate Cycle TCA Cycle
Amide Biosynthesis
Pyruvate Metabolism
FA Catabolism
Phospholipid Metabolism
−1
0
1
signed −log10 p (positive: up)
GO_Slim
GOBP
Hallmark
KEGG_Legacy
Reactome
proteins
50
100
150
200
250
fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.



Acute_C2, fry sets at p < 0.05
195 sets. Page 4 of 5.
mRNA Catabolism
Reg. Translation
Cytoplasmic Translation
Striated Muscle Contraction
Resp. to Leukemia Inhibitory Factor
Influenza Infection
DNA Templated Transcription Initiation
Reg. Ub−Dep. Protein Catabolism
Reg. Cytoplasmic Translation
Reg. Signal Transduction By p53 Class Mediator
Positive Reg. Proteas. Ub−Dep. Protein Catabolism
Cell Killing
Circadian Rhythm
Eukaryotic Translation Elongation
Positive Reg. Proteolysis Involved In Protein Catabolism
Reg. DNA Recombination
Nonsense Mediated Decay Nmd
Eukaryotic Translation Initiation
Cell Chemotaxis
Ribosome Associated Quality Control
Positive Reg. Translation
Influenza Viral RNA Transcription & Replication
Reg. Expression Of Slits & Robos
rRNA Processing
Positive Reg. Ub−Dep. Protein Catabolism
Myoblast Differentiation
Ribosome
Response Of Eif2ak4 Gcn2 To AA Deficiency
Cellular Resp. to Starvation
Spliceosome
Reg. Apoptotic Signaling
Reg. The Force Of Heart Contraction
Translational Initiation
Reg. Blood Circulation
Signaling By Robo Receptors
Membraneless Org. Assembly
Rhobtb2 GTPase Cycle
Reg. Release Of Sequestered Calcium Ion Into Cytosol By Sarcoplasmic Reticulum
Srp Dependent Cotranslational Protein Targeting To Membrane
0.0
0.5
1.0
1.5
2.0
signed −log10 p (positive: up)
proteins
30
60
90
GO_Slim
GOBP
KEGG_Legacy
Reactome
fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.


Acute_C2, fry sets at p < 0.05
195 sets. Page 5 of 5.
Negative Reg. Translation
Leukocyte Chemotaxis
RNA Splicing Via Transesterification Reactions
Reg. mRNA Catabolism
Reg. mRNA Metabolism
mRNA Polyadenylation
Protein DNA Complex Org.
mRNA Metabolism
mRNA 3 End Processing
RNA Splicing
Viral Genome Replication
Negative Reg. Resp. to Biotic Stimulus
Pre−mRNA Processing
Negative Reg. mRNA Metabolism
mRNA Splicing
Defense Resp. to Bacterium
Negative Reg. DNA Metabolism
G2M Checkpoint
Reg. Proteas. Ub−Dep. Protein Catabolism
Reg. Viral Life Cycle
Reg. Syncytium Formation By Plasma Membrane Fusion
Negative Reg. RNA Catabolism
Negative Reg. Syncytium Formation By Plasma Membrane Fusion
Reg. RNA Splicing
Reg. mRNA Processing
Syncytium Formation
Myoblast Fusion
Negative Reg. Neuron Apoptotic Process
Reg. mRNA Splicing Via Spliceosome
Ribosome Quality Control Rqc Complex Extracts & Degrades Nascent Peptide
Positive Reg. Proteolysis
Dengue Virus Host Interactions
Reg. Release Of Sequestered Calcium Ion Into Cytosol
Embryonic Organ Development
Negative Reg. mRNA Catabolism
0
1
2
3
signed −log10 p (positive: up)
proteins
20
40
60
80
GO_Slim
GOBP
Hallmark
Reactome
fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.



Baseline_C1vC2, fry sets at p < 0.05
408 sets. Page 1 of 11.
AA Biosynthesis
Ketone Metabolism
Reg. Lipid Biosynthesis
Glycerophospholipid Metabolism
L AA Metabolism
Interferon Gamma Response
Reg. Lipid Metabolism
Reg. Tube Size
Isoprenoid Metabolism
Steroid Biosynthesis
Vascular Process In Circulatory System
Arginine & Proline Metabolism
Resp. to Xenobiotic Stimulus
Peptide Metabolism
Cellular Resp. to Toxic Substance
Lipid Metabolism
Glycerolipid Metabolism
Phospholipid Metabolism
Endosome Org.
Alcohol Biosynthesis
Glutathione Conjugation
Glycerophospholipid Biosynthesis
Glycerolipid Biosynthesis
Aldehyde Metabolism
Steroid Metabolism
Pyrimidine Containing Compound Metabolism
Glycolysis
Detoxification Of Reactive Oxygen Species
Phospholipid Biosynthesis
Cell Redox Homeostasis
Modified AA Metabolism
Xenobiotic Metabolism
Biological Oxidations
Glutathione Metabolism
Phase Ii Conjugation Of Compounds
Alcohol Metabolism
Cellular Resp. to Xenobiotic Stimulus
−6
−4
−2
0
signed −log10 p (positive: up)
proteins
50
100
150
200
GO_Slim
GOBP
Hallmark
KEGG_Legacy
Reactome
fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.

Baseline_C1vC2, fry sets at p < 0.05

408 sets. Page 2 of 11.



fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.




fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.

Baseline_C1vC2, fry sets at p < 0.05


408 sets. Page 4 of 11.




fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.



fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.


Baseline_C1vC2, fry sets at p < 0.05
408 sets. Page 6 of 11.
Nucleoside Monophosphate Metabolism
Antigen Processing & Presentation
Organelle Fusion
Resp. to Tumor Necrosis Factor
Primary Alcohol Metabolism
Biological Process Involved In Interaction With Host
Erbb Signaling
Protein Homotetramerization
Midbrain Development
Substantia Nigra Development
Neural Nucleus Development
Gluconeogenesis
Class I Mhc Mediated Antigen Processing Presentation
Neurotrophin Signaling
Reg. Steroid Metabolism
Resp. to Metal Ion
Protein Polyubiquitination
Cellular Resp. to Biotic Stimulus
Glucose Metabolism
Epithelial Cell Proliferation
Intracell. Glucose Homeostasis
Reg. Mito. Org.
Telencephalon Development
Resp. to Steroid Hormone
Intrinsic Pathway For Apoptosis
Negative Reg. Defense Response
Positive Reg. Ub−Dep. Protein Catabolism
Reg. Protein Secretion
MAPK Signaling
Lipid Homeostasis
Negative Reg. MAPK Cascade
Resp. to Reactive Oxygen Species
Organelle Membrane Fusion
Resp. to Ionizing Radiation
Lipid Oxidation
Autophagosome Maturation
Polyol Metabolism
Lipid Localization
Reactive Nitrogen Species Metabolism
Cellular Resp. to Molecule Of Bacterial Origin
−1.5
−1.0
−0.5
0.0
signed −log10 p (positive: up)
GOBP
KEGG_Legacy
Reactome
proteins
20
40
60
80
fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.



Baseline_C1vC2, fry sets at p < 0.05
408 sets. Page 7 of 11.
Developmental Cell Growth
Adenylate Cyclase Modulating G Protein Coupled Receptor Signaling
Reg. Glucose Metabolism
Organic Anion Transport
Protein Localization To Extracellular Region
Negative Reg. Cell Cycle
Metabolism Of Carbohydrates & Carbohydrate Derivatives
Negative Reg. Cell Development
Resp. to Corticosteroid
Nuclear Membrane Org.
Positive Reg. DNA Repair
Glycerophospholipid Biosynthesis
Clathrin Endocytosis
Mitotic Spindle Org.
Lymphocyte Activation Involved In Immune Response
Reg. Postsynapse Org.
Reg. Epithelial Cell Proliferation
Resp. to Peptide Hormone
Lamellipodium Org.
Positive Reg. Canonical Nf Kappab Signal Transduction
Mitotic Cytokinesis
Reg. Carbohydrate Catabolism
Ribonucleoside Monophosphate Biosynthesis
PI3K AKT mTOR Signaling
Phospholipid Metabolism
Macroautophagy
Tumor Necrosis Factor Superfamily Cytokine Production
Vacuole Org.
Reg. Immune Effector Process
Reg. FA Metabolism
Nucleoside Monophosphate Biosynthesis
Peroxisome
Cellular Resp. to Reactive Oxygen Species
Ketone Biosynthesis
Organelle Disassembly
MT Cytoskel. Org. Involved In Mitosis
Icosanoid Metabolism
Endosomal Transport
Resp. to Insulin
Dicarboxylic Acid Metabolism
−1.5
−1.0
−0.5
0.0
signed −log10 p (positive: up)
GOBP
Hallmark
KEGG_Legacy
Reactome
proteins
30
50
70
fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.

Baseline_C1vC2, fry sets at p < 0.05

408 sets. Page 8 of 11.




fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.


Baseline_C1vC2, fry sets at p < 0.05
408 sets. Page 9 of 11.
Reg. Syncytium Formation By Plasma Membrane Fusion
Cardiac Muscle Contraction
Negative Reg. Protein Containing Complex Disassembly
Heart Morphogenesis
Negative Reg. Protein Polymerization
Translation
rRNA Processing
Muscle Hypertrophy
Muscle Tissue Development
Actin Filament Depolymerization
Ribosome Quality Control Rqc Complex Extracts & Degrades Nascent Peptide
Cardiac Muscle Tissue Development
Mito. ETC NADH To UQ
Protein DNA Complex Org.
Skeletal Muscle Contraction
Multicellular Organismal Movement
Reg. Protein Containing Complex Disassembly
Complex I Biogenesis
Muscle Adaptation
Cardiac Cell Development
Negative Reg. Cytoskel. Org.
Transmembrane Transport
Muscle Organ Development
Protein Depolymerization
rRNA Metabolism
Reg. The Force Of Heart Contraction
Sars Cov 1 Host Interactions
Reg. Translational Initiation
Metabolism Of AAs & Derivatives
Ossification
Reg. Striated Muscle Contraction
ATP Synth.−Coupled ETC
Translational Initiation
Reg. Muscle System Process
Reg. Muscle Contraction
Heart Process
Skeletal Muscle Organ Development
Negative Reg. Translation
Ribosome Assembly
Sensory Processing Of Sound
0
1
2
3
signed −log10 p (positive: up)
proteins
50
100
150
200
GO_Slim
GOBP
Reactome
fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.

Baseline_C1vC2, fry sets at p < 0.05

408 sets. Page 10 of 11.




fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.

Baseline_C1vC2, fry sets at p < 0.05

408 sets. Page 11 of 11.



fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.



Trained_C1vC2, fry sets at p < 0.05
91 sets. Page 1 of 3.
Negative Reg. Protein Catabolism
Membrane Fusion
Gap Junction
Drug Metabolism Cytochrome P450
Endocytic Recycling
Signaling By Moderate Kinase Activity Braf Mutants
Receptor Mediated Endocytosis
Nucleobase Metabolism
Alcohol Metabolism
Reg. Body Fluid Levels
Glutathione Conjugation
Pyrimidine Metabolism
Epithelial Cell Development
Hemostasis
Olefinic Compound Metabolism
Steroid Biosynthesis
Positive Reg. Phosphatidylinositol 3 Kinase Protein Kinase B Signal Transduction
Recycling Pathway Of L1
Focal Adhesion Assembly
Glutathione Metabolism
Isoprenoid Metabolism
Coagulation
Pyrimidine Containing Compound Metabolism
Cellular Resp. to Xenobiotic Stimulus
Reg. Cell Substrate Junction Org.
Negative Reg. Protein Localization
Detoxification
Endothelium Development
Organelle Membrane Fusion
Steroid Metabolism
Reg. Resp. to Wounding
Xenobiotic Metabolism
Reg. Tube Size
Metabolism Of Steroids
Metabolism Of Xenobiotics By Cytochrome P450
Resp. to Toxic Substance
Cellular Resp. to Toxic Substance
Vascular Process In Circulatory System
Aldehyde Metabolism
−2
−1
0
signed −log10 p (positive: up)
GO_Slim
GOBP
Hallmark
KEGG_Legacy
Reactome
proteins
20
30
40
50
60
fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.


Trained_C1vC2, fry sets at p < 0.05


91 sets. Page 2 of 3.




fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.



Trained_C1vC2, fry sets at p < 0.05
91 sets. Page 3 of 3.
Reg. Membrane Permeability
Reg. Mito. Membrane Permeability
Glucan Metabolism
Polysaccharide Catabolism
Energy Reserve Metabolism
Polysaccharide Metabolism
Calcium Signaling
Transmembrane Transport
Signaling By Tgfb Family Members
Mito. Membrane Org.
Insulin Signaling
0
1
2
3
signed −log10 p (positive: up)
proteins
50
100
150
200
GO_Slim
GOBP
KEGG_Legacy
Reactome
fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.



Acute_C1vC2, fry sets at p < 0.05
179 sets. Page 1 of 5.
Resp. to Hydrogen Peroxide
Positive Reg. Protein Catabolism
Positive Reg. Proteolysis Involved In Protein Catabolism
Negative Reg. Protein Catabolism
Cell Killing
Negative Reg. Apoptotic Signaling
Leukocyte Mediated Cytotoxicity
Positive Reg. Leukocyte Mediated Immunity
Hepaticobiliary System Development
Resp. System Development
Midbrain Development
Vascular Process In Circulatory System
Developmental Maturation
Cellular Resp. to Oxidative Stress
Biological Oxidations
Resp. to Reactive Oxygen Species
Resp. to Oxidative Stress
Negative Reg. Neuron Apoptotic Process
Modified AA Biosynthesis
Detoxification Of Reactive Oxygen Species
Peptide Metabolism
Reg. Tube Size
Reg. Proteas. Ub−Dep. Protein Catabolism
Positive Reg. Proteas. Protein Catabolism
Toll Like Receptor Tlr1 Tlr2 Cascade
Toll Like Receptor Cascades
Modified AA Metabolism
Phase Ii Conjugation Of Compounds
Aldehyde Metabolism
Cellular Oxidant Detoxification
Xenobiotic Metabolism
Cellular Resp. to Xenobiotic Stimulus
Glutathione Conjugation
Glutathione Metabolism
Resp. to Toxic Substance
Detoxification
Cellular Resp. to Toxic Substance
−4
−2
0
signed −log10 p (positive: up)
proteins
30
60
90
GO_Slim
GOBP
KEGG_Legacy
Reactome
fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.




fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.



Acute_C1vC2, fry sets at p < 0.05
179 sets. Page 3 of 5.
Autophagy
Reg. DNA Repair
Hemostasis
Glutamine Family AA Metabolism
Signaling By Interleukins
Reactive Nitrogen Species Metabolism
Cellular Resp. to Molecule Of Bacterial Origin
Reg. Hemopoiesis
Pyrimidine Metabolism
Leukocyte Chemotaxis
Negative Reg. Cell Adhesion
Nucleoside Monophosphate Metabolism
Metabolism Of Xenobiotics By Cytochrome P450
Telencephalon Development
Adenylate Cyclase Modulating G Protein Coupled Receptor Signaling
T Cell Mediated Immunity
Positive Reg. Immune Effector Process
Positive Reg. Cell Development
Reg. Autophagy
Lamellipodium Org.
Positive Reg. Protein Mod. Process
Positive Reg. Proteolysis
Class I Mhc Mediated Antigen Processing Presentation
Lamellipodium Assembly
Negative Reg. Resp. to External Stimulus
Reg. Neuron Apoptotic Process
Negative Reg. Defense Response
Antigen Processing & Presentation
Negative Reg. Locomotion
Sterol Biosynthesis
Positive Reg. Post Translational Protein Mod.
Resp. to Metal Ion
Rhythmic Process
Regulated Exocytosis
Protein Ubiquitination
Cellular Resp. to Carbohydrate Stimulus
Negative Reg. Intrinsic Apoptotic Signaling
Phagocytosis
Positive Reg. Leukocyte Cell Adhesion
RhoA GTPase Cycle
−1.5
−1.0
−0.5
0.0
signed −log10 p (positive: up)
proteins
30
60
90
GO_Slim
GOBP
KEGG_Legacy
Reactome
fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.


Acute_C1vC2, fry sets at p < 0.05
179 sets. Page 4 of 5.
Small Subunit Biogenesis
Leishmania Infection
Drug Metabolism Cytochrome P450
Reg. Proteolysis Involved In Protein Catabolism
Reg. Potassium Ion Transport
Positive Reg. Protein Ubiquitination
Endothelium Development
Transcriptional Regulation By Tp53
Myd88 Independent Tlr4 Cascade
Protein Catabolism
Reg. Tp53 Activity
Negative Reg. Cell Activation
Meiotic Cell Cycle
Intrinsic Apoptotic Signaling In Resp. to Oxidative Stress
Positive Reg. Cell Activation
Defense Resp. to Bacterium
Xenobiotic Metabolism
Reg. Cell Cycle G1 S Phase Transition
Renal System Development
PI3K AKT mTOR Signaling
UV Response Up
Vacuole Org.
Steroid Metabolism
Metabolism Of Nucleotides
Negative Reg. Protein Localization
Cellular Resp. to Chemical Stress
Negative Reg. Proteas. Protein Catabolism
Programmed Cell Death
Cytokinesis
Reg. Lymphocyte Differentiation
Reg. Body Fluid Levels
Drug Adme
Immune System Process
Pallium Development
Complement
Positive Reg. Reactive Oxygen Species Metabolism
Circadian Rhythm
Sterol Metabolism
Nucleobase Metabolism
−1.5
−1.0
−0.5
0.0
0.5
1.0
signed −log10 p (positive: up)
proteins
50
100
150
200
GO_Slim
GOBP
Hallmark
KEGG_Legacy
Reactome
fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.



Acute_C1vC2, fry sets at p < 0.05
179 sets. Page 5 of 5.
Calcium Signaling
Cardiac Muscle Contraction
Protein Localization To Mito.
Establishment Of Protein Localization To Membrane
Establishment Of Protein Localization To Mito. Membrane
Mito. Membrane Org.
Protein Insertion Into Membrane
Inner Mito. Membrane Org.
FA Derivative Metabolism
Acetyl Coa Metabolism
Sarcomere Org.
Positive Reg. Calcium Ion Transport
Transmembrane Transport
Muscle Contraction
Sensory Perception Of Mechanical Stimulus
Muscle Cell Development
Striated Muscle Contraction
Complex Iii Assembly
Complex I Biogenesis
0.0
0.5
1.0
1.5
2.0
signed −log10 p (positive: up)
proteins
50
100
150
200
GO_Slim
GOBP
KEGG_Legacy
Reactome
fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.



fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.




fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.




fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.

Training_Interaction, fry sets at p < 0.05

154 sets. Page 4 of 4.



fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.



fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.