
Training, HR (T1 to T2)


43 of 1555 proteins at p < 0.05, 0 at BH < 0.05. Page 1 of 4.



Wilcoxon signed−rank test on up to 6 pairs; smallest attainable p 0.031. Header: median paired change, p, BH q within task, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

Training, HR (T1 to T2)


43 of 1555 proteins at p < 0.05, 0 at BH < 0.05. Page 2 of 4.



Wilcoxon signed−rank test on up to 6 pairs; smallest attainable p 0.031. Header: median paired change, p, BH q within task, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

Training, HR (T1 to T2)


43 of 1555 proteins at p < 0.05, 0 at BH < 0.05. Page 3 of 4.



Wilcoxon signed−rank test on up to 6 pairs; smallest attainable p 0.031. Header: median paired change, p, BH q within task, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

Training, HR (T1 to T2)


43 of 1555 proteins at p < 0.05, 0 at BH < 0.05. Page 4 of 4.



Wilcoxon signed−rank test on up to 6 pairs; smallest attainable p 0.031. Header: median paired change, p, BH q within task, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

Training, LR (T1 to T2)


78 of 1771 proteins at p < 0.05, 0 at BH < 0.05. Page 1 of 7.



Wilcoxon signed−rank test on up to 8 pairs; smallest attainable p 0.0078. Header: median paired change, p, BH q within task, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

Training, LR (T1 to T2)


78 of 1771 proteins at p < 0.05, 0 at BH < 0.05. Page 2 of 7.



Wilcoxon signed−rank test on up to 8 pairs; smallest attainable p 0.0078. Header: median paired change, p, BH q within task, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

Training, LR (T1 to T2)


78 of 1771 proteins at p < 0.05, 0 at BH < 0.05. Page 3 of 7.



Wilcoxon signed−rank test on up to 8 pairs; smallest attainable p 0.0078. Header: median paired change, p, BH q within task, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

Training, LR (T1 to T2)


78 of 1771 proteins at p < 0.05, 0 at BH < 0.05. Page 4 of 7.



Wilcoxon signed−rank test on up to 8 pairs; smallest attainable p 0.0078. Header: median paired change, p, BH q within task, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

Training, LR (T1 to T2)


78 of 1771 proteins at p < 0.05, 0 at BH < 0.05. Page 5 of 7.



Wilcoxon signed−rank test on up to 8 pairs; smallest attainable p 0.0078. Header: median paired change, p, BH q within task, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

Training, LR (T1 to T2)


78 of 1771 proteins at p < 0.05, 0 at BH < 0.05. Page 6 of 7.



Wilcoxon signed−rank test on up to 8 pairs; smallest attainable p 0.0078. Header: median paired change, p, BH q within task, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

Training, LR (T1 to T2)


78 of 1771 proteins at p < 0.05, 0 at BH < 0.05. Page 7 of 7.



Wilcoxon signed−rank test on up to 8 pairs; smallest attainable p 0.0078. Header: median paired change, p, BH q within task, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

Acute bout, HR (T2 to T3)


116 of 1703 proteins at p < 0.05, 0 at BH < 0.05. Page 1 of 10.



Wilcoxon signed−rank test on up to 7 pairs; smallest attainable p 0.016. Header: median paired change, p, BH q within task, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

Acute bout, HR (T2 to T3)


116 of 1703 proteins at p < 0.05, 0 at BH < 0.05. Page 2 of 10.



Wilcoxon signed−rank test on up to 7 pairs; smallest attainable p 0.016. Header: median paired change, p, BH q within task, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

Acute bout, HR (T2 to T3)


116 of 1703 proteins at p < 0.05, 0 at BH < 0.05. Page 3 of 10.



Wilcoxon signed−rank test on up to 7 pairs; smallest attainable p 0.016. Header: median paired change, p, BH q within task, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

Acute bout, HR (T2 to T3)


116 of 1703 proteins at p < 0.05, 0 at BH < 0.05. Page 4 of 10.



Wilcoxon signed−rank test on up to 7 pairs; smallest attainable p 0.016. Header: median paired change, p, BH q within task, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

Acute bout, HR (T2 to T3)


116 of 1703 proteins at p < 0.05, 0 at BH < 0.05. Page 5 of 10.



Wilcoxon signed−rank test on up to 7 pairs; smallest attainable p 0.016. Header: median paired change, p, BH q within task, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

Acute bout, HR (T2 to T3)


116 of 1703 proteins at p < 0.05, 0 at BH < 0.05. Page 6 of 10.



Wilcoxon signed−rank test on up to 7 pairs; smallest attainable p 0.016. Header: median paired change, p, BH q within task, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

Acute bout, HR (T2 to T3)


116 of 1703 proteins at p < 0.05, 0 at BH < 0.05. Page 7 of 10.



Wilcoxon signed−rank test on up to 7 pairs; smallest attainable p 0.016. Header: median paired change, p, BH q within task, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

Acute bout, HR (T2 to T3)


116 of 1703 proteins at p < 0.05, 0 at BH < 0.05. Page 8 of 10.



Wilcoxon signed−rank test on up to 7 pairs; smallest attainable p 0.016. Header: median paired change, p, BH q within task, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

Acute bout, HR (T2 to T3)


116 of 1703 proteins at p < 0.05, 0 at BH < 0.05. Page 9 of 10.



Wilcoxon signed−rank test on up to 7 pairs; smallest attainable p 0.016. Header: median paired change, p, BH q within task, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

Acute bout, HR (T2 to T3)


116 of 1703 proteins at p < 0.05, 0 at BH < 0.05. Page 10 of 10.



Wilcoxon signed−rank test on up to 7 pairs; smallest attainable p 0.016. Header: median paired change, p, BH q within task, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

Acute bout, LR (T2 to T3)


107 of 1742 proteins at p < 0.05, 0 at BH < 0.05. Page 1 of 9.



Wilcoxon signed−rank test on up to 8 pairs; smallest attainable p 0.0078. Header: median paired change, p, BH q within task, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

Acute bout, LR (T2 to T3)


107 of 1742 proteins at p < 0.05, 0 at BH < 0.05. Page 2 of 9.



Wilcoxon signed−rank test on up to 8 pairs; smallest attainable p 0.0078. Header: median paired change, p, BH q within task, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

Acute bout, LR (T2 to T3)


107 of 1742 proteins at p < 0.05, 0 at BH < 0.05. Page 3 of 9.



Wilcoxon signed−rank test on up to 8 pairs; smallest attainable p 0.0078. Header: median paired change, p, BH q within task, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

Acute bout, LR (T2 to T3)


107 of 1742 proteins at p < 0.05, 0 at BH < 0.05. Page 4 of 9.



Wilcoxon signed−rank test on up to 8 pairs; smallest attainable p 0.0078. Header: median paired change, p, BH q within task, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

Acute bout, LR (T2 to T3)


107 of 1742 proteins at p < 0.05, 0 at BH < 0.05. Page 5 of 9.



Wilcoxon signed−rank test on up to 8 pairs; smallest attainable p 0.0078. Header: median paired change, p, BH q within task, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

Acute bout, LR (T2 to T3)


107 of 1742 proteins at p < 0.05, 0 at BH < 0.05. Page 6 of 9.



Wilcoxon signed−rank test on up to 8 pairs; smallest attainable p 0.0078. Header: median paired change, p, BH q within task, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

Acute bout, LR (T2 to T3)


107 of 1742 proteins at p < 0.05, 0 at BH < 0.05. Page 7 of 9.



Wilcoxon signed−rank test on up to 8 pairs; smallest attainable p 0.0078. Header: median paired change, p, BH q within task, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

Acute bout, LR (T2 to T3)


107 of 1742 proteins at p < 0.05, 0 at BH < 0.05. Page 8 of 9.



Wilcoxon signed−rank test on up to 8 pairs; smallest attainable p 0.0078. Header: median paired change, p, BH q within task, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

Acute bout, LR (T2 to T3)


107 of 1742 proteins at p < 0.05, 0 at BH < 0.05. Page 9 of 9.



Wilcoxon signed−rank test on up to 8 pairs; smallest attainable p 0.0078. Header: median paired change, p, BH q within task, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

HR vs LR at T1


37 of 1733 proteins at p < 0.05, 0 at BH < 0.05. Page 1 of 4.



HR (up to 7) against LR (up to 8); AUC above 0.5 means higher in HR. Wilcoxon rank−sum test; smallest attainable p 0.00031. Header: AUC, p, BH q within task, and the feature's n. Table: c_data/03_classify.xlsx, auc.

HR vs LR at T1


37 of 1733 proteins at p < 0.05, 0 at BH < 0.05. Page 2 of 4.



HR (up to 7) against LR (up to 8); AUC above 0.5 means higher in HR. Wilcoxon rank−sum test; smallest attainable p 0.00031. Header: AUC, p, BH q within task, and the feature's n. Table: c_data/03_classify.xlsx, auc.

HR vs LR at T1


37 of 1733 proteins at p < 0.05, 0 at BH < 0.05. Page 3 of 4.



HR (up to 7) against LR (up to 8); AUC above 0.5 means higher in HR. Wilcoxon rank−sum test; smallest attainable p 0.00031. Header: AUC, p, BH q within task, and the feature's n. Table: c_data/03_classify.xlsx, auc.

HR vs LR at T1


37 of 1733 proteins at p < 0.05, 0 at BH < 0.05. Page 4 of 4.



HR (up to 7) against LR (up to 8); AUC above 0.5 means higher in HR. Wilcoxon rank−sum test; smallest attainable p 0.00031. Header: AUC, p, BH q within task, and the feature's n. Table: c_data/03_classify.xlsx, auc.

HR vs LR at T2


61 of 1835 proteins at p < 0.05, 0 at BH < 0.05. Page 1 of 6.



HR (up to 7) against LR (up to 8); AUC above 0.5 means higher in HR. Wilcoxon rank−sum test; smallest attainable p 0.00031. Header: AUC, p, BH q within task, and the feature's n. Table: c_data/03_classify.xlsx, auc.

HR vs LR at T2


61 of 1835 proteins at p < 0.05, 0 at BH < 0.05. Page 2 of 6.



HR (up to 7) against LR (up to 8); AUC above 0.5 means higher in HR. Wilcoxon rank−sum test; smallest attainable p 0.00031. Header: AUC, p, BH q within task, and the feature's n. Table: c_data/03_classify.xlsx, auc.

HR vs LR at T2


61 of 1835 proteins at p < 0.05, 0 at BH < 0.05. Page 3 of 6.



HR (up to 7) against LR (up to 8); AUC above 0.5 means higher in HR. Wilcoxon rank−sum test; smallest attainable p 0.00031. Header: AUC, p, BH q within task, and the feature's n. Table: c_data/03_classify.xlsx, auc.

HR vs LR at T2


61 of 1835 proteins at p < 0.05, 0 at BH < 0.05. Page 4 of 6.



HR (up to 7) against LR (up to 8); AUC above 0.5 means higher in HR. Wilcoxon rank−sum test; smallest attainable p 0.00031. Header: AUC, p, BH q within task, and the feature's n. Table: c_data/03_classify.xlsx, auc.

HR vs LR at T2


61 of 1835 proteins at p < 0.05, 0 at BH < 0.05. Page 5 of 6.



HR (up to 7) against LR (up to 8); AUC above 0.5 means higher in HR. Wilcoxon rank−sum test; smallest attainable p 0.00031. Header: AUC, p, BH q within task, and the feature's n. Table: c_data/03_classify.xlsx, auc.

HR vs LR at T2


61 of 1835 proteins at p < 0.05, 0 at BH < 0.05. Page 6 of 6.



HR (up to 7) against LR (up to 8); AUC above 0.5 means higher in HR. Wilcoxon rank−sum test; smallest attainable p 0.00031. Header: AUC, p, BH q within task, and the feature's n. Table: c_data/03_classify.xlsx, auc.

HR vs LR, training change


39 of 1539 proteins at p < 0.05, 0 at BH < 0.05. Page 1 of 4.



HR (up to 6) against LR (up to 8); AUC above 0.5 means higher in HR. Wilcoxon rank−sum test; smallest attainable p 0.00067. Header: AUC, p, BH q within task, and the feature's n. Table: c_data/03_classify.xlsx, auc.

HR vs LR, training change


39 of 1539 proteins at p < 0.05, 0 at BH < 0.05. Page 2 of 4.



HR (up to 6) against LR (up to 8); AUC above 0.5 means higher in HR. Wilcoxon rank−sum test; smallest attainable p 0.00067. Header: AUC, p, BH q within task, and the feature's n. Table: c_data/03_classify.xlsx, auc.

HR vs LR, training change


39 of 1539 proteins at p < 0.05, 0 at BH < 0.05. Page 3 of 4.



HR (up to 6) against LR (up to 8); AUC above 0.5 means higher in HR. Wilcoxon rank−sum test; smallest attainable p 0.00067. Header: AUC, p, BH q within task, and the feature's n. Table: c_data/03_classify.xlsx, auc.

HR vs LR, training change


39 of 1539 proteins at p < 0.05, 0 at BH < 0.05. Page 4 of 4.



HR (up to 6) against LR (up to 8); AUC above 0.5 means higher in HR. Wilcoxon rank−sum test; smallest attainable p 0.00067. Header: AUC, p, BH q within task, and the feature's n. Table: c_data/03_classify.xlsx, auc.

HR vs LR, acute change


88 of 1645 proteins at p < 0.05, 0 at BH < 0.05. Page 1 of 8.



HR (up to 7) against LR (up to 8); AUC above 0.5 means higher in HR. Wilcoxon rank−sum test; smallest attainable p 0.00031. Header: AUC, p, BH q within task, and the feature's n. Table: c_data/03_classify.xlsx, auc.

HR vs LR, acute change


88 of 1645 proteins at p < 0.05, 0 at BH < 0.05. Page 2 of 8.



HR (up to 7) against LR (up to 8); AUC above 0.5 means higher in HR. Wilcoxon rank−sum test; smallest attainable p 0.00031. Header: AUC, p, BH q within task, and the feature's n. Table: c_data/03_classify.xlsx, auc.

HR vs LR, acute change


88 of 1645 proteins at p < 0.05, 0 at BH < 0.05. Page 3 of 8.



HR (up to 7) against LR (up to 8); AUC above 0.5 means higher in HR. Wilcoxon rank−sum test; smallest attainable p 0.00031. Header: AUC, p, BH q within task, and the feature's n. Table: c_data/03_classify.xlsx, auc.

HR vs LR, acute change


88 of 1645 proteins at p < 0.05, 0 at BH < 0.05. Page 4 of 8.



HR (up to 7) against LR (up to 8); AUC above 0.5 means higher in HR. Wilcoxon rank−sum test; smallest attainable p 0.00031. Header: AUC, p, BH q within task, and the feature's n. Table: c_data/03_classify.xlsx, auc.

HR vs LR, acute change


88 of 1645 proteins at p < 0.05, 0 at BH < 0.05. Page 5 of 8.



HR (up to 7) against LR (up to 8); AUC above 0.5 means higher in HR. Wilcoxon rank−sum test; smallest attainable p 0.00031. Header: AUC, p, BH q within task, and the feature's n. Table: c_data/03_classify.xlsx, auc.

HR vs LR, acute change


88 of 1645 proteins at p < 0.05, 0 at BH < 0.05. Page 6 of 8.



HR (up to 7) against LR (up to 8); AUC above 0.5 means higher in HR. Wilcoxon rank−sum test; smallest attainable p 0.00031. Header: AUC, p, BH q within task, and the feature's n. Table: c_data/03_classify.xlsx, auc.

HR vs LR, acute change


88 of 1645 proteins at p < 0.05, 0 at BH < 0.05. Page 7 of 8.



HR (up to 7) against LR (up to 8); AUC above 0.5 means higher in HR. Wilcoxon rank−sum test; smallest attainable p 0.00031. Header: AUC, p, BH q within task, and the feature's n. Table: c_data/03_classify.xlsx, auc.

HR vs LR, acute change

88 of 1645 proteins at p < 0.05, 0 at BH < 0.05. Page 8 of 8.



HR (up to 7) against LR (up to 8); AUC above 0.5 means higher in HR. Wilcoxon rank−sum test; smallest attainable p 0.00031. Header: AUC, p, BH q within task, and the feature's n. Table: c_data/03_classify.xlsx, auc.