

Module enrichment

clusterProfiler ORA, universe 1900 measured genes; top 3 sets per module at BH < 0.05




enrichplot::dotplot of the compareCluster result. Columns: modules, members carrying a set in brackets. Size is gene ratio, colour BH within module; modules with no set at BH < 0.05


STRING edges within each module
STRINGdb PPI enrichment, v12, score >= 700, background the mapped measured proteins
turquoise
blue
brown
yellow
green
red
black
pink
magenta
purple
greenyellow
tan
salmon
cyan
midnightblue
1.1x
1.2x
2.0x
2.1x
2.1x
2.4x
3.2x
10.5x
1.5x
3.6x
2.9x
2.6x
3.0x
2.0x
5.0x
10
100
1000
within−module edges (log scale)
Point: observed high−confidence edges among a module's members. Tick: edges STRINGdb expects from the members' degrees in the background. Label: observed over expected. Table: c_data/module_characterisation.xlsx, string.

STRING edges among each module's top members

top 25 members by kME per module, STRING v12 edges at score >= 700; page 1 of 4


turquoise: 12 edges among 25 members, 12 without an edge




blue: 1 edges among 25 members, 23 without an edge




brown: 29 edges among 25 members, 10 without an edge



yellow: 2 edges among 25 members, 21 without an edge






Nodes: a module's highest−kME members with at least one edge among them, fill = kME, size = degree among the drawn members; the title counts those without an edge. Edges: STRING combined score, width = score. Layout is force−directed and seeded; its geometry carries no meaning. Table: c_data/module_characterisation.xlsx, network_edges.

STRING edges among each module's top members

top 25 members by kME per module, STRING v12 edges at score >= 700; page 2 of 4




Nodes: a module's highest−kME members with at least one edge among them, fill = kME, size = degree among the drawn members; the title counts those without an edge. Edges: STRING combined score, width = score. Layout is force−directed and seeded; its geometry carries no meaning. Table: c_data/module_characterisation.xlsx, network_edges.


STRING edges among each module's top members


top 25 members by kME per module, STRING v12 edges at score >= 700; page 3 of 4


magenta: 4 edges among 25 members, 18 without an edge




purple: 48 edges among 25 members, 7 without an edge








greenyellow: 8 edges among 25 members, 15 without an edge



tan: 10 edges among 25 members, 13 without an edge




Nodes: a module's highest−kME members with at least one edge among them, fill = kME, size = degree among the drawn members; the title counts those without an edge. Edges: STRING combined score, width = score. Layout is force−directed and seeded; its geometry carries no meaning. Table: c_data/module_characterisation.xlsx, network_edges.


STRING edges among each module's top members

top 25 members by kME per module, STRING v12 edges at score >= 700; page 4 of 4


salmon: 8 edges among 25 members, 12 without an edge




cyan: 7 edges among 25 members, 16 without an edge



midnightblue: 140 edges among 25 members, 4 without an edge





Nodes: a module's highest−kME members with at least one edge among them, fill = kME, size = degree among the drawn members; the title counts those without an edge. Edges: STRING combined score, width = score. Layout is force−directed and seeded; its geometry carries no meaning. Table: c_data/module_characterisation.xlsx, network_edges.