

Biopsy overview: Hallmark




All 33 sets by 42 biopsies, grouped by arm and time point; column labels are subjects. Fill: singscore minus the set's mean over biopsies. Colours stop at the 99th percentile of |value|, 0.043. Rows are ordered within collection by average−linkage clustering (1 − Pearson r) of singscore, for display only. Grey in the trait tracks: not measured (T3 has no traits).

Contrast overview: Hallmark




All 33 sets by the nine contrasts. Fill: fgsea normalised enrichment score; status: p and BH q within contrast, collections pooled. Colours stop at the 99th percentile of |value|, 2.2. Rows are ordered within collection by average−linkage clustering (1 − Pearson r) of singscore, for display only. Table: c_data/set_tests.rds, set_tests.




All 328 sets by 42 biopsies, grouped by arm and time point; column labels are subjects. Fill: singscore minus the set's mean over biopsies. Colours stop at the 99th percentile of |value|, 0.051. Rows are ordered within collection by average−linkage clustering (1 − Pearson r) of singscore, for display only. Grey in the trait tracks: not measured (T3 has no traits).

Contrast overview: Reactome




All 328 sets by the nine contrasts. Fill: fgsea normalised enrichment score; status: p and BH q within contrast, collections pooled. Colours stop at the 99th percentile of |value|, 2.2. Rows are ordered within collection by average−linkage clustering (1 − Pearson r) of singscore, for display only. Table: c_data/set_tests.rds, set_tests.

Biopsy overview: KEGG_Legacy




All 62 sets by 42 biopsies, grouped by arm and time point; column labels are subjects. Fill: singscore minus the set's mean over biopsies. Colours stop at the 99th percentile of |value|, 0.053. Rows are ordered within collection by average−linkage clustering (1 − Pearson r) of singscore, for display only. Grey in the trait tracks: not measured (T3 has no traits).

Contrast overview: KEGG_Legacy




All 62 sets by the nine contrasts. Fill: fgsea normalised enrichment score; status: p and BH q within contrast, collections pooled. Colours stop at the 99th percentile of |value|, 2.2. Rows are ordered within collection by average−linkage clustering (1 − Pearson r) of singscore, for display only. Table: c_data/set_tests.rds, set_tests.




All 897 sets by 42 biopsies, grouped by arm and time point; column labels are subjects. Fill: singscore minus the set's mean over biopsies. Colours stop at the 99th percentile of |value|, 0.045. Rows are ordered within collection by average−linkage clustering (1 − Pearson r) of singscore, for display only. Grey in the trait tracks: not measured (T3 has no traits).

Contrast overview: GOBP




All 897 sets by the nine contrasts. Fill: fgsea normalised enrichment score; status: p and BH q within contrast, collections pooled. Colours stop at the 99th percentile of |value|, 2.2. Rows are ordered within collection by average−linkage clustering (1 − Pearson r) of singscore, for display only. Table: c_data/set_tests.rds, set_tests.



All 58 sets by 42 biopsies, grouped by arm and time point; column labels are subjects. Fill: singscore minus the set's mean over biopsies. Colours stop at the 99th percentile of |value|, 0.039. Rows are ordered within collection by average−linkage clustering (1 − Pearson r) of singscore, for display only. Grey in the trait tracks: not measured (T3 has no traits).


Contrast overview: GO_Slim



All 58 sets by the nine contrasts. Fill: fgsea normalised enrichment score; status: p and BH q within contrast, collections pooled. Colours stop at the 99th percentile of |value|, 2.2. Rows are ordered within collection by average−linkage clustering (1 − Pearson r) of singscore, for display only. Table: c_data/set_tests.rds, set_tests.

Training_Hi, fgsea collapse survivors at FDR < 0.05


23 sets. Page 1 of 1.




fgsea on the moderated t ranking; BH within contrast over all collections; collapsePathways keeps sets that stay significant given a stronger set. Table: c_data/set_contrasts.xlsx, significant.


Training_Lo, fgsea collapse survivors at FDR < 0.05

52 sets. Page 1 of 2.




fgsea on the moderated t ranking; BH within contrast over all collections; collapsePathways keeps sets that stay significant given a stronger set. Table: c_data/set_contrasts.xlsx, significant.


Training_Lo, fgsea collapse survivors at FDR < 0.05
52 sets. Page 2 of 2.
Resp. ETC
OXPHOS
Huntingtons Disease
Mito. Protein Degradation
Parkinsons Disease
Mito. Gene Expression
Mito. Translation Elongation
Eph Ephrin Signaling
Reg. Cdh1 Posttranslational Processing & Trafficking To Plasma Membrane
Protein Localization To Mito.
Gen. of Precursor Metabolites
Complex Iii Assembly
0.0
0.5
1.0
1.5
2.0
normalised enrichment score
proteins
50
100
150
200
GOBP
Hallmark
KEGG_Legacy
Reactome
fgsea on the moderated t ranking; BH within contrast over all collections; collapsePathways keeps sets that stay significant given a stronger set. Table: c_data/set_contrasts.xlsx, significant.



Acute_Hi, fgsea collapse survivors at FDR < 0.05
57 sets. Page 1 of 2.
Sars Cov Infections
Erad Pathway
Vesicle Budding From Membrane
Resp. to Calcium Ion
Cellular Resp. to Biotic Stimulus
Rho GTPase Effectors
N−Linked Glycosylation
Viral Process
Cell Differentiation
Protein RNA Complex Org.
Reg. DNA−Templated Transcription
Vesicle−Mediated Transport
Programmed Cell Death
Antigen Processing Ubiquitination Proteasome Degradation
Mito. Org.
Resp. to Organophosphorus
Glycolysis Gluconeogenesis
Pyruvate Metabolism
Glycolysis
Ketone Biosynthesis
Mito. Gene Expression
Sensory Perception Of Mechanical Stimulus
Cytochrome Complex Assembly
Modified AA Metabolism
Mito. Biogenesis
Nucleobase−Containing Small Molecule Metabolism
Peroxisomal Protein Import
Mito. FA Beta Oxidation
Protein Localization
Gen. of Precursor Metabolites
Sulfur Compound Metabolism
OXPHOS
Positive Reg. Interleukin 2 Production
Heme Metabolism
Dicarboxylic Acid Metabolism
FA Metabolism
Organic Acid Catabolism
TCA Cycle
Aerobic Resp. + ETC
Tricarboxylic Acid Cycle
−2
−1
0
1
2
normalised enrichment score
GO_Slim
GOBP
Hallmark
KEGG_Legacy
Reactome
proteins
100
200
300
400
fgsea on the moderated t ranking; BH within contrast over all collections; collapsePathways keeps sets that stay significant given a stronger set. Table: c_data/set_contrasts.xlsx, significant.

Acute_Hi, fgsea collapse survivors at FDR < 0.05

57 sets. Page 2 of 2.



fgsea on the moderated t ranking; BH within contrast over all collections; collapsePathways keeps sets that stay significant given a stronger set. Table: c_data/set_contrasts.xlsx, significant.



Acute_Lo, fgsea collapse survivors at FDR < 0.05
43 sets. Page 1 of 2.
Negative Reg. Syncytium Formation By Plasma Membrane Fusion
RNA Splicing Via Transesterification Reactions
Ribosome Associated Quality Control
Dengue Virus Host Interactions
Ribosome Quality Control Rqc Complex Extracts & Degrades Nascent Peptide
Protein DNA Complex Org.
Striated Muscle Contraction
Muscle Contraction
Ribosome Biogenesis
Muscle Cell Differentiation
Striated Muscle Diff.
MYC Targets V1
Negative Reg. DNA Metabolism
Membraneless Org. Assembly
Translation
Telomere Maintenance Via Telomere Lengthening
Defense Resp. to Bacterium
Heterochromatin Org.
Reg. MT Process
G2M Checkpoint
Rhobtb2 GTPase Cycle
Cardiac Muscle Tissue Development
Translational Initiation
Signaling By Notch
Negative Reg. Translation
Positive Reg. Protein Containing Complex Assembly
Lipid Metabolism
Organic Acid Catabolism
Gen. of Precursor Metabolites
Diseases Of Metabolism
EMT
Branched Chain AA Metabolism
Temperature Homeostasis
Purine Metabolism
FA Metabolism
Peroxisome
Metabolism Of Carbohydrates & Carbohydrate Derivatives
Immune Response Regulating Cell Surface Receptor Signaling
Negative Reg. Secretion
−2
−1
0
1
2
normalised enrichment score
GO_Slim
GOBP
Hallmark
KEGG_Legacy
Reactome
proteins
50
100
150
200
fgsea on the moderated t ranking; BH within contrast over all collections; collapsePathways keeps sets that stay significant given a stronger set. Table: c_data/set_contrasts.xlsx, significant.

Acute_Lo, fgsea collapse survivors at FDR < 0.05

43 sets. Page 2 of 2.




fgsea on the moderated t ranking; BH within contrast over all collections; collapsePathways keeps sets that stay significant given a stronger set. Table: c_data/set_contrasts.xlsx, significant.



Baseline_HivLo, fgsea collapse survivors at FDR < 0.05
58 sets. Page 1 of 2.
Striated Muscle Diff.
Eph Ephrin Signaling
Reg. Cytoplasmic Translation
Osteoblast Differentiation
Muscle System Process
MTORC1 Signaling
Carbohydrate Homeostasis
Dendrite Development
Biological Oxidations
Androgen Response
Protein Folding
Neurotransmitter Transport
Potential Therapeutics For Sars
Alpha AA Metabolism
Vacuole Org.
Resp. to Ionizing Radiation
Resp. to Estradiol
Glutathione Metabolism
Lysosomal Transport
Apoptosis
Reg. Transmembrane Receptor Protein Serine Threonine Kinase Signaling
Cysteine & Methionine Metabolism
Reg. Nucleocytoplasmic Transport
Protein Catabolism
Reactive Oxygen Species Pathway
Mitotic Cell Cycle
Detoxification Of Reactive Oxygen Species
Non Proteinogenic AA Metabolism
MAPK Signaling
Intracell. Signaling By Second Messengers
M Phase
Neddylation
Reg. Hemopoiesis
Resp. to Heat
Signaling By The B Cell Receptor Bcr
Type Ii Interferon Production
Keap1 Nfe2l2 Pathway
Cellular Resp. to Heat Stress
C Type Lectin Receptors Clrs
−2
−1
0
1
2
normalised enrichment score
GO_Slim
GOBP
Hallmark
KEGG_Legacy
Reactome
proteins
50
100
150
fgsea on the moderated t ranking; BH within contrast over all collections; collapsePathways keeps sets that stay significant given a stronger set. Table: c_data/set_contrasts.xlsx, significant.

Baseline_HivLo, fgsea collapse survivors at FDR < 0.05

58 sets. Page 2 of 2.



fgsea on the moderated t ranking; BH within contrast over all collections; collapsePathways keeps sets that stay significant given a stronger set. Table: c_data/set_contrasts.xlsx, significant.




fgsea on the moderated t ranking; BH within contrast over all collections; collapsePathways keeps sets that stay significant given a stronger set. Table: c_data/set_contrasts.xlsx, significant.

Trained_HivLo, fgsea collapse survivors at FDR < 0.05

46 sets. Page 2 of 2.




fgsea on the moderated t ranking; BH within contrast over all collections; collapsePathways keeps sets that stay significant given a stronger set. Table: c_data/set_contrasts.xlsx, significant.



Acute_HivLo, fgsea collapse survivors at FDR < 0.05
25 sets. Page 1 of 1.
Striated Muscle Diff.
Negative Reg. Syncytium Formation By Plasma Membrane Fusion
Mito. Protein Degradation
ATP Synth.−Coupled ETC
Striated Muscle Contraction
Branched Chain AA Metabolism
Formation Of The Dystrophin Glycoprotein Complex DGC
Reg. Lipid Metabolism
Acyl Coa Metabolism
Pyridine Containing Compound Metabolism
Modified AA Metabolism
Mitf M Regulated Melanocyte Development
Reg. Vasculature Development
Glucose Metabolism
Cardiac Conduction
Positive Reg. Protein Containing Complex Assembly
Ion Channel Transport
Small Subunit Biogenesis
Integration Of Energy Metabolism
Adenylate Cyclase Modulating G Protein Coupled Receptor Signaling
G Alpha I Signalling Events
Signaling By Notch
Neddylation
PD−L1 Regulation
Beta Catenin Independent WNT Signaling
−2
−1
0
1
2
normalised enrichment score
GOBP
Reactome
proteins
20
40
60
80
100
fgsea on the moderated t ranking; BH within contrast over all collections; collapsePathways keeps sets that stay significant given a stronger set. Table: c_data/set_contrasts.xlsx, significant.

Training_Interaction, fgsea collapse survivors at FDR < 0.05

24 sets. Page 1 of 1.




fgsea on the moderated t ranking; BH within contrast over all collections; collapsePathways keeps sets that stay significant given a stronger set. Table: c_data/set_contrasts.xlsx, significant.



Acute_Interaction, fgsea collapse survivors at FDR < 0.05
35 sets. Page 1 of 1.
Copi Dependent Golgi To Er Retrograde Traffic
EMT
Reg. Cellular Resp. to Growth Factor Stimulus
N−Linked Glycosylation
Tight Junction
Eph Ephrin Signaling
Phosphatidylinositol 3 Kinase Protein Kinase B Signal Transduction
Oocyte Meiosis
Mitotic Spindle
Gliogenesis
Maintenance of Polarity
Vesicle−Mediated Transport
Cell Adhesion
Reg. Neurogenesis
Intracell. Protein Transport
Reg. Actin Cytoskel.
Reg. Body Fluid Levels
Protein Localization To Extracellular Region
Vesicle Org.
Membrane Org.
Cytoskel. Org.
Cell Differentiation
Nucleobase−Containing Small Molecule Metabolism
Antigen Processing Ubiquitination Proteasome Degradation
Sulfur Compound Metabolism
Cristae Formation
Mito. Gene Expression
Sensory Perception Of Mechanical Stimulus
Aerobic Resp. + ETC
Reg. Hemopoiesis
Modified AA Biosynthesis
Signaling By Notch
Tricarboxylic Acid Cycle
Negative Reg. Hemopoiesis
Heme Metabolism
−2
−1
0
1
2
normalised enrichment score
GO_Slim
GOBP
Hallmark
KEGG_Legacy
Reactome
proteins
100
200
300
400
fgsea on the moderated t ranking; BH within contrast over all collections; collapsePathways keeps sets that stay significant given a stronger set. Table: c_data/set_contrasts.xlsx, significant.


Training_Hi, fry sets at p < 0.05


74 sets. Page 1 of 2.




fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.


Training_Hi, fry sets at p < 0.05
74 sets. Page 2 of 2.
Resp. to Organophosphorus
Monocarboxylic Acid Biosynthesis
Signaling By Nuclear Receptors
Modified AA Biosynthesis
Multi Multicellular Organism Process
Fatty Acyl Coa Metabolism
Mito. Gene Expression
Cellular Resp. to Alcohol
Acyl Coa Metabolism
Amide Biosynthesis
Organic Acid Biosynthesis
FA Biosynthesis
Arginine & Proline Metabolism
FA Derivative Metabolism
Mito. Translation Elongation
Cellular Resp. to Steroid Hormone Stimulus
Metabolism Of Water Soluble Vitamins & Cofactors
Peroxisome
Acyl Coa Biosynthesis
Peroxisomal Protein Import
AA Catabolism
Reg. Endothelial Cell Migration
Polysaccharide Biosynthesis
AA Metabolism
Protein Maturation
Metabolism Of Vitamins & Cofactors
Mito. Translation
Resp. to Alcohol
Nucleobase Containing Compound Transport
Apoptosis
Sulfur Compound Biosynthesis
Modified AA Metabolism
0
1
2
3
signed −log10 p (positive: up)
proteins
25
50
75
100
GO_Slim
GOBP
KEGG_Legacy
Reactome
fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.



Training_Lo, fry sets at p < 0.05
129 sets. Page 1 of 4.
Reactive Oxygen Species Pathway
Glutathione Metabolism
Negative Reg. Cell Activation
Negative Reg. Leukocyte Cell Adhesion
Fc Epsilon Receptor Fceri Signaling
Switching Of Origins To A Post Replicative State
Degradation Of Cry & Per Proteins
Apc C Mediated Degradation Of Cell Cycle Proteins
Interleukin 1 Family Signaling
Synthesis Of DNA
Signaling By The B Cell Receptor Bcr
Neddylation
Nuclear Events Mediated By Nfe2l2
Downstream Signaling Events Of B Cell Receptor Bcr
Reg. Calcium Mediated Signaling
Tnfr2 Non Canonical Nf Kb Pathway
Dectin 1 Mediated Noncanonical Nf Kb Signaling
Fceri Mediated Nf Kb Activation
Antigen Processing Ubiquitination Proteasome Degradation
Antigen Processing Ub ATP Independent Proteas. Degradation
Lymphocyte Differentiation
Positive Reg. Interleukin 2 Production
T Cell Differentiation
Calcium Mediated Signaling
Autophagosome Maturation
Cellular Senescence
Reg. Hemopoiesis
Type Ii Interferon Production
Negative Reg. Lymphocyte Activation
Reg. Lymphocyte Differentiation
Tumor Necrosis Factor Superfamily Cytokine Production
Interleukin 2 Production
Positive Reg. Tumor Necrosis Factor Superfamily Cytokine Production
Reg. Leukocyte Differentiation
C Type Lectin Receptors Clrs
T Cell Homeostasis
Lymphocyte Homeostasis
Clec7a Dectin 1 Signaling
Leukocyte Homeostasis
Negative Reg. Hemopoiesis
−2
−1
0
signed −log10 p (positive: up)
proteins
20
30
40
50
60
70
GOBP
Hallmark
Reactome
fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.


Training_Lo, fry sets at p < 0.05
129 sets. Page 2 of 4.
Glycoprotein Biosynthesis
Protein Localization To Extracellular Region
Reg. G Protein Coupled Receptor Signaling
Signaling By Notch
Reg. Ras By Gaps
Tcr Signaling
Vif Mediated Degradation Of Apobec3g
Alcohol Biosynthesis
Gsk3b Mediated Proteas. Degradation Of PD−L1 CD274
Cellular Resp. to Chemical Stress
Glutathione Metabolism
Reg. Runx2 Expression & Activity
Transcriptional Regulation By Runx1
MAPK Signaling
Downstream Tcr Signaling
Scf Skp2 Mediated Degradation Of P27 P21
Scf Beta Trcp Mediated Degradation Of Emi1
Orc1 Removal From Chromatin
Fbxl7 Down Regulates Aurka During Mitotic Entry & In Early Mitosis
Activation Of Nf Kappab In B Cells
Cellular Resp. to Hypoxia
Peptide Metabolism
Nuclear Membrane Org.
MT Organizing Center Org.
Cell Cycle G1 S Phase Transition
Alpha Beta T Cell Differentiation
Runx1 Regulates Transcription Of Genes Involved In Differentiation Of Hscs
Auf1 Hnrnp D0 Binds & Destabilizes mRNA
Degradation Of Gli1 By The Proteasome
Cdk Mediated Phosph. & Removal Of Cdc6
Apc C Cdh1 Mediated Degradation Of Cdc20 & Other Apc C Cdh1 Targeted Proteins In Late Mitosis Early G1
Activation Of Apc C & Apc C Cdc20 Mediated Degradation Of Mitotic Proteins
Glutathione Conjugation
Keap1 Nfe2l2 Pathway
Interleukin 1 Signaling
Abc Family Proteins Mediated Transport
DNA Replication
DNA Replication Pre Initiation
T Cell Differentiation Involved In Immune Response
−1
0
1
signed −log10 p (positive: up)
proteins
20
40
60
80
GO_Slim
GOBP
KEGG_Legacy
Reactome
fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.



Training_Lo, fry sets at p < 0.05
129 sets. Page 3 of 4.
Mito. Gene Expression
Rhog GTPase Cycle
Establishment Of Protein Localization To Mito. Membrane
Negative Reg. Secretion
Protein Insertion Into Membrane
Protein Targeting
Reg. Postsynaptic Membrane Neurotransmitter Receptor Levels
Sars Cov 2 Host Interactions
Protein Localization To Membrane
Aminoacyl tRNA Biosynthesis
tRNA Aminoacylation
Protein Localization To Cell Periphery
Protein−Containing Complex Assembly
Organelle Fusion
Tp53 Regulates Metabolic Genes
Sars Cov 2 Infection
Eph Ephrin Signaling
Connective Tissue Development
Ossification
Protein Localization To Cell Junction
Receptor Mediated Endocytosis
Reg. Lipid Localization
Mito. Translation
Integrin Mediated Signaling
Rac2 GTPase Cycle
Protein Localization
Erk1 & Erk2 Cascade
Mito. Protein Import
Fc Gamma R Mediated Phagocytosis
Lipid Localization
Mito. Membrane Org.
Sars Cov Infections
Establishment Of PM Protein Localization
Receptor Internalization
PM Protein Localization
Reg. Cytoplasmic Translation
Apical Junction
Inner Mito. Membrane Org.
Post Golgi Vesicle Mediated Transport
0.0
0.5
1.0
1.5
2.0
signed −log10 p (positive: up)
GO_Slim
GOBP
Hallmark
KEGG_Legacy
Reactome
proteins
50
100
150
200
250
fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.

Training_Lo, fry sets at p < 0.05


129 sets. Page 4 of 4.





fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.





fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.


Acute_Lo, fry sets at p < 0.05
58 sets. Page 1 of 2.
Metabolism Of Vitamins & Cofactors
Peptide Transport
Ketone Biosynthesis
Cellular Resp. to Abiotic Stimulus
Insulin Receptor Signaling
Reg. Epithelial Cell Proliferation
Retrograde Transport Endosome To Golgi
Resp. to Insulin
Phospholipid Metabolism
Establishment Of Protein Localization To Membrane
Resp. to Organophosphorus
Gland Development
Protein Localization To Cell Junction
Carbohydrate Metabolism
Polyol Metabolism
Protein Localization To Cell Periphery
Peroxisome
Insulin Signaling
Cellular Resp. to Insulin Stimulus
Reg. Neurogenesis
Lipid Localization
Peroxisomal Protein Import
Protein Dephosphorylation
Protein Targeting
Dephosphorylation
Neutral Lipid Metabolism
Diseases Of Metabolism
Resp. to Osmotic Stress
Negative Reg. Secretion
Metabolism Of Carbohydrates & Carbohydrate Derivatives
Glycerolipid Metabolism
Reg. Hormone Secretion
Ras Protein Signal Transduction
Cellular Resp. to Osmotic Stress
Hormone Transport
Adaptive Thermogenesis
Reg. Lipid Localization
Immune Response Regulating Cell Surface Receptor Signaling
Temperature Homeostasis
−3
−2
−1
0
signed −log10 p (positive: up)
GO_Slim
GOBP
Hallmark
KEGG_Legacy
Reactome
proteins
50
100
fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.


Acute_Lo, fry sets at p < 0.05
58 sets. Page 2 of 2.
Protein DNA Complex Org.
Negative Reg. Translation
RNA Splicing Via Transesterification Reactions
Cellular Senescence
Rhobtb2 GTPase Cycle
MYC Targets V1
Carbohydrate Catabolism
Erbb Signaling
FA Metabolism
Membrane Org.
Vascular Smooth Muscle Contraction
Protein Localization To Membrane
Lipid Metabolism
Glycerophospholipid Metabolism
Lipid Catabolism
Epithelial Cell Proliferation
Glycolysis
Insulin Secretion
−1
0
1
2
signed −log10 p (positive: up)
GO_Slim
GOBP
Hallmark
KEGG_Legacy
Reactome
proteins
50
100
150
200
fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.


Baseline_HivLo, fry sets at p < 0.05
184 sets. Page 1 of 5.
Lymphocyte Activation Involved In Immune Response
Viral Release From Host Cell
Negative Reg. Transmembrane Transport
Non Proteinogenic AA Metabolism
Reg. Chemotaxis
Clec7a Dectin 1 Signaling
MAPK Signaling
Negative Reg. Cell Adhesion
Hiv Life Cycle
Resp. to Estradiol
C Type Lectin Receptors Clrs
Reg. Lymphocyte Differentiation
Reg. Protein Transport
Negative Reg. Lymphocyte Activation
Negative Reg. Establishment Of Protein Localization
T Cell Differentiation
Reg. Leukocyte Differentiation
Lymphocyte Differentiation
Antigen Processing Ub ATP Independent Proteas. Degradation
Positive Reg. Interleukin 2 Production
Endosome To Lysosome Transport
Alpha Beta T Cell Activation
Alpha Beta T Cell Differentiation
T Cell Activation Involved In Immune Response
Reg. Hemopoiesis
Reactive Oxygen Species Pathway
Interleukin 2 Production
T Cell Homeostasis
Lymphocyte Homeostasis
MT Organizing Center Org.
Negative Reg. Leukocyte Cell Adhesion
Negative Reg. Hemopoiesis
T Cell Differentiation Involved In Immune Response
CD4 Positive Alpha Beta T Cell Activation
Leukocyte Homeostasis
Type Ii Interferon Production
Autophagosome Maturation
Apoptosis
Tumor Necrosis Factor Superfamily Cytokine Production
Positive Reg. Tumor Necrosis Factor Superfamily Cytokine Production
−3
−2
−1
0
signed −log10 p (positive: up)
proteins
20
30
40
50
60
70
GOBP
Hallmark
KEGG_Legacy
Reactome
fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.


Baseline_HivLo, fry sets at p < 0.05
184 sets. Page 2 of 5.
Downstream Signaling Events Of B Cell Receptor Bcr
Import Into Nucleus
Negative Reg. Cell Adhesion
Resp. to Monosaccharide
Mitotic Metaphase Chromosome Alignment
Reg. Post Translational Protein Mod.
Multi Multicellular Organism Process
Action Potential
Neddylation
DNA Repair
Meiotic Cell Cycle
Biological Oxidations
Cellular Resp. to Heat Stress
Keap1 Nfe2l2 Pathway
Hsf1 Dependent Transactivation
Cilium Or Flagellum Dependent Cell Motility
Cilium Movement
Lysosomal Transport
Negative Reg. Monoatomic Ion Transmembrane Transport
Cysteine & Methionine Metabolism
Cellular Resp. to Heat
Reg. Proteolysis Involved In Protein Catabolism
Signaling By The B Cell Receptor Bcr
Resp. to Ionizing Radiation
Mitotic Cell Cycle Phase Transition
Mitotic Cell Cycle
Glutathione Metabolism
Intracell. Signaling By Second Messengers
Negative Reg. Cell Activation
Protein Catabolism
Positive Reg. Secretion
Androgen Response
Reg. Protein Import Into Nucleus
Reg. Hsf1 Mediated Heat Shock Response
Erbb Signaling
Reg. Nucleocytoplasmic Transport
Polyol Metabolism
Carbohydrate Homeostasis
Intracell. Receptor Signaling
−2.0
−1.5
−1.0
−0.5
0.0
signed −log10 p (positive: up)
GO_Slim
GOBP
Hallmark
KEGG_Legacy
Reactome
proteins
50
100
150
fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.


Baseline_HivLo, fry sets at p < 0.05
184 sets. Page 3 of 5.
Tnfr2 Non Canonical Nf Kb Pathway
Dectin 1 Mediated Noncanonical Nf Kb Signaling
Negative Reg. Cell Development
Auf1 Hnrnp D0 Binds & Destabilizes mRNA
Intracell. Glucose Homeostasis
Cardiac Muscle Cell Contraction
Cell Cycle G1 S Phase Transition
Reg. Proteolysis
Phase Ii Conjugation Of Compounds
Positive Reg. Peptide Secretion
DNA Damage Recognition In Gg Ner
Reg. Calcium Mediated Signaling
Negative Reg. Transmembrane Receptor Protein Serine Threonine Kinase Signaling
Vesicle Localization
Nuclear Membrane Org.
DNA Repair
Positive Reg. Protein Transport
Resp. to Heat
Resp. to Steroid Hormone
Antigen Processing Ubiquitination Proteasome Degradation
Modified AA Metabolism
Protein Mod. By Small Protein Removal
Mitotic Metaphase & Anaphase
Mitotic Spindle Org.
Alcohol Biosynthesis
Peptide Metabolism
M Phase
Autophagosome Org.
Nucleotide Excision Repair
Global Genome Nucleotide Excision Repair Gg Ner
Cardiac Muscle Cell Action Potential
Nuclear Transport
Cell Activation Involved In Immune Response
Resp. to Carbohydrate
Nucleocytoplasmic Transport
Pten Regulation
Nuclear Events Mediated By Nfe2l2
Fc Epsilon Receptor Fceri Signaling
Reg. Transmembrane Receptor Protein Serine Threonine Kinase Signaling
−1.5
−1.0
−0.5
0.0
signed −log10 p (positive: up)
GO_Slim
GOBP
Reactome
proteins
20
40
60
80
fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.

Baseline_HivLo, fry sets at p < 0.05


184 sets. Page 4 of 5.




fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.

Baseline_HivLo, fry sets at p < 0.05

184 sets. Page 5 of 5.




fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.



fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.

Trained_HivLo, fry sets at p < 0.05


90 sets. Page 2 of 3.




fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.


Trained_HivLo, fry sets at p < 0.05


90 sets. Page 3 of 3.




fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.


Acute_HivLo, fry sets at p < 0.05
9 sets. Page 1 of 1.
Protein Processing
Negative Reg. Hemopoiesis
Negative Reg. Establishment Of Protein Localization
Antigen Processing Ub ATP Independent Proteas. Degradation
Integration Of Energy Metabolism
Platelet Homeostasis
Opioid Signalling
Reg. Protein Import Into Nucleus
G Alpha I Signalling Events
−2
−1
0
1
signed −log10 p (positive: up)
GOBP
Reactome
proteins
15.0
17.5
20.0
22.5
25.0
27.5
fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.


Training_Interaction, fry sets at p < 0.05
74 sets. Page 1 of 2.
Modified AA Metabolism
Heme Metabolism
Clec7a Dectin 1 Signaling
Negative Reg. Proteolysis Involved In Protein Catabolism
Polyol Metabolism
Monocarboxylic Acid Biosynthesis
Sulfur Compound Biosynthesis
Glutathione Metabolism
Cellular Resp. to Chemical Stress
Alpha Beta T Cell Activation
Lymphocyte Activation Involved In Immune Response
Nuclear Envelope Org.
C Type Lectin Receptors Clrs
Antigen Processing Ubiquitination Proteasome Degradation
Positive Reg. Small GTPase Mediated Signal Transduction
Endoplasmic Reticulum Org.
Sars Cov 1 Infection
Substrate Adhesion Dependent Cell Spreading
Sars Cov 1 Host Interactions
Establishment Of Protein Localization To Mito.
Integrin Mediated Signaling
Membrane Org.
Eph Ephrin Signaling
Leukocyte Transendothelial Migration
ECM Org.
Sars Cov 2 Host Interactions
Reg. G Protein Coupled Receptor Signaling
Bone Development
UV Response Dn
Erk1 & Erk2 Cascade
Hemostasis
Sars Cov 2 Infection
Protein Transmembrane Transport
Ossification
Reg. Resp. to Wounding
Vascular Smooth Muscle Contraction
Positive Reg. Apoptotic Signaling
Osteoblast Differentiation
Connective Tissue Development
−2
−1
0
1
signed −log10 p (positive: up)
GO_Slim
GOBP
Hallmark
KEGG_Legacy
Reactome
proteins
40
80
120
160
fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.


Training_Interaction, fry sets at p < 0.05
74 sets. Page 2 of 2.
Positive Reg. Tumor Necrosis Factor Superfamily Cytokine Production
Negative Reg. Hemopoiesis
Negative Reg. Lymphocyte Activation
T Cell Homeostasis
Lymphocyte Homeostasis
Leukocyte Homeostasis
Type Ii Interferon Production
Reg. Hemopoiesis
Positive Reg. Interleukin 2 Production
Tumor Necrosis Factor Superfamily Cytokine Production
T Cell Differentiation
Interleukin 2 Production
Negative Reg. Leukocyte Cell Adhesion
Apoptosis
MT Organizing Center Org.
Reg. Lymphocyte Differentiation
Lymphocyte Differentiation
T Cell Differentiation Involved In Immune Response
Reactive Oxygen Species Pathway
Negative Reg. Cell Activation
Antigen Processing Ub ATP Independent Proteas. Degradation
Reg. Leukocyte Differentiation
Alpha Beta T Cell Differentiation
Modified AA Biosynthesis
Multi Multicellular Organism Process
Negative Reg. Proteolysis
Resp. to Estradiol
T Cell Activation Involved In Immune Response
CD4 Positive Alpha Beta T Cell Activation
Nuclear Membrane Org.
Negative Reg. Proteas. Protein Catabolism
Glutathione Metabolism
Peptide Metabolism
Cellular Senescence
0
1
2
3
signed −log10 p (positive: up)
GOBP
Hallmark
KEGG_Legacy
Reactome
proteins
15
20
25
30
fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.


Acute_Interaction, fry sets at p < 0.05
17 sets. Page 1 of 1.
Erbb Signaling
Immune Response Regulating Cell Surface Receptor Signaling
Reg. Neurogenesis
Copii Coated Vesicle Budding
Vascular Smooth Muscle Contraction
Reg. Nervous System Development
Protein Localization To Extracellular Region
Gliogenesis
Positive Reg. Secretion
Insulin Receptor Signaling
In Utero Embryonic Development
Connective Tissue Development
Ras Protein Signal Transduction
Negative Reg. Hemopoiesis
Modified AA Biosynthesis
Heme Metabolism
Resp. to Organophosphorus
−1
0
1
2
signed −log10 p (positive: up)
GOBP
Hallmark
KEGG_Legacy
proteins
20
30
40
50
fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.