



P-value distribution per contrast


limma via proteoDA, 20 bins



Dashed line marks a flat null (tested / 20). A spike at zero is signal; a slope toward 1 is a conservative test. Table: c_data/02_differential.xlsx, DEP_matrix.




Rows: features at nominal p < 0.05 in at least one column, most columns first, then by best p. Filled dot: nominal, fill = log2 FC, size = -log10 p. Black ring: BH < 0.05. Grey speck: tested, not nominal. Table: c_data/02_differential.xlsx, DEP_ma




Protein contrast hits (3/8)

limma via proteoDA, nominal p per contrast; 597 features nominal in at least one column; rows 151–225




Protein contrast hits (4/8)

limma via proteoDA, nominal p per contrast; 597 features nominal in at least one column; rows 226–300



Protein contrast hits (5/8)


limma via proteoDA, nominal p per contrast; 597 features nominal in at least one column; rows 301–375



Rows: features at nominal p < 0.05 in at least one column, most columns first, then by best p. Filled dot: nominal, fill = log2 FC, size = –log10 p. Black ring: BH < 0.05. Grey speck: tested, not nominal. Table: c_data/02_differential.xlsx, DEP_matr

Protein contrast hits (6/8)


limma via proteoDA, nominal p per contrast; 597 features nominal in at least one column; rows 376–450



Rows: features at nominal p < 0.05 in at least one column, most columns first, then by best p. Filled dot: nominal, fill = log2 FC, size = -log10 p. Black ring: BH < 0.05. Grey speck: tested, not nominal. Table: c_data/02_differential.xlsx, DEP_matrix

Protein contrast hits (7/8)


limma via proteoDA, nominal p per contrast; 597 features nominal in at least one column; rows 451–525




Rows: features at nominal $p < 0.05$ in at least one column, most columns first, then by best p. Filled dot: nominal, fill = $\log_2 FC$, size = $-\log_{10} p$. Black ring: BH < 0.05 . Grey speck: tested, not nominal. Table: c_data/02_differential.xlsx, DEP_mat


Protein contrast hits (8/8)

limma via proteoDA, nominal p per contrast; 597 features nominal in at least one column; rows 526–597




Rows: features at nominal $p < 0.05$ in at least one column, most columns first, then by best p . Filled dot: nominal, fill = $\log_2 FC$, size = $-\log_{10} p$. Black ring: BH < 0.05. Grey speck: tested, not nominal. Table: c_data/02_differential.xlsx, DEP_matr





Protein classification hits (3/6)


pROC AUC, Wilcoxon p per task; 419 features nominal in at least one column; rows 151–225



Rows: features at nominal $p < 0.05$ in at least one column, most columns first, then by best p. Filled dot: nominal, fill = AUC, size = $-\log_{10} p$. Black ring: BH < 0.05. Grey speck: tested, not nominal. Table: c_data/02_differential.xlsx, protein_auc.


Protein classification hits (4/6)

pROC AUC, Wilcoxon p per task; 419 features nominal in at least one column; rows 226-300




Rows: features at nominal $p < 0.05$ in at least one column, most columns first, then by best p. Filled dot: nominal, fill = AUC, size = $-\log_{10} p$. Black ring: BH < 0.05. Grey speck: tested, not nominal. Table: c_data/02_differential.xlsx, protein_auc.

Protein classification hits (5/6)
pROC AUC, Wilcoxon p per task; 419 features nominal in at least one column; rows 301–375



Rows: features at nominal $p < 0.05$ in at least one column, most columns first, then by best p . Filled dot: nominal, fill = AUC, size = $-\log_{10} p$. Black ring: BH < 0.05. Grey speck: tested, not nominal. Table: c_data/02_differential.xlsx, protein_auc.



Rows: features at nominal $p < 0.05$ in at least one column, most columns first, then by best p . Filled dot: nominal, fill = AUC, size = $-\log_{10} p$. Black ring: BH < 0.05. Grey speck: tested, not nominal. Table: c_data/02_differential.xlsx, protein_auc