

Classification overview: proteins



All 1,900 proteins, one row each. Rows are ordered by average−linkage clustering (1 − Pearson r) of the imputed matrix, for display only. Median change colours stop at the 99th percentile of |change|, 1.2. Grey: not tested. Table: c_data/03_classify.xlsx, auc.

Training, HR (T1 to T2)


39 of 1555 proteins at p < 0.05, 0 at BH < 0.05. Page 1 of 4.



Wilcoxon signed−rank test on up to 6 pairs; smallest attainable p 0.031. Header: median paired change, p, BH q within task, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

Training, HR (T1 to T2)


39 of 1555 proteins at p < 0.05, 0 at BH < 0.05. Page 2 of 4.



Wilcoxon signed−rank test on up to 6 pairs; smallest attainable p 0.031. Header: median paired change, p, BH q within task, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

Training, HR (T1 to T2)


39 of 1555 proteins at p < 0.05, 0 at BH < 0.05. Page 3 of 4.



Wilcoxon signed−rank test on up to 6 pairs; smallest attainable p 0.031. Header: median paired change, p, BH q within task, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

Training, HR (T1 to T2)


39 of 1555 proteins at p < 0.05, 0 at BH < 0.05. Page 4 of 4.



Wilcoxon signed−rank test on up to 6 pairs; smallest attainable p 0.031. Header: median paired change, p, BH q within task, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

Training, LR (T1 to T2)


71 of 1771 proteins at p < 0.05, 0 at BH < 0.05. Page 1 of 6.



Wilcoxon signed−rank test on up to 8 pairs; smallest attainable p 0.0078. Header: median paired change, p, BH q within task, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

Training, LR (T1 to T2)


71 of 1771 proteins at p < 0.05, 0 at BH < 0.05. Page 2 of 6.



Wilcoxon signed−rank test on up to 8 pairs; smallest attainable p 0.0078. Header: median paired change, p, BH q within task, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

Training, LR (T1 to T2)


71 of 1771 proteins at p < 0.05, 0 at BH < 0.05. Page 3 of 6.



Wilcoxon signed−rank test on up to 8 pairs; smallest attainable p 0.0078. Header: median paired change, p, BH q within task, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

Training, LR (T1 to T2)


71 of 1771 proteins at p < 0.05, 0 at BH < 0.05. Page 4 of 6.



Wilcoxon signed−rank test on up to 8 pairs; smallest attainable p 0.0078. Header: median paired change, p, BH q within task, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

Training, LR (T1 to T2)


71 of 1771 proteins at p < 0.05, 0 at BH < 0.05. Page 5 of 6.



Wilcoxon signed−rank test on up to 8 pairs; smallest attainable p 0.0078. Header: median paired change, p, BH q within task, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

Training, LR (T1 to T2)


71 of 1771 proteins at p < 0.05, 0 at BH < 0.05. Page 6 of 6.



Wilcoxon signed−rank test on up to 8 pairs; smallest attainable p 0.0078. Header: median paired change, p, BH q within task, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

Acute bout, HR (T2 to T3)


123 of 1703 proteins at p < 0.05, 0 at BH < 0.05. Page 1 of 11.



Wilcoxon signed−rank test on up to 7 pairs; smallest attainable p 0.016. Header: median paired change, p, BH q within task, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

Acute bout, HR (T2 to T3)


123 of 1703 proteins at p < 0.05, 0 at BH < 0.05. Page 2 of 11.



Wilcoxon signed−rank test on up to 7 pairs; smallest attainable p 0.016. Header: median paired change, p, BH q within task, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

Acute bout, HR (T2 to T3)


123 of 1703 proteins at p < 0.05, 0 at BH < 0.05. Page 3 of 11.



Wilcoxon signed−rank test on up to 7 pairs; smallest attainable p 0.016. Header: median paired change, p, BH q within task, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

Acute bout, HR (T2 to T3)


123 of 1703 proteins at p < 0.05, 0 at BH < 0.05. Page 4 of 11.



Wilcoxon signed−rank test on up to 7 pairs; smallest attainable p 0.016. Header: median paired change, p, BH q within task, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

Acute bout, HR (T2 to T3)


123 of 1703 proteins at p < 0.05, 0 at BH < 0.05. Page 5 of 11.



Wilcoxon signed−rank test on up to 7 pairs; smallest attainable p 0.016. Header: median paired change, p, BH q within task, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

Acute bout, HR (T2 to T3)


123 of 1703 proteins at p < 0.05, 0 at BH < 0.05. Page 6 of 11.



Wilcoxon signed−rank test on up to 7 pairs; smallest attainable p 0.016. Header: median paired change, p, BH q within task, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

Acute bout, HR (T2 to T3)


123 of 1703 proteins at p < 0.05, 0 at BH < 0.05. Page 7 of 11.



Wilcoxon signed−rank test on up to 7 pairs; smallest attainable p 0.016. Header: median paired change, p, BH q within task, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

Acute bout, HR (T2 to T3)


123 of 1703 proteins at p < 0.05, 0 at BH < 0.05. Page 8 of 11.



Wilcoxon signed−rank test on up to 7 pairs; smallest attainable p 0.016. Header: median paired change, p, BH q within task, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

Acute bout, HR (T2 to T3)


123 of 1703 proteins at p < 0.05, 0 at BH < 0.05. Page 9 of 11.



Wilcoxon signed−rank test on up to 7 pairs; smallest attainable p 0.016. Header: median paired change, p, BH q within task, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

Acute bout, HR (T2 to T3)


123 of 1703 proteins at p < 0.05, 0 at BH < 0.05. Page 10 of 11.



Wilcoxon signed−rank test on up to 7 pairs; smallest attainable p 0.016. Header: median paired change, p, BH q within task, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

Acute bout, HR (T2 to T3)


123 of 1703 proteins at p < 0.05, 0 at BH < 0.05. Page 11 of 11.



Wilcoxon signed−rank test on up to 7 pairs; smallest attainable p 0.016. Header: median paired change, p, BH q within task, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

Acute bout, LR (T2 to T3)


202 of 1742 proteins at p < 0.05, 0 at BH < 0.05. Page 1 of 17.



Wilcoxon signed−rank test on up to 8 pairs; smallest attainable p 0.0078. Header: median paired change, p, BH q within task, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

Acute bout, LR (T2 to T3)


202 of 1742 proteins at p < 0.05, 0 at BH < 0.05. Page 2 of 17.



Wilcoxon signed−rank test on up to 8 pairs; smallest attainable p 0.0078. Header: median paired change, p, BH q within task, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

Acute bout, LR (T2 to T3)


202 of 1742 proteins at p < 0.05, 0 at BH < 0.05. Page 3 of 17.



Wilcoxon signed−rank test on up to 8 pairs; smallest attainable p 0.0078. Header: median paired change, p, BH q within task, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

Acute bout, LR (T2 to T3)


202 of 1742 proteins at p < 0.05, 0 at BH < 0.05. Page 4 of 17.



Wilcoxon signed−rank test on up to 8 pairs; smallest attainable p 0.0078. Header: median paired change, p, BH q within task, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

Acute bout, LR (T2 to T3)


202 of 1742 proteins at p < 0.05, 0 at BH < 0.05. Page 5 of 17.



Wilcoxon signed−rank test on up to 8 pairs; smallest attainable p 0.0078. Header: median paired change, p, BH q within task, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

Acute bout, LR (T2 to T3)


202 of 1742 proteins at p < 0.05, 0 at BH < 0.05. Page 6 of 17.



Wilcoxon signed−rank test on up to 8 pairs; smallest attainable p 0.0078. Header: median paired change, p, BH q within task, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

Acute bout, LR (T2 to T3)


202 of 1742 proteins at p < 0.05, 0 at BH < 0.05. Page 7 of 17.



Wilcoxon signed−rank test on up to 8 pairs; smallest attainable p 0.0078. Header: median paired change, p, BH q within task, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

Acute bout, LR (T2 to T3)


202 of 1742 proteins at p < 0.05, 0 at BH < 0.05. Page 8 of 17.



Wilcoxon signed−rank test on up to 8 pairs; smallest attainable p 0.0078. Header: median paired change, p, BH q within task, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

Acute bout, LR (T2 to T3)


202 of 1742 proteins at p < 0.05, 0 at BH < 0.05. Page 9 of 17.



Wilcoxon signed−rank test on up to 8 pairs; smallest attainable p 0.0078. Header: median paired change, p, BH q within task, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

Acute bout, LR (T2 to T3)


202 of 1742 proteins at p < 0.05, 0 at BH < 0.05. Page 10 of 17.



Wilcoxon signed−rank test on up to 8 pairs; smallest attainable p 0.0078. Header: median paired change, p, BH q within task, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

Acute bout, LR (T2 to T3)


202 of 1742 proteins at p < 0.05, 0 at BH < 0.05. Page 11 of 17.



Wilcoxon signed−rank test on up to 8 pairs; smallest attainable p 0.0078. Header: median paired change, p, BH q within task, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

Acute bout, LR (T2 to T3)


202 of 1742 proteins at p < 0.05, 0 at BH < 0.05. Page 12 of 17.



Wilcoxon signed−rank test on up to 8 pairs; smallest attainable p 0.0078. Header: median paired change, p, BH q within task, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

Acute bout, LR (T2 to T3)


202 of 1742 proteins at p < 0.05, 0 at BH < 0.05. Page 13 of 17.



Wilcoxon signed−rank test on up to 8 pairs; smallest attainable p 0.0078. Header: median paired change, p, BH q within task, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

Acute bout, LR (T2 to T3)


202 of 1742 proteins at p < 0.05, 0 at BH < 0.05. Page 14 of 17.



Wilcoxon signed−rank test on up to 8 pairs; smallest attainable p 0.0078. Header: median paired change, p, BH q within task, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

Acute bout, LR (T2 to T3)


202 of 1742 proteins at p < 0.05, 0 at BH < 0.05. Page 15 of 17.



Wilcoxon signed−rank test on up to 8 pairs; smallest attainable p 0.0078. Header: median paired change, p, BH q within task, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

Acute bout, LR (T2 to T3)


202 of 1742 proteins at p < 0.05, 0 at BH < 0.05. Page 16 of 17.



Wilcoxon signed−rank test on up to 8 pairs; smallest attainable p 0.0078. Header: median paired change, p, BH q within task, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

Acute bout, LR (T2 to T3)


202 of 1742 proteins at p < 0.05, 0 at BH < 0.05. Page 17 of 17.



Wilcoxon signed−rank test on up to 8 pairs; smallest attainable p 0.0078. Header: median paired change, p, BH q within task, and the feature's complete pairs. Table: c_data/03_classify.xlsx, auc.

HR vs LR at T1


39 of 1733 proteins at p < 0.05, 0 at BH < 0.05. Page 1 of 4.



HR (up to 7) against LR (up to 8); AUC above 0.5 means higher in HR. Wilcoxon rank−sum test; smallest attainable p 0.00031. Header: AUC, p, BH q within task, and the feature's n. Table: c_data/03_classify.xlsx, auc.

HR vs LR at T1


39 of 1733 proteins at p < 0.05, 0 at BH < 0.05. Page 2 of 4.



HR (up to 7) against LR (up to 8); AUC above 0.5 means higher in HR. Wilcoxon rank−sum test; smallest attainable p 0.00031. Header: AUC, p, BH q within task, and the feature's n. Table: c_data/03_classify.xlsx, auc.

HR vs LR at T1


39 of 1733 proteins at p < 0.05, 0 at BH < 0.05. Page 3 of 4.



HR (up to 7) against LR (up to 8); AUC above 0.5 means higher in HR. Wilcoxon rank−sum test; smallest attainable p 0.00031. Header: AUC, p, BH q within task, and the feature's n. Table: c_data/03_classify.xlsx, auc.

HR vs LR at T1


39 of 1733 proteins at p < 0.05, 0 at BH < 0.05. Page 4 of 4.



HR (up to 7) against LR (up to 8); AUC above 0.5 means higher in HR. Wilcoxon rank−sum test; smallest attainable p 0.00031. Header: AUC, p, BH q within task, and the feature's n. Table: c_data/03_classify.xlsx, auc.

HR vs LR at T2


66 of 1835 proteins at p < 0.05, 0 at BH < 0.05. Page 1 of 6.



HR (up to 7) against LR (up to 8); AUC above 0.5 means higher in HR. Wilcoxon rank−sum test; smallest attainable p 0.00031. Header: AUC, p, BH q within task, and the feature's n. Table: c_data/03_classify.xlsx, auc.

HR vs LR at T2


66 of 1835 proteins at p < 0.05, 0 at BH < 0.05. Page 2 of 6.



HR (up to 7) against LR (up to 8); AUC above 0.5 means higher in HR. Wilcoxon rank−sum test; smallest attainable p 0.00031. Header: AUC, p, BH q within task, and the feature's n. Table: c_data/03_classify.xlsx, auc.

HR vs LR at T2


66 of 1835 proteins at p < 0.05, 0 at BH < 0.05. Page 3 of 6.



HR (up to 7) against LR (up to 8); AUC above 0.5 means higher in HR. Wilcoxon rank−sum test; smallest attainable p 0.00031. Header: AUC, p, BH q within task, and the feature's n. Table: c_data/03_classify.xlsx, auc.

HR vs LR at T2


66 of 1835 proteins at p < 0.05, 0 at BH < 0.05. Page 4 of 6.



HR (up to 7) against LR (up to 8); AUC above 0.5 means higher in HR. Wilcoxon rank−sum test; smallest attainable p 0.00031. Header: AUC, p, BH q within task, and the feature's n. Table: c_data/03_classify.xlsx, auc.

HR vs LR at T2


66 of 1835 proteins at p < 0.05, 0 at BH < 0.05. Page 5 of 6.



HR (up to 7) against LR (up to 8); AUC above 0.5 means higher in HR. Wilcoxon rank−sum test; smallest attainable p 0.00031. Header: AUC, p, BH q within task, and the feature's n. Table: c_data/03_classify.xlsx, auc.

HR vs LR at T2


66 of 1835 proteins at p < 0.05, 0 at BH < 0.05. Page 6 of 6.



HR (up to 7) against LR (up to 8); AUC above 0.5 means higher in HR. Wilcoxon rank−sum test; smallest attainable p 0.00031. Header: AUC, p, BH q within task, and the feature's n. Table: c_data/03_classify.xlsx, auc.

HR vs LR, training change


48 of 1539 proteins at p < 0.05, 0 at BH < 0.05. Page 1 of 4.



HR (up to 6) against LR (up to 8); AUC above 0.5 means higher in HR. Wilcoxon rank−sum test; smallest attainable p 0.00067. Header: AUC, p, BH q within task, and the feature's n. Table: c_data/03_classify.xlsx, auc.

HR vs LR, training change


48 of 1539 proteins at p < 0.05, 0 at BH < 0.05. Page 2 of 4.



HR (up to 6) against LR (up to 8); AUC above 0.5 means higher in HR. Wilcoxon rank−sum test; smallest attainable p 0.00067. Header: AUC, p, BH q within task, and the feature's n. Table: c_data/03_classify.xlsx, auc.

HR vs LR, training change


48 of 1539 proteins at p < 0.05, 0 at BH < 0.05. Page 3 of 4.



HR (up to 6) against LR (up to 8); AUC above 0.5 means higher in HR. Wilcoxon rank−sum test; smallest attainable p 0.00067. Header: AUC, p, BH q within task, and the feature's n. Table: c_data/03_classify.xlsx, auc.

HR vs LR, training change


48 of 1539 proteins at p < 0.05, 0 at BH < 0.05. Page 4 of 4.



HR (up to 6) against LR (up to 8); AUC above 0.5 means higher in HR. Wilcoxon rank−sum test; smallest attainable p 0.00067. Header: AUC, p, BH q within task, and the feature's n. Table: c_data/03_classify.xlsx, auc.

HR vs LR, acute change


129 of 1645 proteins at p < 0.05, 0 at BH < 0.05. Page 1 of 11.



HR (up to 7) against LR (up to 8); AUC above 0.5 means higher in HR. Wilcoxon rank−sum test; smallest attainable p 0.00031. Header: AUC, p, BH q within task, and the feature's n. Table: c_data/03_classify.xlsx, auc.

HR vs LR, acute change


129 of 1645 proteins at p < 0.05, 0 at BH < 0.05. Page 2 of 11.



HR (up to 7) against LR (up to 8); AUC above 0.5 means higher in HR. Wilcoxon rank−sum test; smallest attainable p 0.00031. Header: AUC, p, BH q within task, and the feature's n. Table: c_data/03_classify.xlsx, auc.

HR vs LR, acute change


129 of 1645 proteins at p < 0.05, 0 at BH < 0.05. Page 3 of 11.



HR (up to 7) against LR (up to 8); AUC above 0.5 means higher in HR. Wilcoxon rank−sum test; smallest attainable p 0.00031. Header: AUC, p, BH q within task, and the feature's n. Table: c_data/03_classify.xlsx, auc.

HR vs LR, acute change


129 of 1645 proteins at p < 0.05, 0 at BH < 0.05. Page 4 of 11.



HR (up to 7) against LR (up to 8); AUC above 0.5 means higher in HR. Wilcoxon rank−sum test; smallest attainable p 0.00031. Header: AUC, p, BH q within task, and the feature's n. Table: c_data/03_classify.xlsx, auc.

HR vs LR, acute change


129 of 1645 proteins at p < 0.05, 0 at BH < 0.05. Page 5 of 11.



HR (up to 7) against LR (up to 8); AUC above 0.5 means higher in HR. Wilcoxon rank−sum test; smallest attainable p 0.00031. Header: AUC, p, BH q within task, and the feature's n. Table: c_data/03_classify.xlsx, auc.

HR vs LR, acute change


129 of 1645 proteins at p < 0.05, 0 at BH < 0.05. Page 6 of 11.



HR (up to 7) against LR (up to 8); AUC above 0.5 means higher in HR. Wilcoxon rank−sum test; smallest attainable p 0.00031. Header: AUC, p, BH q within task, and the feature's n. Table: c_data/03_classify.xlsx, auc.

HR vs LR, acute change


129 of 1645 proteins at p < 0.05, 0 at BH < 0.05. Page 7 of 11.



HR (up to 7) against LR (up to 8); AUC above 0.5 means higher in HR. Wilcoxon rank−sum test; smallest attainable p 0.00031. Header: AUC, p, BH q within task, and the feature's n. Table: c_data/03_classify.xlsx, auc.

HR vs LR, acute change


129 of 1645 proteins at p < 0.05, 0 at BH < 0.05. Page 8 of 11.



HR (up to 7) against LR (up to 8); AUC above 0.5 means higher in HR. Wilcoxon rank−sum test; smallest attainable p 0.00031. Header: AUC, p, BH q within task, and the feature's n. Table: c_data/03_classify.xlsx, auc.

HR vs LR, acute change


129 of 1645 proteins at p < 0.05, 0 at BH < 0.05. Page 9 of 11.



HR (up to 7) against LR (up to 8); AUC above 0.5 means higher in HR. Wilcoxon rank−sum test; smallest attainable p 0.00031. Header: AUC, p, BH q within task, and the feature's n. Table: c_data/03_classify.xlsx, auc.

HR vs LR, acute change


129 of 1645 proteins at p < 0.05, 0 at BH < 0.05. Page 10 of 11.



HR (up to 7) against LR (up to 8); AUC above 0.5 means higher in HR. Wilcoxon rank−sum test; smallest attainable p 0.00031. Header: AUC, p, BH q within task, and the feature's n. Table: c_data/03_classify.xlsx, auc.

HR vs LR, acute change

129 of 1645 proteins at p < 0.05, 0 at BH < 0.05. Page 11 of 11.



HR (up to 7) against LR (up to 8); AUC above 0.5 means higher in HR. Wilcoxon rank−sum test; smallest attainable p 0.00031. Header: AUC, p, BH q within task, and the feature's n. Table: c_data/03_classify.xlsx, auc.