
NES concordance, all collections: Training_HR against Training_LR

fgsea NES per contrast, 1378 sets, BH within contrast

A

All collections


1378 sets | 198 significant | rho 0.37 | 36 discordant



B

Collapse survivors


54 sets | 54 significant | rho 0.58 | 8 discordant



C

Discordant

36 sets | 36 significant | rho −0.54 | 36 discordant




significant in ● Both ● Training_HR ● Training_LR proteins ● 50 ● 150 ● 300

One point per gene set, scored in both training contrasts. Dashed line is identity; grey points reach neither threshold. Discordant sets are significant in at least one group and sit on opposite sides of zero. Panel C rescales th

NES concordance, Hallmark and GO Slim: Training_HR against Training_LR

fgsea NES per contrast, 91 non−nesting sets, BH within contrast




Panel A is every Hallmark and GO Slim set; B and C rescale the significant sets with the same sign in both groups, so each can be named. Point size is protein count, colour the contrast a set reached FDR 0.05 in. Table: c_


NES concordance, all collections: Acute_HR against Acute_LR

fgsea NES per contrast, 1378 sets, BH within contrast


A



B



C




significant in ● Both ● Acute_HR ● Acute_LR proteins ● 50 ● 150 ● 300

One point per gene set, scored in both acute contrasts. Dashed line is identity; grey points reach neither threshold. Discordant sets are significant in at least one group and sit on opposite sides of zero. Panel C rescales the

NES concordance, Hallmark and GO Slim: Acute_HR against Acute_LR

fgsea NES per contrast, 91 non−nesting sets, BH within contrast



Panel A is every Hallmark and GO Slim set; B and C rescale the significant sets with the same sign in both groups, so each can be named. Point size is protein count, colour the contrast a set reached FDR 0.05 in. Table: c_