




Principal components against time point
Blood-corrected values, proteins scaled; R² of the covariate alone on each PC
PC1 (16.9%), R² 0.01
PC2 (10.1%), R² 0.05
PC3 (7.3%), R² 0.24
PC4 (5.7%), R² 0.01
PC5 (4.2%), R² 0.14
PC score
time point
T1
T2
T3
HR
LR



Principal components against HR/LR
Blood-corrected values, proteins scaled; R² of the covariate alone on each PC
PC1 (16.9%), R² 0.03
PC2 (10.1%), R² 0.06
PC3 (7.3%), R² 0.02
PC4 (5.7%), R² 0.01
PC5 (4.2%), R² 0.13
PC score
HR/LR
HR
LR
T1
T2
T3


Principal components against person
Blood-corrected values, proteins scaled; R² of the covariate alone on each PC
PC1 (16.9%), R² 0.48
PC2 (10.1%), R² 0.43
PC3 (7.3%), R² 0.44
PC4 (5.7%), R² 0.43
PC5 (4.2%), R² 0.72
PC score
person
HR_S03
HR_S10
HR_S16
HR_S22
HR_S24
HR_S27
HR_S28
HR_S29
LR_S04
LR_S05
LR_S06
LR_S12
LR_S14
LR_S17
LR_S21
LR_S30
T1
T2
T3
HR
LR


Principal components against blood index
Blood-corrected values, proteins scaled; R² of the covariate alone on each PC
PC1 (16.9%), R² 0.02
PC2 (10.1%), R² 0.02
PC3 (7.3%), R² 0.07
PC4 (5.7%), R² 0.00
PC5 (4.2%), R² 0.00
PC score
blood index
T1 T2 T3 HR LR

Principal components against proteins detected

Blood-corrected values, proteins scaled; R² of the covariate alone on each PC



Principal components against sample weight

Blood-corrected values, proteins scaled; R^2 of the covariate alone on each PC

