




Rewiring: no set at FDR < 0.05 (turquoise)
Each member's kME within LR's 24 biopsies against within HR's;
on the diagonal it moves with the module equally in both; named: the 8 largest shifts
YKT6
UFM1
AOC3
UBXN1
CDNF
MYLK
MGST3
TBC1D17
1.0
0.5
0.0
-0.5
kME in HR
-0.5
0.0
0.5
1.0
kME in LR



Rewiring: mRNA 3 end processing (blue)
Each member's kME within LR's 24 biopsies against within HR's;
on the diagonal it moves with the module equally in both; named: the 8 largest shifts
DDOST
IMPDH2
CSNK2A1
PALMD
ARPC1A
MBNL1
VASP
PSMC2
1.0
0.5
0.0
-0.5
kME in HR
-0.5
0.0
0.5
1.0
kME in LR



Rewiring: no set at FDR < 0.05 (brown)
Each member's kME within LR's 24 biopsies against within HR's;
on the diagonal it moves with the module equally in both; named: the 8 largest shifts
AHCYL1
GSK3B
EIF5
MRPL40
MRPL49
POTEI
ACOT9
PRDX5
1.0
0.5
0.0
-0.5
kME in HR
-0.5
0.0
0.5
1.0
kME in LR


Rewiring: no set at FDR < 0.05 (yellow)
Each member's kME within LR's 24 biopsies against within HR's;
on the diagonal it moves with the module equally in both; named: the 8 largest shifts
COL18A1
NUDT2
NIPSNAP3A
CCDC43
EIF4EBP1
ATP2B1
JSRP1
PPP1R3A
1.0
0.5
0.0
-0.5
kME in HR
-0.5
0.0
0.5
1.0
kME in LR

Rewiring: Cytoskeleton organization (green)


Each member's kME within LR's 24 biopsies against within HR's;
on the diagonal it moves with the module equally in both; named: the 8 largest shifts




Rewiring: Aerobic respiration and respiratory electr... (red)
Each member's kME within LR's 24 biopsies against within HR's;
on the diagonal it moves with the module equally in both; named: the 8 largest shifts
MT-ND2
NDUFA11
MCU
CAMK2A
METTL7A
SLC25A5
GLRX5
MT-ND1
1.0
0.5
0.0
-0.5
kME in HR
-0.5
0.0
0.5
1.0
kME in LR


Rewiring: Striated muscle contraction (black)

Each member's kME within LR's 24 biopsies against within HR's;
on the diagonal it moves with the module equally in both; named: the 8 largest shifts




Rewiring: Carbohydrate catabolic process (pink)


Each member's kME within LR's 24 biopsies against within HR's;
on the diagonal it moves with the module equally in both; named: the 8 largest shifts



Rewiring: Cristae formation (magenta)

Each member's kME within LR's 24 biopsies against within HR's;
on the diagonal it moves with the module equally in both; named: the 8 largest shifts




Rewiring: Response of EIF2AK4 GCN2 to amino acid def... (purple)
Each member's kME within LR's 24 biopsies against within HR's;
on the diagonal it moves with the module equally in both; named: the 8 largest shifts
RPS3
RPS4X
MSI2
PPP2R5D
RPL23
MYBPH
NACA
PDAP1
1.0
0.5
0.0
-0.5
kME in HR
-0.5
0.0
0.5
1.0
kME in LR