

Classification overview: Hallmark




All 33 sets, one row each. Rows are ordered within collection by average−linkage clustering (1 − Pearson r) of singscore, for display only. Median change colours stop at the 99th percentile of |change|, 0.027. Grey: not tested. Table: c_data/02_sets.xlsx, auc.

Classification overview: Reactome



All 328 sets, one row each. Rows are ordered within collection by average−linkage clustering (1 − Pearson r) of singscore, for display only. Median change colours stop at the 99th percentile of |change|, 0.027. Grey: not tested. Table: c_data/02_sets.xlsx, auc.

Classification overview: KEGG_Legacy




All 62 sets, one row each. Rows are ordered within collection by average−linkage clustering (1 − Pearson r) of singscore, for display only. Median change colours stop at the 99th percentile of |change|, 0.027. Grey: not tested. Table: c_data/02_sets.xlsx, auc.

Classification overview: GOBP



All 897 sets, one row each. Rows are ordered within collection by average−linkage clustering (1 − Pearson r) of singscore, for display only. Median change colours stop at the 99th percentile of |change|, 0.027. Grey: not tested. Table: c_data/02_sets.xlsx, auc.


Classification overview: GO_Slim



All 58 sets, one row each. Rows are ordered within collection by average−linkage clustering (1 − Pearson r) of singscore, for display only. Median change colours stop at the 99th percentile of |change|, 0.027. Grey: not tested. Table: c_data/02_sets.xlsx, auc.

Training, Hi (T1 to T2)


118 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 1 of 10.



Wilcoxon signed−rank test on up to 7 pairs; smallest attainable p 0.016. Header: median paired change, p, BH q within task and collection, and the feature's complete pairs. Table: c_data/02_sets.xlsx, auc.

Training, Hi (T1 to T2)


118 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 2 of 10.



Wilcoxon signed−rank test on up to 7 pairs; smallest attainable p 0.016. Header: median paired change, p, BH q within task and collection, and the feature's complete pairs. Table: c_data/02_sets.xlsx, auc.

Training, Hi (T1 to T2)


118 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 3 of 10.



Wilcoxon signed−rank test on up to 7 pairs; smallest attainable p 0.016. Header: median paired change, p, BH q within task and collection, and the feature's complete pairs. Table: c_data/02_sets.xlsx, auc.

Training, Hi (T1 to T2)


118 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 4 of 10.



Wilcoxon signed−rank test on up to 7 pairs; smallest attainable p 0.016. Header: median paired change, p, BH q within task and collection, and the feature's complete pairs. Table: c_data/02_sets.xlsx, auc.

Training, Hi (T1 to T2)


118 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 5 of 10.



Wilcoxon signed−rank test on up to 7 pairs; smallest attainable p 0.016. Header: median paired change, p, BH q within task and collection, and the feature's complete pairs. Table: c_data/02_sets.xlsx, auc.

Training, Hi (T1 to T2)


118 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 6 of 10.



Wilcoxon signed−rank test on up to 7 pairs; smallest attainable p 0.016. Header: median paired change, p, BH q within task and collection, and the feature's complete pairs. Table: c_data/02_sets.xlsx, auc.


Training, Hi (T1 to T2)

118 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 7 of 10.



Wilcoxon signed−rank test on up to 7 pairs; smallest attainable p 0.016. Header: median paired change, p, BH q within task and collection, and the feature's complete pairs. Table: c_data/02_sets.xlsx, auc.


Training, Hi (T1 to T2)



Wilcoxon signed−rank test on up to 7 pairs; smallest attainable p 0.016. Header: median paired change, p, BH q within task and collection, and the feature's complete pairs. Table: c_data/02_sets.xlsx, auc.


Training, Hi (T1 to T2)

118 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 9 of 10.



Wilcoxon signed−rank test on up to 7 pairs; smallest attainable p 0.016. Header: median paired change, p, BH q within task and collection, and the feature's complete pairs. Table: c_data/02_sets.xlsx, auc.


Training, Hi (T1 to T2)



Wilcoxon signed−rank test on up to 7 pairs; smallest attainable p 0.016. Header: median paired change, p, BH q within task and collection, and the feature's complete pairs. Table: c_data/02_sets.xlsx, auc.

Training, Lo (T1 to T2)


31 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 1 of 3.



Wilcoxon signed−rank test on up to 6 pairs; smallest attainable p 0.031. Header: median paired change, p, BH q within task and collection, and the feature's complete pairs. Table: c_data/02_sets.xlsx, auc.

Training, Lo (T1 to T2)


31 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 2 of 3.



Wilcoxon signed−rank test on up to 6 pairs; smallest attainable p 0.031. Header: median paired change, p, BH q within task and collection, and the feature's complete pairs. Table: c_data/02_sets.xlsx, auc.

Training, Lo (T1 to T2)


31 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 3 of 3.



Wilcoxon signed−rank test on up to 6 pairs; smallest attainable p 0.031. Header: median paired change, p, BH q within task and collection, and the feature's complete pairs. Table: c_data/02_sets.xlsx, auc.

Acute bout, Hi (T2 to T3)


109 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 1 of 10.



Wilcoxon signed−rank test on up to 7 pairs; smallest attainable p 0.016. Header: median paired change, p, BH q within task and collection, and the feature's complete pairs. Table: c_data/02_sets.xlsx, auc.

Acute bout, Hi (T2 to T3)


109 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 2 of 10.



Wilcoxon signed−rank test on up to 7 pairs; smallest attainable p 0.016. Header: median paired change, p, BH q within task and collection, and the feature's complete pairs. Table: c_data/02_sets.xlsx, auc.

Acute bout, Hi (T2 to T3)


109 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 3 of 10.



Wilcoxon signed−rank test on up to 7 pairs; smallest attainable p 0.016. Header: median paired change, p, BH q within task and collection, and the feature's complete pairs. Table: c_data/02_sets.xlsx, auc.

Acute bout, Hi (T2 to T3)


109 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 4 of 10.



Wilcoxon signed−rank test on up to 7 pairs; smallest attainable p 0.016. Header: median paired change, p, BH q within task and collection, and the feature's complete pairs. Table: c_data/02_sets.xlsx, auc.

Acute bout, Hi (T2 to T3)


109 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 5 of 10.



Wilcoxon signed−rank test on up to 7 pairs; smallest attainable p 0.016. Header: median paired change, p, BH q within task and collection, and the feature's complete pairs. Table: c_data/02_sets.xlsx, auc.

Acute bout, Hi (T2 to T3)


109 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 6 of 10.



Wilcoxon signed−rank test on up to 7 pairs; smallest attainable p 0.016. Header: median paired change, p, BH q within task and collection, and the feature's complete pairs. Table: c_data/02_sets.xlsx, auc.

Acute bout, Hi (T2 to T3)


109 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 7 of 10.



Wilcoxon signed−rank test on up to 7 pairs; smallest attainable p 0.016. Header: median paired change, p, BH q within task and collection, and the feature's complete pairs. Table: c_data/02_sets.xlsx, auc.

Acute bout, Hi (T2 to T3)


109 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 8 of 10.



Wilcoxon signed−rank test on up to 7 pairs; smallest attainable p 0.016. Header: median paired change, p, BH q within task and collection, and the feature's complete pairs. Table: c_data/02_sets.xlsx, auc.

Acute bout, Hi (T2 to T3)


109 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 9 of 10.



Wilcoxon signed−rank test on up to 7 pairs; smallest attainable p 0.016. Header: median paired change, p, BH q within task and collection, and the feature's complete pairs. Table: c_data/02_sets.xlsx, auc.

Acute bout, Hi (T2 to T3)


109 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 10 of 10.



Wilcoxon signed−rank test on up to 7 pairs; smallest attainable p 0.016. Header: median paired change, p, BH q within task and collection, and the feature's complete pairs. Table: c_data/02_sets.xlsx, auc.

Acute bout, Lo (T2 to T3)


82 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 1 of 7.



Wilcoxon signed−rank test on up to 7 pairs; smallest attainable p 0.016. Header: median paired change, p, BH q within task and collection, and the feature's complete pairs. Table: c_data/02_sets.xlsx, auc.

Acute bout, Lo (T2 to T3)


82 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 2 of 7.



Wilcoxon signed−rank test on up to 7 pairs; smallest attainable p 0.016. Header: median paired change, p, BH q within task and collection, and the feature's complete pairs. Table: c_data/02_sets.xlsx, auc.

Acute bout, Lo (T2 to T3)


82 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 3 of 7.



Wilcoxon signed−rank test on up to 7 pairs; smallest attainable p 0.016. Header: median paired change, p, BH q within task and collection, and the feature's complete pairs. Table: c_data/02_sets.xlsx, auc.

Acute bout, Lo (T2 to T3)


82 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 4 of 7.



Wilcoxon signed−rank test on up to 7 pairs; smallest attainable p 0.016. Header: median paired change, p, BH q within task and collection, and the feature's complete pairs. Table: c_data/02_sets.xlsx, auc.

Acute bout, Lo (T2 to T3)


82 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 5 of 7.



Wilcoxon signed−rank test on up to 7 pairs; smallest attainable p 0.016. Header: median paired change, p, BH q within task and collection, and the feature's complete pairs. Table: c_data/02_sets.xlsx, auc.

Acute bout, Lo (T2 to T3)


82 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 6 of 7.



Wilcoxon signed−rank test on up to 7 pairs; smallest attainable p 0.016. Header: median paired change, p, BH q within task and collection, and the feature's complete pairs. Table: c_data/02_sets.xlsx, auc.

Acute bout, Lo (T2 to T3)


82 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 7 of 7.



Wilcoxon signed−rank test on up to 7 pairs; smallest attainable p 0.016. Header: median paired change, p, BH q within task and collection, and the feature's complete pairs. Table: c_data/02_sets.xlsx, auc.

Hi vs Lo at T1


214 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 1 of 18.



Hi (up to 8) against Lo (up to 6); AUC above 0.5 means higher in Hi. Wilcoxon rank−sum test; smallest attainable p 0.00067. Header: AUC with its DeLong 95% interval, p, none at AUC 0 or 1, where DeLong's variance is ze

Hi vs Lo at T1


214 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 2 of 18.



Hi (up to 8) against Lo (up to 6); AUC above 0.5 means higher in Hi. Wilcoxon rank−sum test; smallest attainable p 0.00067. Header: AUC with its DeLong 95% interval, p, none at AUC 0 or 1, where DeLong's variance is ze

Hi vs Lo at T1


214 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 3 of 18.



Hi (up to 8) against Lo (up to 6); AUC above 0.5 means higher in Hi. Wilcoxon rank−sum test; smallest attainable p 0.00067. Header: AUC with its DeLong 95% interval, p, none at AUC 0 or 1, where DeLong's variance

Hi vs Lo at T1


214 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 4 of 18.



Hi (up to 8) against Lo (up to 6); AUC above 0.5 means higher in Hi. Wilcoxon rank−sum test; smallest attainable p 0.00067. Header: AUC with its DeLong 95% interval, p, none at AUC 0 or 1, where DeLong's variance

Hi vs Lo at T1


214 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 5 of 18.



Hi (up to 8) against Lo (up to 6); AUC above 0.5 means higher in Hi. Wilcoxon rank−sum test; smallest attainable p 0.00067. Header: AUC with its DeLong 95% interval, p, none at AUC 0 or 1, where DeLong's variance

Hi vs Lo at T1


214 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 6 of 18.



Hi (up to 8) against Lo (up to 6); AUC above 0.5 means higher in Hi. Wilcoxon rank−sum test; smallest attainable p 0.00067. Header: AUC with its DeLong 95% interval, p, none at AUC 0 or 1, where DeLong's varia

Hi vs Lo at T1


214 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 7 of 18.



Hi (up to 8) against Lo (up to 6); AUC above 0.5 means higher in Hi. Wilcoxon rank−sum test; smallest attainable p 0.00067. Header: AUC with its DeLong 95% interval, p, none at AUC 0 or 1, where DeLong's variance is ze

Hi vs Lo at T1


214 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 8 of 18.



Hi (up to 8) against Lo (up to 6); AUC above 0.5 means higher in Hi. Wilcoxon rank−sum test; smallest attainable p 0.00067. Header: AUC with its DeLong 95% interval, p, none at AUC 0 or 1, where DeLong's variance is ze

Hi vs Lo at T1


214 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 9 of 18.



Hi (up to 8) against Lo (up to 6); AUC above 0.5 means higher in Hi. Wilcoxon rank−sum test; smallest attainable p 0.00067. Header: AUC with its DeLong 95% interval, p, none at AUC 0 or 1, where DeLong's variance is ze

Hi vs Lo at T1


214 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 10 of 18.



Hi (up to 8) against Lo (up to 6); AUC above 0.5 means higher in Hi. Wilcoxon rank−sum test; smallest attainable p 0.00067. Header: AUC with its DeLong 95% interval, p, none at AUC 0 or 1, where DeLong's variance

Hi vs Lo at T1


214 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 11 of 18.



Hi (up to 8) against Lo (up to 6); AUC above 0.5 means higher in Hi. Wilcoxon rank−sum test; smallest attainable p 0.00067. Header: AUC with its DeLong 95% interval, p, none at AUC 0 or 1, where DeLong's variance is ze

Hi vs Lo at T1


214 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 12 of 18.



Hi (up to 8) against Lo (up to 6); AUC above 0.5 means higher in Hi. Wilcoxon rank−sum test; smallest attainable p 0.00067. Header: AUC with its DeLong 95% interval, p, none at AUC 0 or 1, where DeLong's variance

Hi vs Lo at T1


214 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 13 of 18.



Hi (up to 8) against Lo (up to 6); AUC above 0.5 means higher in Hi. Wilcoxon rank−sum test; smallest attainable p 0.00067. Header: AUC with its DeLong 95% interval, p, none at AUC 0 or 1, where DeLong's variance is ze

Hi vs Lo at T1


214 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 14 of 18.



Hi (up to 8) against Lo (up to 6); AUC above 0.5 means higher in Hi. Wilcoxon rank−sum test; smallest attainable p 0.00067. Header: AUC with its DeLong 95% interval, p, none at AUC 0 or 1, where DeLong's variance

Hi vs Lo at T1


214 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 15 of 18.



Hi (up to 8) against Lo (up to 6); AUC above 0.5 means higher in Hi. Wilcoxon rank−sum test; smallest attainable p 0.00067. Header: AUC with its DeLong 95% interval, p, none at AUC 0 or 1, where DeLong's variance is ze

Hi vs Lo at T1


214 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 16 of 18.



Hi (up to 8) against Lo (up to 6); AUC above 0.5 means higher in Hi. Wilcoxon rank−sum test; smallest attainable p 0.00067. Header: AUC with its DeLong 95% interval, p, none at AUC 0 or 1, where DeLong's variance is ze

Hi vs Lo at T1


214 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 17 of 18.



Hi (up to 8) against Lo (up to 6); AUC above 0.5 means higher in Hi. Wilcoxon rank−sum test; smallest attainable p 0.00067. Header: AUC with its DeLong 95% interval, p, none at AUC 0 or 1, where DeLong's variance

Hi vs Lo at T1


214 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 18 of 18.



Hi (up to 8) against Lo (up to 6); AUC above 0.5 means higher in Hi. Wilcoxon rank−sum test; smallest attainable p 0.00067. Header: AUC with its DeLong 95% interval, p, none at AUC 0 or 1, where DeLong's variance is ze

Hi vs Lo at T2


36 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 1 of 3.



Hi (up to 7) against Lo (up to 7); AUC above 0.5 means higher in Hi. Wilcoxon rank−sum test; smallest attainable p 0.00058. Header: AUC with its DeLong 95% interval, p, none at AUC 0 or 1, where DeLong's variance

Hi vs Lo at T2


36 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 2 of 3.



Hi (up to 7) against Lo (up to 7); AUC above 0.5 means higher in Hi. Wilcoxon rank−sum test; smallest attainable p 0.00058. Header: AUC with its DeLong 95% interval, p, none at AUC 0 or 1, where DeLong's variance is ze

Hi vs Lo at T2


36 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 3 of 3.



Hi (up to 7) against Lo (up to 7); AUC above 0.5 means higher in Hi. Wilcoxon rank−sum test; smallest attainable p 0.00058. Header: AUC with its DeLong 95% interval, p, none at AUC 0 or 1, where DeLong's variance

Hi vs Lo, training change


81 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 1 of 7.



Hi (up to 7) against Lo (up to 6); AUC above 0.5 means higher in Hi. Wilcoxon rank−sum test; smallest attainable p 0.0012. Header: AUC with its DeLong 95% interval, p, none at AUC 0 or 1, where DeLong's variance is

Hi vs Lo, training change


81 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 2 of 7.



Hi (up to 7) against Lo (up to 6); AUC above 0.5 means higher in Hi. Wilcoxon rank−sum test; smallest attainable p 0.0012. Header: AUC with its DeLong 95% interval, p, none at AUC 0 or 1, where DeLong's variance is zero

Hi vs Lo, training change


81 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 3 of 7.



Hi (up to 7) against Lo (up to 6); AUC above 0.5 means higher in Hi. Wilcoxon rank−sum test; smallest attainable p 0.0012. Header: AUC with its DeLong 95% interval, p, none at AUC 0 or 1, where DeLong's variance is zero

Hi vs Lo, training change


81 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 4 of 7.



Hi (up to 7) against Lo (up to 6); AUC above 0.5 means higher in Hi. Wilcoxon rank−sum test; smallest attainable p 0.0012. Header: AUC with its DeLong 95% interval, p, none at AUC 0 or 1, where DeLong's variance is zero

Hi vs Lo, training change


81 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 5 of 7.



Hi (up to 7) against Lo (up to 6); AUC above 0.5 means higher in Hi. Wilcoxon rank−sum test; smallest attainable p 0.0012. Header: AUC with its DeLong 95% interval, p, none at AUC 0 or 1, where DeLong's variance is

Hi vs Lo, training change


81 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 6 of 7.



Hi (up to 7) against Lo (up to 6); AUC above 0.5 means higher in Hi. Wilcoxon rank−sum test; smallest attainable p 0.0012. Header: AUC with its DeLong 95% interval, p, none at AUC 0 or 1, where DeLong's variance is zero

Hi vs Lo, training change


81 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 7 of 7.



Hi (up to 7) against Lo (up to 6); AUC above 0.5 means higher in Hi. Wilcoxon rank−sum test; smallest attainable p 0.0012. Header: AUC with its DeLong 95% interval, p, none at AUC 0 or 1, where DeLong's variance is zero

Hi vs Lo, acute change

6 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 1 of 1.



Hi (up to 7) against Lo (up to 7); AUC above 0.5 means higher in Hi. Wilcoxon rank−sum test; smallest attainable p 0.00058. Header: AUC with its DeLong 95% interval, p, none at AUC 0 or 1, where DeLong's variance