

a Proteins that respond to training or the bout
Π < 0.05 in a group's training or acute contrast
top 10 per block by Π (shared: the weaker group's)
(n/48): biopsies where the protein was observed
Training
Acute
Between groups
Interaction
Shared
MPO (15/48)
CTSG (15/48)
LCN2 (8/48)
HNRNPC (35/48)
CORO1A (8/48)
CHDH (9/48)
RRAD (42/48)
COPB1 (43/48)
CNN1 (17/48)
HNRNPA2B1 (48/48)
HR only
NNMT (16/48)
EZR (31/48)
COMP (9/48)
AMPD3 (48/48)
TPPP3 (27/48)
PLIN1 (9/48)
GFPT1 (15/48)
GHITM (27/48)
TMED9 (16/48)
MAP1LC3B2 (45/48)
LR only
GCN1 (20/48)
MNDA (8/48)
LAMTOR2 (25/48)
MRPL49 (30/48)
UBE2L3 (48/48)
UBE2D1 (34/48)
OXSM (42/48)
NAMPT (47/48)
PYURF (44/48)
PPM1A (39/48)
HR
LR
T1
T2
T3
b Exploratory HR - LR candidates
Π < 0.05 in an HR - LR or interaction contrast; top 12 per block by Π
p < 0.05: 68 to 141 proteins per contrast, 103 by chance; none at FDR < 0.05
(n/48): biopsies where the protein was observed. Seen in few,
a protein's values are mostly modelled and its logFC can be large
Between groups
TPPP3 (27/48)
S100A1 (48/48)
COMP (9/48)
MAOA (47/48)
MFAP4 (33/48)
DHCR24 (23/48)
DHRS11 (16/48)
AKR1C1 (46/48)
PPP1R2 (33/48)
VBP1 (46/48)
RO60 (26/48)
PFKFB1 (39/48)
Interaction
CNN1 (17/48)
RBP1 (12/48)
EZR (31/48)
GHITM (27/48)
NNMT (16/48)
USP7 (16/48)
COPB1 (43/48)
RPS20 (47/48)
SSB (31/48)
EIF4B (11/48)
ADIRF (19/48)
STOML2 (46/48)
logFC (capped at ±1.5)
1.5
1.0
0.5
0.0
-0.5
-1.0
-1.5
-log10 p
1
2
4+
Π < 0.05
Π ≥ 0.05
FDR < 0.05
c Exploratory HR - LR candidates, person by person
The four smallest Π in panel b's contrasts; (n/48): biopsies where the protein was observed
Blood-corrected values; thin lines: people, thick: group mean; open points: biopsies where limpa modelled the value from the detection curve
CNN1 (17/48)
Acute Interaction
logFC -4.93, Π = 1.9e-10
p = 0.011, FDR = 0.649
RBP1 (12/48)
Acute Interaction
logFC 3.00, Π = 1.0e-09
p < 0.001, FDR = 0.397
EZR (31/48)
Acute Interaction
logFC 2.83, Π = 1.2e-08
p = 0.002, FDR = 0.397
TPPP3 (27/48)
Acute HR - LR
logFC 2.34, Π = 4.3e-08
p < 0.001, FDR = 0.568
log2 abundance
HR
LR
observed
modelled (no precursor seen)