

Discrimination overview: Hallmark




All 33 sets, one row each. Rows are ordered within collection by average−linkage clustering (1 − Pearson r) of singscore, for display only. Grey: not tested. Table: c_data/02_sets.xlsx, auc.

Discrimination overview: Reactome




All 328 sets, one row each. Rows are ordered within collection by average−linkage clustering (1 − Pearson r) of singscore, for display only. Grey: not tested. Table: c_data/02_sets.xlsx, auc.

Discrimination overview: KEGG_Legacy



All 62 sets, one row each. Rows are ordered within collection by average−linkage clustering (1 − Pearson r) of singscore, for display only. Grey: not tested. Table: c_data/02_sets.xlsx, auc.

Discrimination overview: GOBP



All 897 sets, one row each. Rows are ordered within collection by average−linkage clustering (1 − Pearson r) of singscore, for display only. Grey: not tested. Table: c_data/02_sets.xlsx, auc.


Discrimination overview: GO_Slim



All 58 sets, one row each. Rows are ordered within collection by average−linkage clustering (1 − Pearson r) of singscore, for display only. Grey: not tested. Table: c_data/02_sets.xlsx, auc.

Hi vs Lo at T1


214 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 1 of 2.



Hi (up to 8) against Lo (up to 6); AUC above 0.5 means higher in Hi. Header: AUC with its stratified bootstrap 95% interval (2000 resamples), Wilcoxon rank−sum p (smallest attainable 0.00067), BH q within task and collecti

Hi vs Lo at T1


214 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 2 of 2.



Hi (up to 8) against Lo (up to 6); AUC above 0.5 means higher in Hi. Header: AUC with its stratified bootstrap 95% interval (2000 resamples), Wilcoxon rank−sum p (smallest attainable 0.00067), BH q within task and collecti

Hi vs Lo at T2


36 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 1 of 2.



Hi (up to 7) against Lo (up to 7); AUC above 0.5 means higher in Hi. Header: AUC with its stratified bootstrap 95% interval (2000 resamples), Wilcoxon rank−sum p (smallest attainable 0.00058), BH q within task and co

Hi vs Lo at T2


36 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 2 of 2.



Hi (up to 7) against Lo (up to 7); AUC above 0.5 means higher in Hi. Header: AUC with its stratified bootstrap 95% interval (2000 resamples), Wilcoxon rank−sum p (smallest attainable 0.00058), BH q within task and collecti

Hi vs Lo at T3


15 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 1 of 2.



Hi (up to 7) against Lo (up to 7); AUC above 0.5 means higher in Hi. Header: AUC with its stratified bootstrap 95% interval (2000 resamples), Wilcoxon rank−sum p (smallest attainable 0.00058), BH q within task and co

Hi vs Lo at T3


15 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 2 of 2.



Hi (up to 7) against Lo (up to 7); AUC above 0.5 means higher in Hi. Header: AUC with its stratified bootstrap 95% interval (2000 resamples), Wilcoxon rank−sum p (smallest attainable 0.00058), BH q within task and collecti

Hi vs Lo, training change


81 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 1 of 2.



Hi (up to 7) against Lo (up to 6); AUC above 0.5 means higher in Hi. Header: AUC with its stratified bootstrap 95% interval (2000 resamples), Wilcoxon rank−sum p (smallest attainable 0.0012), BH q within task and coll

Hi vs Lo, training change


81 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 2 of 2.



Hi (up to 7) against Lo (up to 6); AUC above 0.5 means higher in Hi. Header: AUC with its stratified bootstrap 95% interval (2000 resamples), Wilcoxon rank−sum p (smallest attainable 0.0012), BH q within task and collectio

Hi vs Lo, acute change

6 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 1 of 1.



Hi (up to 7) against Lo (up to 7); AUC above 0.5 means higher in Hi. Header: AUC with its stratified bootstrap 95% interval (2000 resamples), Wilcoxon rank−sum p (smallest attainable 0.00058), BH q within task and co