

a Does a feature follow a trait differently in HR and LR?
HR slope minus LR slope (limma, feature ~ group x trait). Number: % of features at p < 0.05 (white: 5, chance);
bold below: count at FDR < 0.05. The composite score defined the groups and is left out
Proteins
Gene sets
Modules
fCSA mixed
fCSA type1
fCSA type2
mCSA
leg press 1RM
leg ext 1RM
volume load (kg)
T1 level
T1, gain
T2 - T1
T2 level
T3 - T2
T3 level
% at p < 0.05
20%
15%
10%
5%
0%
b The strongest screen, within each group
leg press 1RM (% change), T2 - T1, 1,422 gene sets; 44 of 44 FDR hits change sign
Cardiac muscle contraction
Actin mediated cell contrac...
Actin myosin filament sliding
Regulation of the force of...
Cardiac muscle tissue morph...
Muscle organ morphogenesis
Spearman rho in LR
Spearman rho in HR
HR - LR slope
FDR < 0.05
p < 0.05 only
not significant
c Cardiac muscle tissue morphogenesis, person by person
HR slope minus LR slope: t = -9.4, p < 0.001, FDR < 0.001
leg press 1RM (% change)
set score, T2 - T1
HR: rho -0.95 (n = 8)
LR: rho 0.95 (n = 8)