


# Acute\_HR


all collections, fgsea, BH within contrast



Ten strongest of 83 collapse survivors, ranked by adjusted p. Size is gene count, colour is collection. Table: c\_data/set\_tests.csv.

# Acute\_Interaction


all collections, fgsea, BH within contrast



Ten strongest of 44 collapse survivors, ranked by adjusted p. Size is gene count, colour is collection. Table: c\_data/set\_tests.csv.

# Acute\_LR


all collections, fgsea, BH within contrast



Ten strongest of 18 collapse survivors, ranked by adjusted p. Size is gene count, colour is collection. Table: c\_data/set\_tests.csv.

# Training\_HR


all collections, fgsea, BH within contrast



Ten strongest of 23 collapse survivors, ranked by adjusted p. Size is gene count, colour is collection. Table: c\_data/set\_tests.csv.

# Training\_Interaction


all collections, fgsea, BH within contrast



Ten strongest of 13 collapse survivors, ranked by adjusted p. Size is gene count, colour is collection. Table: c\_data/set\_tests.csv.

# Training\_LR


all collections, fgsea, BH within contrast



Ten strongest of 18 collapse survivors, ranked by adjusted p. Size is gene count, colour is collection. Table: c\_data/set\_tests.csv.

# Significant sets before and after collapse


fgsea at FDR 0.05, then collapsePathways



collapsePathways re-tests each significant set conditioned on a stronger set's leading edge and keeps it only if it stays significant. Table: c\_data/set\_tests.csv.

Acute\_HR


GO\_Slim, fgsea, BH within contrast



All of 10 collapse survivors, ranked by adjusted p. Size is gene count, colour is  $-\log_{10}$  FDR. Table: c\_data/set\_tests.csv.

# Acute\_Interaction

GO\_Slim, fgsea, BH within contrast




All of 6 collapse survivors, ranked by adjusted p. Size is gene count, colour is  $-\log_{10}$  FDR. Table: c\_data/set\_tests.csv.

Training\_HR

GO\_Slim, fgsea, BH within contrast

$-\log_{10}$  FDR



genes



Cell  
Differentiation



-1.5

-1.0

-0.5

0.0

normalised enrichment score

Cytoskel. Org.



All of 2 collapse survivors, ranked by adjusted p. Size is gene count, colour is  $-\log_{10}$  FDR. Table: c\_data/set\_tests.csv.

# Training\_Interaction

GO\_Slim, fgsea, BH within contrast

Transmembrane  
Transport

Cytoskel. Org.

-1

0

1

normalised enrichment score

genes

● 243

● 244

● 245

● 246


● 247

2.790272

All of 2 collapse survivors, ranked by adjusted p. Size is gene count, colour is  $-\log_{10}$  FDR. Table: c\_data/set\_tests.csv.

Acute\_HR


GOBP, fgsea, BH within contrast



Ten strongest of 42 collapse survivors, ranked by adjusted p. Size is gene count, colour is  $-\log_{10}$  FDR. Table: c\_data/set\_tests.csv.

# Acute\_Interaction


GOBP, fgsea, BH within contrast



Ten strongest of 20 collapse survivors, ranked by adjusted p. Size is gene count, colour is  $-\log_{10}$  FDR. Table: c\_data/set\_tests.csv.

Acute\_LR


GOBP, fgsea, BH within contrast



All of 7 collapse survivors, ranked by adjusted p. Size is gene count, colour is  $-\log_{10}$  FDR. Table: c\_data/set\_tests.csv.

# Training\_HR


GOBP, fgsea, BH within contrast



Ten strongest of 11 collapse survivors, ranked by adjusted p. Size is gene count, colour is  $-\log_{10}$  FDR. Table: c\_data/set\_tests.csv.

# Training\_Interaction


GOBP, fgsea, BH within contrast



All of 6 collapse survivors, ranked by adjusted p. Size is gene count, colour is  $-\log_{10}$  FDR. Table: c\_data/set\_tests.csv.

# Training\_LR


GOBP, fgsea, BH within contrast



All of 9 collapse survivors, ranked by adjusted p. Size is gene count, colour is  $-\log_{10} \text{FDR}$ . Table: c\_data/set\_tests.csv.

Acute\_HR

Hallmark, fgsea, BH within contrast



All of 8 collapse survivors, ranked by adjusted p. Size is gene count, colour is  $-\log_{10}$  FDR. Table: c\_data/set\_tests.csv.

# Acute\_Interaction


Hallmark, fgsea, BH within contrast



All of 8 collapse survivors, ranked by adjusted p. Size is gene count, colour is  $-\log_{10}$  FDR. Table: c\_data/set\_tests.csv.

Acute\_LR

Hallmark, fgsea, BH within contrast



All of 3 collapse survivors, ranked by adjusted p. Size is gene count, colour is  $-\log_{10}$  FDR. Table: c\_data/set\_tests.csv.

# Training\_HR

Hallmark, fgsea, BH within contrast

OXPPOS

FA Metabolism

0


1

2


3

normalised enrichment score

genes




$-\log_{10}$  FDR



All of 2 collapse survivors, ranked by adjusted p. Size is gene count, colour is  $-\log_{10}$  FDR. Table: c\_data/set\_tests.csv.

# Training\_Interaction

Hallmark, fgsea, BH within contrast



All of 1 collapse survivor, ranked by adjusted p. Size is gene count, colour is  $-\log_{10}$  FDR. Table: c\_data/set\_tests.csv.

Training\_LR

Hallmark, fgsea, BH within contrast

OXPPOS

$-\log_{10}$  FDR

2.897684

genes


153

normalised enrichment score

All of 1 collapse survivor, ranked by adjusted p. Size is gene count, colour is  $-\log_{10}$  FDR. Table: c\_data/set\_tests.csv.

# Set contrast hits, fry (1/6)


fry p per contrast, filled by fgsea NES; 445 sets nominal in at least one contrast



Rows: sets at fry p < 0.05 in at least one contrast, most contrasts first, then by best p. Filled dot: nominal, fill = fgsea NES, size =  $-\log_{10}$  fry p. Black ring: fry FDR < 0.05. Grey


# Set contrast hits, fry (2/6)

fry p per contrast, filled by fgsea NES; 445 sets nominal in at least one contrast



# Set contrast hits, fry (3/6)


fry p per contrast, filled by fgsea NES; 445 sets nominal in at least one contrast



Rows: sets at fry p < 0.05 in at least one contrast, most contrasts first, then by best p. Filled dot: nominal, fill = fgsea NES, size = -log10 fry p. Black ring: fry FDR < 0.05. Grey speck: tested, n > 0.

# Set contrast hits, fry (4/6)


fry p per contrast, filled by fgsea NES; 445 sets nominal in at least one contrast



Rows: sets at fry  $p < 0.05$  in at least one contrast, most contrasts first, then by best p. Filled dot: nominal, fill = fgsea NES, size =  $-\log_{10} p$ . Black ring: fry FDR < 0.05. Grey speck: tested, not nominal

# Set contrast hits, fry (5/6)


fry p per contrast, filled by fgsea NES; 445 sets nominal in at least one contrast



Rows: sets at fry p < 0.05 in at least one contrast, most contrasts first, then by best p. Filled dot: nominal, fill = fgsea NES, size = -log10 fry p. Black ring: fry FDR < 0.05. Grey

# Set contrast hits, fry (6/6)

fry p per contrast, filled by fgsea NES; 445 sets nominal in at least one contrast



Rows: sets at fry p < 0.05 in at least one contrast, most contrasts first, then by best p. Filled dot: nominal, fill = fgsea NES, size = -log<sub>10</sub> fry p. Black ring: fry FDR < 0.05. Grey speck: tested.

Acute\_HR

KEGG\_Legacy, fgsea, BH within contrast

Fructose  
& Mannose  
Metabolism

Citrate Cycle  
TCA Cycle

-2.5

-2.0


-1.5

-1.0

-0.5

0.0

normalised enrichment score



genes

16

18

20


22

24

All of 2 collapse survivors, ranked by adjusted p. Size is gene count, colour is  $-\log_{10} \text{FDR}$ . Table: c\_data/set\_tests.csv.

# Acute\_Interaction


KEGG\_Legacy, fgsea, BH within contrast



All of 1 collapse survivor, ranked by adjusted p. Size is gene count, colour is –log<sub>10</sub> FDR. Table: c\_data/set\_tests.csv.

Acute\_LR

KEGG\_Legacy, fgsea, BH within contrast



All of 1 collapse survivor, ranked by adjusted p. Size is gene count, colour is  $-\log_{10}$  FDR. Table: c\_data/set\_tests.csv.

Training\_HR

KEGG\_Legacy, fgsea, BH within contrast

genes

● 88

$-\log_{10}$  FDR

7.083969

Huntingtons  
Disease

0.0

0.5

1.0

1.5

2.0


2.5

normalised enrichment score

All of 1 collapse survivor, ranked by adjusted p. Size is gene count, colour is  $-\log_{10}$  FDR. Table: c\_data/set\_tests.csv.

# Training\_Interaction


KEGG\_Legacy, fgsea, BH within contrast



All of 2 collapse survivors, ranked by adjusted p. Size is gene count, colour is  $-\log_{10}$  FDR. Table: c\_data/set\_tests.csv.

Training\_LR


KEGG\_Legacy, fgsea, BH within contrast



All of 1 collapse survivor, ranked by adjusted p. Size is gene count, colour is  $-\log_{10}$  FDR. Table: c\_data/set\_tests.csv.

# Acute\_HR


Reactome, fgsea, BH within contrast



Ten strongest of 21 collapse survivors, ranked by adjusted p. Size is gene count, colour is  $-\log_{10}$  FDR. Table: c\_data/set\_tests.csv.

# Acute\_Interaction


Reactome, fgsea, BH within contrast



All of 9 collapse survivors, ranked by adjusted p. Size is gene count, colour is  $-\log_{10}$  FDR. Table: c\_data/set\_tests.csv.

# Acute\_LR


Reactome, fgsea, BH within contrast



All of 7 collapse survivors, ranked by adjusted p. Size is gene count, colour is  $-\log_{10}$  FDR. Table: c\_data/set\_tests.csv.

# Training\_HR

Reactome, fgsea, BH within contrast



All of 7 collapse survivors, ranked by adjusted p. Size is gene count, colour is  $-\log_{10}$  FDR. Table: c\_data/set\_tests.csv.

# Training\_Interaction

Reactome, fgsea, BH within contrast

Aerobic Resp. +  
ETC

Striated Muscle  
Contraction

-2

-1

0

1

2

normalised enrichment score

All of 2 collapse survivors, ranked by adjusted p. Size is gene count, colour is  $-\log_{10}$  FDR. Table: c\_data/set\_tests.csv.

$-\log_{10}$  FDR

3.0

2.8

2.6

2.4

genes

30

60


90

120

150

# Training\_LR

Reactome, fgsea, BH within contrast



All of 7 collapse survivors, ranked by adjusted p. Size is gene count, colour is  $-\log_{10}$  FDR. Table: c\_data/set\_tests.csv.