


Set contrast hits, fry (1/6)


fry p per contrast, filled by fgsea NES; 445 sets nominal in at least one contrast



Rows: sets at fry $p < 0.05$ in at least one contrast, most contrasts first, then by best p. Filled dot: nominal, fill = fgsea NES, size = $-\log_{10}$ fry p. Black ring: fry FDR < 0.05 . Grey

Set contrast hits, fry (2/6)


fry p per contrast, filled by fgsea NES; 445 sets nominal in at least one contrast



Rows: sets at fry p < 0.05 in at least one contrast, most contrasts first, then by best p. Filled dot: nominal, fill = fgsea NES, size = $-\log_{10} \text{fry p}$. Black ring: fry FDR < 0.05. Grey s

Set contrast hits, fry (3/6)


fry p per contrast, filled by fgsea NES; 445 sets nominal in at least one contrast



Rows: sets at fry p < 0.05 in at least one contrast, most contrasts first, then by best p. Filled dot: nominal, fill = fgsea NES, size = -log10 fry p. Black ring: fry FDR < 0.05. Grey speck: tested, n > 0.

Set contrast hits, fry (4/6)


fry p per contrast, filled by fgsea NES; 445 sets nominal in at least one contrast



Rows: sets at fry $p < 0.05$ in at least one contrast, most contrasts first, then by best p. Filled dot: nominal, fill = fgsea NES, size = $-\log_{10} p$. Black ring: fry FDR < 0.05. Grey speck: tested, not nominal

Set contrast hits, fry (5/6)


fry p per contrast, filled by fgsea NES; 445 sets nominal in at least one contrast



Rows: sets at fry p < 0.05 in at least one contrast, most contrasts first, then by best p. Filled dot: nominal, fill = fgsea NES, size = -log10 fry p. Black ring: fry FDR < 0.05. Grey

Set contrast hits, fry (6/6)

fry p per contrast, filled by fgsea NES; 445 sets nominal in at least one contrast



Rows: sets at fry p < 0.05 in at least one contrast, most contrasts first, then by best p. Filled dot: nominal, fill = fgsea NES, size = -log₁₀ fry p. Black ring: fry FDR < 0.05. Grey speck: tested,