


HR vs LR, training change


singscore per set, 6 subjects, AUC with direction fixed



All 37 sets reaching nominal p, by collection then p. Red separates higher in HR, blue lower. Shading is area under the curve, dashed line chance, p from the Wilcoxon rank-sum test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

HR vs LR, training change


singscore per set, 6 subjects, AUC with direction fixed



All 37 sets reaching nominal p, by collection then p. Red separates higher in HR, blue lower. Shading is area under the curve, dashed line chance, p from the Wilcoxon rank-sum test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

HR vs LR, training change

singscore per set, 6 subjects, AUC with direction fixed



All 37 sets reaching nominal p, by collection then p. Red separates higher in HR, blue lower. Shading is area under the curve, dashed line chance. p from the Wilcoxon rank-sum test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.