

Classification overview: Hallmark




All 33 sets, one row each. Rows are ordered within collection by average−linkage clustering (1 − Pearson r) of singscore, for display only. Median change colours stop at the 99th percentile of |change|, 0.028. Grey: not tested. Table: c_data/04_classify.xlsx, auc.

Classification overview: Reactome




All 328 sets, one row each. Rows are ordered within collection by average−linkage clustering (1 − Pearson r) of singscore, for display only. Median change colours stop at the 99th percentile of |change|, 0.028. Grey: not tested. Table: c_data/04_classify.xlsx, auc.

Classification overview: KEGG_Legacy




All 62 sets, one row each. Rows are ordered within collection by average−linkage clustering (1 − Pearson r) of singscore, for display only. Median change colours stop at the 99th percentile of |change|, 0.028. Grey: not tested. Table: c_data/04_classify.xlsx, auc.

Classification overview: GOBP



All 897 sets, one row each. Rows are ordered within collection by average−linkage clustering (1 − Pearson r) of singscore, for display only. Median change colours stop at the 99th percentile of |change|, 0.028. Grey: not tested. Table: c_data/04_classify.xlsx, auc.


Classification overview: GO_Slim



All 58 sets, one row each. Rows are ordered within collection by average−linkage clustering (1 − Pearson r) of singscore, for display only. Median change colours stop at the 99th percentile of |change|, 0.028. Grey: not tested. Table: c_data/04_classify.xlsx, auc.

Training, HR (T1 to T2)


36 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 1 of 3.



Wilcoxon signed−rank test on up to 6 pairs; smallest attainable p 0.031. Header: median paired change, p, BH q within task and collection, and the feature's complete pairs. Table: c_data/04_classify.xlsx, auc.

Training, HR (T1 to T2)


36 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 2 of 3.



Wilcoxon signed−rank test on up to 6 pairs; smallest attainable p 0.031. Header: median paired change, p, BH q within task and collection, and the feature's complete pairs. Table: c_data/04_classify.xlsx, auc.

Training, HR (T1 to T2)


36 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 3 of 3.



Wilcoxon signed−rank test on up to 6 pairs; smallest attainable p 0.031. Header: median paired change, p, BH q within task and collection, and the feature's complete pairs. Table: c_data/04_classify.xlsx, auc.

Training, LR (T1 to T2)


47 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 1 of 4.



Wilcoxon signed−rank test on up to 8 pairs; smallest attainable p 0.0078. Header: median paired change, p, BH q within task and collection, and the feature's complete pairs. Table: c_data/04_classify.xlsx, auc.

Training, LR (T1 to T2)


47 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 2 of 4.



Wilcoxon signed−rank test on up to 8 pairs; smallest attainable p 0.0078. Header: median paired change, p, BH q within task and collection, and the feature's complete pairs. Table: c_data/04_classify.xlsx, auc.

Training, LR (T1 to T2)


47 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 3 of 4.



Wilcoxon signed−rank test on up to 8 pairs; smallest attainable p 0.0078. Header: median paired change, p, BH q within task and collection, and the feature's complete pairs. Table: c_data/04_classify.xlsx, auc.

Training, LR (T1 to T2)


47 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 4 of 4.



Wilcoxon signed−rank test on up to 8 pairs; smallest attainable p 0.0078. Header: median paired change, p, BH q within task and collection, and the feature's complete pairs. Table: c_data/04_classify.xlsx, auc.

Acute bout, HR (T2 to T3)


109 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 1 of 10.



Wilcoxon signed−rank test on up to 7 pairs; smallest attainable p 0.016. Header: median paired change, p, BH q within task and collection, and the feature's complete pairs. Table: c_data/04_classify.xlsx, auc.

Acute bout, HR (T2 to T3)


109 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 2 of 10.



Wilcoxon signed−rank test on up to 7 pairs; smallest attainable p 0.016. Header: median paired change, p, BH q within task and collection, and the feature's complete pairs. Table: c_data/04_classify.xlsx, auc.

Acute bout, HR (T2 to T3)


109 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 3 of 10.



Wilcoxon signed−rank test on up to 7 pairs; smallest attainable p 0.016. Header: median paired change, p, BH q within task and collection, and the feature's complete pairs. Table: c_data/04_classify.xlsx, auc.

Acute bout, HR (T2 to T3)


109 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 4 of 10.



Wilcoxon signed−rank test on up to 7 pairs; smallest attainable p 0.016. Header: median paired change, p, BH q within task and collection, and the feature's complete pairs. Table: c_data/04_classify.xlsx, auc.

Acute bout, HR (T2 to T3)


109 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 5 of 10.



Wilcoxon signed−rank test on up to 7 pairs; smallest attainable p 0.016. Header: median paired change, p, BH q within task and collection, and the feature's complete pairs. Table: c_data/04_classify.xlsx, auc.

Acute bout, HR (T2 to T3)


109 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 6 of 10.



Wilcoxon signed−rank test on up to 7 pairs; smallest attainable p 0.016. Header: median paired change, p, BH q within task and collection, and the feature's complete pairs. Table: c_data/04_classify.xlsx, auc.

Acute bout, HR (T2 to T3)


109 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 7 of 10.



Wilcoxon signed−rank test on up to 7 pairs; smallest attainable p 0.016. Header: median paired change, p, BH q within task and collection, and the feature's complete pairs. Table: c_data/04_classify.xlsx, auc.

Acute bout, HR (T2 to T3)


109 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 8 of 10.



Wilcoxon signed−rank test on up to 7 pairs; smallest attainable p 0.016. Header: median paired change, p, BH q within task and collection, and the feature's complete pairs. Table: c_data/04_classify.xlsx, auc.

Acute bout, HR (T2 to T3)


109 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 9 of 10.



Wilcoxon signed−rank test on up to 7 pairs; smallest attainable p 0.016. Header: median paired change, p, BH q within task and collection, and the feature's complete pairs. Table: c_data/04_classify.xlsx, auc.

Acute bout, HR (T2 to T3)


109 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 10 of 10.



Wilcoxon signed−rank test on up to 7 pairs; smallest attainable p 0.016. Header: median paired change, p, BH q within task and collection, and the feature's complete pairs. Table: c_data/04_classify.xlsx, auc.

Acute bout, LR (T2 to T3)


175 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 1 of 15.



Wilcoxon signed−rank test on up to 8 pairs; smallest attainable p 0.0078. Header: median paired change, p, BH q within task and collection, and the feature's complete pairs. Table: c_data/04_classify.xlsx, auc.

Acute bout, LR (T2 to T3)


175 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 2 of 15.



Wilcoxon signed−rank test on up to 8 pairs; smallest attainable p 0.0078. Header: median paired change, p, BH q within task and collection, and the feature's complete pairs. Table: c_data/04_classify.xlsx, auc.

Acute bout, LR (T2 to T3)


175 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 3 of 15.



Wilcoxon signed−rank test on up to 8 pairs; smallest attainable p 0.0078. Header: median paired change, p, BH q within task and collection, and the feature's complete pairs. Table: c_data/04_classify.xlsx, auc.

Acute bout, LR (T2 to T3)


175 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 4 of 15.



Wilcoxon signed−rank test on up to 8 pairs; smallest attainable p 0.0078. Header: median paired change, p, BH q within task and collection, and the feature's complete pairs. Table: c_data/04_classify.xlsx, auc.

Acute bout, LR (T2 to T3)


175 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 5 of 15.



Wilcoxon signed−rank test on up to 8 pairs; smallest attainable p 0.0078. Header: median paired change, p, BH q within task and collection, and the feature's complete pairs. Table: c_data/04_classify.xlsx, auc.

Acute bout, LR (T2 to T3)


175 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 6 of 15.



Wilcoxon signed−rank test on up to 8 pairs; smallest attainable p 0.0078. Header: median paired change, p, BH q within task and collection, and the feature's complete pairs. Table: c_data/04_classify.xlsx, auc.

Acute bout, LR (T2 to T3)


175 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 7 of 15.



Wilcoxon signed−rank test on up to 8 pairs; smallest attainable p 0.0078. Header: median paired change, p, BH q within task and collection, and the feature's complete pairs. Table: c_data/04_classify.xlsx, auc.

Acute bout, LR (T2 to T3)


175 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 8 of 15.



Wilcoxon signed−rank test on up to 8 pairs; smallest attainable p 0.0078. Header: median paired change, p, BH q within task and collection, and the feature's complete pairs. Table: c_data/04_classify.xlsx, auc.

Acute bout, LR (T2 to T3)


175 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 9 of 15.



Wilcoxon signed−rank test on up to 8 pairs; smallest attainable p 0.0078. Header: median paired change, p, BH q within task and collection, and the feature's complete pairs. Table: c_data/04_classify.xlsx, auc.

Acute bout, LR (T2 to T3)


175 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 10 of 15.



Wilcoxon signed−rank test on up to 8 pairs; smallest attainable p 0.0078. Header: median paired change, p, BH q within task and collection, and the feature's complete pairs. Table: c_data/04_classify.xlsx, auc.

Acute bout, LR (T2 to T3)


175 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 11 of 15.



Wilcoxon signed−rank test on up to 8 pairs; smallest attainable p 0.0078. Header: median paired change, p, BH q within task and collection, and the feature's complete pairs. Table: c_data/04_classify.xlsx, auc.

Acute bout, LR (T2 to T3)


175 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 12 of 15.



Wilcoxon signed−rank test on up to 8 pairs; smallest attainable p 0.0078. Header: median paired change, p, BH q within task and collection, and the feature's complete pairs. Table: c_data/04_classify.xlsx, auc.

Acute bout, LR (T2 to T3)


175 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 13 of 15.



Wilcoxon signed−rank test on up to 8 pairs; smallest attainable p 0.0078. Header: median paired change, p, BH q within task and collection, and the feature's complete pairs. Table: c_data/04_classify.xlsx, auc.

Acute bout, LR (T2 to T3)


175 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 14 of 15.



Wilcoxon signed−rank test on up to 8 pairs; smallest attainable p 0.0078. Header: median paired change, p, BH q within task and collection, and the feature's complete pairs. Table: c_data/04_classify.xlsx, auc.

Acute bout, LR (T2 to T3)


175 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 15 of 15.



Wilcoxon signed−rank test on up to 8 pairs; smallest attainable p 0.0078. Header: median paired change, p, BH q within task and collection, and the feature's complete pairs. Table: c_data/04_classify.xlsx, auc.

HR vs LR at T1


29 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 1 of 3.



HR (up to 7) against LR (up to 8); AUC above 0.5 means higher in HR. Wilcoxon rank−sum test; smallest attainable p 0.00031. Header: AUC with its DeLong 95% interval, p, none at AUC 0 or 1, where DeLong's variance is

HR vs LR at T1


29 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 2 of 3.



HR (up to 7) against LR (up to 8); AUC above 0.5 means higher in HR. Wilcoxon rank−sum test; smallest attainable p 0.00031. Header: AUC with its DeLong 95% interval, p, none at AUC 0 or 1, where DeLong's variance is

HR vs LR at T1


29 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 3 of 3.



HR (up to 7) against LR (up to 8); AUC above 0.5 means higher in HR. Wilcoxon rank−sum test; smallest attainable p 0.00031. Header: AUC with its DeLong 95% interval, p, none at AUC 0 or 1, where DeLong's variance is

HR vs LR at T2


13 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 1 of 2.



HR (up to 7) against LR (up to 8); AUC above 0.5 means higher in HR. Wilcoxon rank−sum test; smallest attainable p 0.00031. Header: AUC with its DeLong 95% interval, p, none at AUC 0 or 1, where DeLong's variance is

HR vs LR at T2


13 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 2 of 2.



HR (up to 7) against LR (up to 8); AUC above 0.5 means higher in HR. Wilcoxon rank−sum test; smallest attainable p 0.00031. Header: AUC with its DeLong 95% interval, p, none at AUC 0 or 1, where DeLong's variance is

HR vs LR, training change


62 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 1 of 6.



HR (up to 6) against LR (up to 8); AUC above 0.5 means higher in HR. Wilcoxon rank−sum test; smallest attainable p 0.00067. Header: AUC with its DeLong 95% interval, p, none at AUC 0 or 1, where DeLong's variance is

HR vs LR, training change


62 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 2 of 6.



HR (up to 6) against LR (up to 8); AUC above 0.5 means higher in HR. Wilcoxon rank−sum test; smallest attainable p 0.00067. Header: AUC with its DeLong 95% interval, p, none at AUC 0 or 1, where DeLong's variance is

HR vs LR, training change


62 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 3 of 6.



HR (up to 6) against LR (up to 8); AUC above 0.5 means higher in HR. Wilcoxon rank−sum test; smallest attainable p 0.00067. Header: AUC with its DeLong 95% interval, p, none at AUC 0 or 1, where DeLong's varianc

HR vs LR, training change


62 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 4 of 6.



HR (up to 6) against LR (up to 8); AUC above 0.5 means higher in HR. Wilcoxon rank−sum test; smallest attainable p 0.00067. Header: AUC with its DeLong 95% interval, p, none at AUC 0 or 1, where DeLong's variance is

HR vs LR, training change


62 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 5 of 6.



HR (up to 6) against LR (up to 8); AUC above 0.5 means higher in HR. Wilcoxon rank−sum test; smallest attainable p 0.00067. Header: AUC with its DeLong 95% interval, p, none at AUC 0 or 1, where DeLong's variance is

HR vs LR, training change


62 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 6 of 6.



HR (up to 6) against LR (up to 8); AUC above 0.5 means higher in HR. Wilcoxon rank−sum test; smallest attainable p 0.00067. Header: AUC with its DeLong 95% interval, p, none at AUC 0 or 1, where DeLong's varianc

HR vs LR, acute change


66 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 1 of 6.



HR (up to 7) against LR (up to 8); AUC above 0.5 means higher in HR. Wilcoxon rank−sum test; smallest attainable p 0.00031. Header: AUC with its DeLong 95% interval, p, none at AUC 0 or 1, where DeLong's variance is

HR vs LR, acute change


66 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 2 of 6.



HR (up to 7) against LR (up to 8); AUC above 0.5 means higher in HR. Wilcoxon rank−sum test; smallest attainable p 0.00031. Header: AUC with its DeLong 95% interval, p, none at AUC 0 or 1, where DeLong's variance is

HR vs LR, acute change


66 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 3 of 6.



HR (up to 7) against LR (up to 8); AUC above 0.5 means higher in HR. Wilcoxon rank−sum test; smallest attainable p 0.00031. Header: AUC with its DeLong 95% interval, p, none at AUC 0 or 1, where DeLong's variance is

HR vs LR, acute change


66 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 4 of 6.



HR (up to 7) against LR (up to 8); AUC above 0.5 means higher in HR. Wilcoxon rank−sum test; smallest attainable p 0.00031. Header: AUC with its DeLong 95% interval, p, none at AUC 0 or 1, where DeLong's varianc

HR vs LR, acute change


66 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 5 of 6.



HR (up to 7) against LR (up to 8); AUC above 0.5 means higher in HR. Wilcoxon rank−sum test; smallest attainable p 0.00031. Header: AUC with its DeLong 95% interval, p, none at AUC 0 or 1, where DeLong's variance is

HR vs LR, acute change

66 of 1378 sets at p < 0.05, 0 at BH < 0.05. Page 6 of 6.



HR (up to 7) against LR (up to 8); AUC above 0.5 means higher in HR. Wilcoxon rank−sum test; smallest attainable p 0.00031. Header: AUC with its DeLong 95% interval, p, none at AUC 0 or 1, where DeLong's varian