




P-value distribution per contrast

limma via proteoDA, 20 bins








Protein contrast hits (3/8)


limma via proteoDA, nominal p per contrast; 597 proteins nominal in at least one column; rows 151–225



Rows: proteins at nominal $p < 0.05$ in at least one column, most columns first, then by best p. Filled dot: nominal, fill = log2 FC, size = $-\log_{10} p$. Black ring: BH < 0.05 . Grey speck: tested, not nominal. Table: c_data/02_differential.xlsx, DEP_mat


Protein contrast hits (4/8)

limma via proteoDA, nominal p per contrast; 597 proteins nominal in at least one column; rows 226–300



Protein contrast hits (5/8)


limma via proteoDA, nominal p per contrast; 597 proteins nominal in at least one column; rows 301-375



Rows: proteins at nominal p < 0.05 in at least one column, most columns first, then by best p. Filled dot: nominal, fill = log2 FC, size = -log10 p. Black ring: BH < 0.05. Grey speck: tested, not nominal. Table: c_data/02_differential.xlsx, DEP_matr

Protein contrast hits (6/8)


limma via proteoDA, nominal p per contrast; 597 proteins nominal in at least one column; rows 376–450



Rows: proteins at nominal p < 0.05 in at least one column, most columns first, then by best p. Filled dot: nominal, fill = log2 FC, size = -log10 p. Black ring: BH < 0.05. Grey speck: tested, not nominal. Table: c_data/02_differential.xlsx, DEP_matrix


Protein contrast hits (7/8)

limma via proteoDA, nominal p per contrast; 597 proteins nominal in at least one column; rows 451–525





Rows: proteins at nominal $p < 0.05$ in at least one column, most columns first, then by best p . Filled dot: nominal, fill = $\log_2 FC$, size = $-\log_{10} p$. Black ring: BH < 0.05 . Grey speck: tested, not nominal. Table: c_data/02_differential.xlsx, DEP_mat

limma via proteoDA, nominal p per contrast: 597 proteins nominal in at least one column: rows 526–597




Rows: proteins at nominal p < 0.05 in at least one column, most columns first, then by best p. Filled dot: nominal, fill = log2 FC, size = -log10 p. Black ring: BH < 0.05. Grey speck: tested, not nominal. Table: c_data/02_differential.xlsx, DEP_mat






Protein classification hits (3/6)

rank AUC, Wilcoxon p per task; 419 proteins nominal in at least one column; rows 151–225





Protein classification hits (4/6)

rank AUC, Wilcoxon p per task; 419 proteins nominal in at least one column; rows 226–300



Rows: proteins at nominal $p < 0.05$ in at least one column, most columns first, then by best p. Filled dot: nominal, fill = AUC, size = $-\log_{10} p$. Black ring: BH < 0.05. Grey speck: tested, not nominal. Table: c_data/02_differential.xlsx, protein_auc.





Rows: proteins at nominal $p < 0.05$ in at least one column, most columns first, then by best p . Filled dot: nominal, fill = AUC, size = $-\log_{10} p$. Black ring: BH < 0.05 . Grey speck: tested, not nominal. Table: c_data/02_differential.xlsx, protein_auc