


Training_Interaction


all collections, fgsea, BH within contrast



Ten strongest of 13 collapse survivors, ranked by FDR. Size is protein count, colour is collection. Table: c_data/01_run_fgsea_and_fry.xlsx, significant.


Acute_Interaction

all collections, fgsea, BH within contrast



Ten strongest of 44 collapse survivors, ranked by FDR. Size is protein count, colour is collection. Table: c_data/01_run_fgsea_and_fry.xlsx, significant.


Training_HR
all collections, fgsea, BH within contrast



Ten strongest of 23 collapse survivors, ranked by FDR. Size is protein count, colour is collection. Table: c_data/01_run_fgsea_and_fry.xlsx, significant.


Training_LR

all collections, fgsea, BH within contrast




Ten strongest of 18 collapse survivors, ranked by FDR. Size is protein count, colour is collection. Table: c_data/01_run_fgsea_and_fry.xlsx, significant.

Acute_HR
all collections, fgsea, BH within contrast




Ten strongest of 83 collapse survivors, ranked by FDR. Size is protein count, colour is collection. Table: c_data/01_run_fgsea_and_fry.xlsx, significant.

Acute_LR
all collections, fgsea, BH within contrast




Ten strongest of 18 collapse survivors, ranked by FDR. Size is protein count, colour is collection. Table: c_data/01_run_fgsea_and_fry.xlsx, significant.

Significant sets before and after collapse
fgsea at FDR 0.05, then collapsePathways




collapsePathways re-tests each significant set conditioned on a stronger set's leading edge and keeps it only if it stays significant. Table: c_data/01_run_fgsea_and_fry.xlsx, significant.

Training_Interaction
Hallmark, fgsea, BH within contrast



All of 1 collapse survivor, ranked by FDR. Size is protein count, colour is $-\log_{10}$ FDR. Table: c_data/01_run_fgsea_and_fry.xlsx, significant.

Acute_Interaction
Hallmark, fgsea, BH within contrast



All of 8 collapse survivors, ranked by FDR. Size is protein count, colour is $-\log_{10} \text{FDR}$. Table: c_data/01_run_fgsea_and_fry.xlsx, significant.

Training_HR
Hallmark, fgsea, BH within contrast



All of 2 collapse survivors, ranked by FDR. Size is protein count, colour is $-\log_{10}$ FDR. Table: c_data/01_run_fgsea_and_fry.xlsx, significant.

Training_LR
Hallmark, fgsea, BH within contrast

OXPHOS


0.0

0.5

1.0


1.5

normalised enrichment score




All of 1 collapse survivor, ranked by FDR. Size is protein count, colour is $-\log_{10}$ FDR. Table: c_data/01_run_fgsea_and_fry.xlsx, significant.

Acute_HR
Hallmark, fgsea, BH within contrast




All of 8 collapse survivors, ranked by FDR. Size is protein count, colour is $-\log_{10} \text{FDR}$. Table: c_data/01_run_fgsea_and_fry.xlsx, significant.

Acute_LR
Hallmark, fgsea, BH within contrast



All of 3 collapse survivors, ranked by FDR. Size is protein count, colour is $-\log_{10}$ FDR. Table: c_data/01_run_fgsea_and_fry.xlsx, significant.

Training_Interaction
Reactome, fgsea, BH within contrast




All of 2 collapse survivors, ranked by FDR. Size is protein count, colour is $-\log_{10}$ FDR. Table: c_data/01_run_fgsea_and_fry.xlsx, significant.

Reactome, fgsea, BH within contrast




Training_HR
Reactome, fgsea, BH within contrast




All of 7 collapse survivors, ranked by FDR. Size is protein count, colour is $-\log_{10}$ FDR. Table: c_data/01_run_fgsea_and_fry.xlsx, significant.

Training_LR
Reactome, fgsea, BH within contrast



All of 7 collapse survivors, ranked by FDR. Size is protein count, colour is $-\log_{10}$ FDR. Table: c_data/01_run_fgsea_and_fry.xlsx, significant.


Acute_HR
Reactome, fgsea, BH within contrast



Ten strongest of 21 collapse survivors, ranked by FDR. Size is protein count, colour is $-\log_{10}$ FDR. Table: c_data/01_run_fgsea_and_fry.xlsx, significant.

Acute_LR

Reactome, fgsea, BH within contrast



All of 7 collapse survivors, ranked by FDR. Size is protein count, colour is $-\log_{10}$ FDR. Table: c_data/01_run_fgsea_and_fry.xlsx, significant.

Training_Interaction
KEGG_Legacy, fgsea, BH within contrast

Parkinsons
Disease

Alzheimers
Disease

0.0

0.5

1.0

1.5


2.0

normalised enrichment score

$-\log_{10}$ FDR




proteins



All of 2 collapse survivors, ranked by FDR. Size is protein count, colour is $-\log_{10}$ FDR. Table: c_data/01_run_fgsea_and_fry.xlsx, significant.

KEGG_Legacy, fgsea, BH within contrast



All of 1 collapse survivor, ranked by FDR. Size is protein count, colour is $-\log_{10}$ FDR. Table: c_data/01_run_fgsea_and_fry.xlsx, significant.

Training_HR
KEGG_Legacy, fgsea, BH within contrast

Huntingtons
Disease




0.0 0.5 1.0 1.5 2.0 2.5

normalised enrichment score

All of 1 collapse survivor, ranked by FDR. Size is protein count, colour is $-\log_{10}$ FDR. Table: c_data/01_run_fgsea_and_fry.xlsx, significant.

Training_LR
KEGG_Legacy, fgsea, BH within contrast




All of 1 collapse survivor, ranked by FDR. Size is protein count, colour is $-\log_{10}$ FDR. Table: c_data/01_run_fgsea_and_fry.xlsx, significant.

Acute_HR
KEGG_Legacy, fgsea, BH within contrast

Fructose
& Mannose
Metabolism

Citrate Cycle
TCA Cycle

proteins



$-\log_{10}$ FDR



-2.5

-2.0

-1.5

-1.0


-0.5

0.0

normalised enrichment score


All of 2 collapse survivors, ranked by FDR. Size is protein count, colour is $-\log_{10}$ FDR. Table: c_data/01_run_fgsea_and_fry.xlsx, significant.

Acute_LR
KEGG_Legacy, fgsea, BH within contrast



Training_Interaction


GOBP, fgsea, BH within contrast



All of 6 collapse survivors, ranked by FDR. Size is protein count, colour is $-\log_{10}$ FDR. Table: c_data/01_run_fgsea_and_fry.xlsx, significant.


Acute_Interaction

GOBP, fgsea, BH within contrast




Ten strongest of 20 collapse survivors, ranked by FDR. Size is protein count, colour is $-\log_{10}$ FDR. Table: c_data/01_run_fgsea_and_fry.xlsx, significant.

Training_HR
GOBP, fgsea, BH within contrast




Ten strongest of 11 collapse survivors, ranked by FDR. Size is protein count, colour is $-\log_{10}$ FDR. Table: c_data/01_run_fgsea_and_fry.xlsx, significant.

Training_LR
GOBP, fgsea, BH within contrast




All of 9 collapse survivors, ranked by FDR. Size is protein count, colour is $-\log_{10}$ FDR. Table: c_data/01_run_fgsea_and_fry.xlsx, significant.

Acute_HR
GOBP, fgsea, BH within contrast



Ten strongest of 42 collapse survivors, ranked by FDR. Size is protein count, colour is $-\log_{10}$ FDR. Table: c_data/01_run_fgsea_and_fry.xlsx, significant.

Acute_LR
GOBP, fgsea, BH within contrast



All of 7 collapse survivors, ranked by FDR. Size is protein count, colour is $-\log_{10}$ FDR. Table: c_data/01_run_fgsea_and_fry.xlsx, significant.

Training_Interaction
GO_Slim, fgsea, BH within contrast

Transmembrane
Transport


Cytoskel. Org.



normalised enrichment score

All of 2 collapse survivors, ranked by FDR. Size is protein count, colour is $-\log_{10}$ FDR. Table: c_data/01_run_fgsea_and_fry.xlsx, significant.

Acute_Interaction
GO_Slim, fgsea, BH within contrast




All of 6 collapse survivors, ranked by FDR. Size is protein count, colour is $-\log_{10}$ FDR. Table: c_data/01_run_fgsea_and_fry.xlsx, significant.

Training_HR
GO_Slim, fgsea, BH within contrast


Cell
Differentiation



$-\log_{10}$ FDR



proteins



Cytoskel. Org.

-1.5

-1.0


-0.5

0.0

normalised enrichment score

All of 2 collapse survivors, ranked by FDR. Size is protein count, colour is $-\log_{10}$ FDR. Table: c_data/01_run_fgsea_and_fry.xlsx, significant.


Acute_HR
GO_Slim, fgsea, BH within contrast



All of 10 collapse survivors, ranked by FDR. Size is protein count, colour is $-\log_{10}$ FDR. Table: c_data/01_run_fgsea_and_fry.xlsx, significant.


Set contrast hits, fry (1/6)

fry p per contrast, filled by fgsea NES; 445 sets nominal in at least one contrast

Rows: sets at fry $p < 0.05$ in at least one contrast, most contrasts first, then by best p. Filled dot: nominal, fill = fgsea NES, size = $-\log_{10}$ fry p. Black ring: fry FDR < 0.05 . Grey


Set contrast hits, fry (2/6)

fry p per contrast, filled by fgsea NES; 445 sets nominal in at least one contrast




Set contrast hits, fry (3/6)

fry p per contrast, filled by fgsea NES; 445 sets nominal in at least one contrast



Set contrast hits, fry (4/6)


fry p per contrast, filled by fgsea NES; 445 sets nominal in at least one contrast



Rows: sets at fry $p < 0.05$ in at least one contrast, most contrasts first, then by best p. Filled dot: nominal, fill = fgsea NES, size = $-\log_{10} p$. Black ring: fry FDR < 0.05. Grey speck: tested, not nominal

Set contrast hits, fry (5/6)


fry p per contrast, filled by fgsea NES; 445 sets nominal in at least one contrast



Rows: sets at fry p < 0.05 in at least one contrast, most contrasts first, then by best p. Filled dot: nominal, fill = fgsea NES, size = -log10 fry p. Black ring: fry FDR < 0.05. Grey

Set contrast hits, fry (6/6)

fry p per contrast, filled by fgsea NES; 445 sets nominal in at least one contrast



Rows: sets at fry p < 0.05 in at least one contrast, most contrasts first, then by best p. Filled dot: nominal, fill = fgsea NES, size = -log₁₀ fry p. Black ring: fry FDR < 0.05. Grey speck: tested.