


Nominal hits relative to chance, by collection


Wilcoxon per set, 5 collections, uncorrected p



Bar length is observed nominal hits divided by the count that collection returns under the null. Red clears 1, grey does not. Labels give observed of tested. Table: c_data/05_classify_and_associate_sets.xlsx, chance_expectation.

Training, HR (T1 to T2)


singscore per set, 6 paired subjects, AUC with direction fixed



All 50 sets reaching nominal p, by collection then p. Red separates higher in T2, blue lower. Shading is area under the curve, dashed line chance. p from the Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Training, HR (T1 to T2)


singscore per set, 6 paired subjects, AUC with direction fixed



All 50 sets reaching nominal p, by collection then p. Red separates higher in T2, blue lower. Shading is area under the curve, dashed line chance. p from the Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Training, HR (T1 to T2)


singscore per set, 6 paired subjects, AUC with direction fixed



All 50 sets reaching nominal p, by collection then p. Red separates higher in T2, blue lower. Shading is area under the curve, dashed line chance. p from the Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Training, HR (T1 to T2)


singscore per set, 6 paired subjects, AUC with direction fixed



All 50 sets reaching nominal p, by collection then p. Red separates higher in T2, blue lower. Shading is area under the curve, dashed line chance. p from the Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Training, HR (T1 to T2)


singscore per set, 6 paired subjects, AUC with direction fixed



All 50 sets reaching nominal p, by collection then p. Red separates higher in T2, blue lower. Shading is area under the curve, dashed line chance. p from the Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Training, LR (T1 to T2)


singscore per set, 8 paired subjects, AUC with direction fixed



All 30 sets reaching nominal p, by collection then p. Red separates higher in T2, blue lower. Shading is area under the curve, dashed line chance. p from the Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Training, LR (T1 to T2)


singscore per set, 8 paired subjects, AUC with direction fixed



All 30 sets reaching nominal p, by collection then p. Red separates higher in T2, blue lower. Shading is area under the curve, dashed line chance. p from the Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Training, LR (T1 to T2)


singscore per set, 8 paired subjects, AUC with direction fixed



All 30 sets reaching nominal p, by collection then p. Red separates higher in T2, blue lower. Shading is area under the curve, dashed line chance. p from the Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Acute bout, HR (T2 to T3)


singscore per set, 7 paired subjects, AUC with direction fixed



All 113 sets reaching nominal p, by collection then p. Red separates higher in T3, blue lower. Shading is area under the curve, dashed line chance. p from the Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Acute bout, HR (T2 to T3)


singscore per set, 7 paired subjects, AUC with direction fixed



All 113 sets reaching nominal p, by collection then p. Red separates higher in T3, blue lower. Shading is area under the curve, dashed line chance. p from the Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Acute bout, HR (T2 to T3)


singscore per set, 7 paired subjects, AUC with direction fixed



All 113 sets reaching nominal p, by collection then p. Red separates higher in T3, blue lower. Shading is area under the curve, dashed line chance. p from the Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Acute bout, HR (T2 to T3)


singscore per set, 7 paired subjects, AUC with direction fixed



All 113 sets reaching nominal p, by collection then p. Red separates higher in T3, blue lower. Shading is area under the curve, dashed line chance. p from the Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Acute bout, HR (T2 to T3)


singscore per set, 7 paired subjects, AUC with direction fixed



All 113 sets reaching nominal p, by collection then p. Red separates higher in T3, blue lower. Shading is area under the curve, dashed line chance. p from the Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Acute bout, HR (T2 to T3)


singscore per set, 7 paired subjects, AUC with direction fixed



All 113 sets reaching nominal p, by collection then p. Red separates higher in T3, blue lower. Shading is area under the curve, dashed line chance. p from the Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Acute bout, HR (T2 to T3)


singscore per set, 7 paired subjects, AUC with direction fixed



All 113 sets reaching nominal p, by collection then p. Red separates higher in T3, blue lower. Shading is area under the curve, dashed line chance. p from the Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Acute bout, HR (T2 to T3)


singscore per set, 7 paired subjects, AUC with direction fixed



All 113 sets reaching nominal p, by collection then p. Red separates higher in T3, blue lower. Shading is area under the curve, dashed line chance. p from the Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Acute bout, HR (T2 to T3)


singscore per set, 7 paired subjects, AUC with direction fixed



All 113 sets reaching nominal p, by collection then p. Red separates higher in T3, blue lower. Shading is area under the curve, dashed line chance. p from the Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Acute bout, HR (T2 to T3)


singscore per set, 7 paired subjects, AUC with direction fixed



All 113 sets reaching nominal p, by collection then p. Red separates higher in T3, blue lower. Shading is area under the curve, dashed line chance. p from the Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Acute bout, LR (T2 to T3)


singscore per set, 8 paired subjects, AUC with direction fixed



All 153 sets reaching nominal p, by collection then p. Red separates higher in T3, blue lower. Shading is area under the curve, dashed line chance. p from the Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Acute bout, LR (T2 to T3)


singscore per set, 8 paired subjects, AUC with direction fixed



All 153 sets reaching nominal p, by collection then p. Red separates higher in T3, blue lower. Shading is area under the curve, dashed line chance. p from the Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Acute bout, LR (T2 to T3)


singscore per set, 8 paired subjects, AUC with direction fixed



All 153 sets reaching nominal p, by collection then p. Red separates higher in T3, blue lower. Shading is area under the curve, dashed line chance. p from the Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Acute bout, LR (T2 to T3)


singscore per set, 8 paired subjects, AUC with direction fixed



All 153 sets reaching nominal p, by collection then p. Red separates higher in T3, blue lower. Shading is area under the curve, dashed line chance. p from the Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Acute bout, LR (T2 to T3)


singscore per set, 8 paired subjects, AUC with direction fixed



All 153 sets reaching nominal p, by collection then p. Red separates higher in T3, blue lower. Shading is area under the curve, dashed line chance. p from the Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Acute bout, LR (T2 to T3)


singscore per set, 8 paired subjects, AUC with direction fixed



All 153 sets reaching nominal p, by collection then p. Red separates higher in T3, blue lower. Shading is area under the curve, dashed line chance. p from the Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Acute bout, LR (T2 to T3)


singscore per set, 8 paired subjects, AUC with direction fixed



All 153 sets reaching nominal p, by collection then p. Red separates higher in T3, blue lower. Shading is area under the curve, dashed line chance. p from the Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Acute bout, LR (T2 to T3)


singscore per set, 8 paired subjects, AUC with direction fixed



All 153 sets reaching nominal p, by collection then p. Red separates higher in T3, blue lower. Shading is area under the curve, dashed line chance. p from the Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Acute bout, LR (T2 to T3)


singscore per set, 8 paired subjects, AUC with direction fixed



All 153 sets reaching nominal p, by collection then p. Red separates higher in T3, blue lower. Shading is area under the curve, dashed line chance. p from the Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Acute bout, LR (T2 to T3)

singscore per set, 8 paired subjects, AUC with direction fixed




All 153 sets reaching nominal p, by collection then p. Red separates higher in T3, blue lower. Shading is area under the curve, dashed line chance. p from the Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.


Acute bout, LR (T2 to T3)

singscore per set, 8 paired subjects, AUC with direction fixed


KEGG_Legacy: Pyruvate
Metabolism
AUC 0.31 p 0.023 q 0.15




KEGG_Legacy: Long Term
Potentiation
AUC 0.27 p 0.039 q 0.19




KEGG_Legacy: Pathways In
Cancer
AUC 0.22 p 0.039 q 0.19




KEGG_Legacy: Peroxisome
AUC 0.30 p 0.039 q 0.19




Reactome: Aurka
Activation By
Tpx2
AUC 0.14 p 0.0078 q 0.28




Reactome: Interleukin
12 Family
Signaling
AUC 0.77 p 0.0078 q 0.28




Reactome: Mito. Protein
Import
AUC 0.27 p 0.0078 q 0.28




Reactome: Recruitment
Of Mitotic
Centrosome
Proteins &
Complexes
AUC 0.14 p 0.0078 q 0.28




Reactome: Rhobtb2 GTPase
Cycle
AUC 0.94 p 0.0078 q 0.28




Reactome: Rhobtb GTPase
Cycle
AUC 0.91 p 0.0078 q 0.28



Reactome: Anchoring Of
The Basal Body
To The Plasma
Membrane
AUC 0.08 p 0.016 q 0.28




Reactome: Gene & Protein
Expression
By JAK Stat
Signaling After
Interleukin 12
Stimulation
AUC 0.78 p 0.016 q 0.28




1 - specificity

All 153 sets reaching nominal p, by collection then p. Red separates higher in T3, blue lower. Shading is area under the curve, dashed line chance. p from the Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.



Acute bout, LR (T2 to T3)


singscore per set, 8 paired subjects, AUC with direction fixed



All 153 sets reaching nominal p, by collection then p. Red separates higher in T3, blue lower. Shading is area under the curve, dashed line chance. p from the Wilcoxon signed-rank test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

HR vs LR at T2


singscore per set, 7 subjects, AUC with direction fixed



All 14 sets reaching nominal p, by collection then p. Red separates higher in HR, blue lower. Shading is area under the curve, dashed line chance. p from the Wilcoxon rank-sum test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

HR vs LR at T2


singscore per set, 7 subjects, AUC with direction fixed



All 14 sets reaching nominal p, by collection then p. Red separates higher in HR, blue lower. Shading is area under the curve, dashed line chance. p from the Wilcoxon rank-sum test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

HR vs LR, training change


singscore per set, 6 subjects, AUC with direction fixed



All 37 sets reaching nominal p, by collection then p. Red separates higher in HR, blue lower. Shading is area under the curve, dashed line chance. p from the Wilcoxon rank-sum test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

HR vs LR, training change


singscore per set, 6 subjects, AUC with direction fixed



All 37 sets reaching nominal p, by collection then p. Red separates higher in HR, blue lower. Shading is area under the curve, dashed line chance. p from the Wilcoxon rank-sum test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

HR vs LR, training change


singscore per set, 6 subjects, AUC with direction fixed



All 37 sets reaching nominal p, by collection then p. Red separates higher in HR, blue lower. Shading is area under the curve, dashed line chance. p from the Wilcoxon rank-sum test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

HR vs LR, training change


singscore per set, 6 subjects, AUC with direction fixed



All 37 sets reaching nominal p, by collection then p. Red separates higher in HR, blue lower. Shading is area under the curve, dashed line chance. p from the Wilcoxon rank-sum test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

HR vs LR, acute change


singscore per set, 7 subjects, AUC with direction fixed



All 56 sets reaching nominal p, by collection then p. Red separates higher in HR, blue lower. Shading is area under the curve, dashed line chance. p from the Wilcoxon rank-sum test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

HR vs LR, acute change


singscore per set, 7 subjects, AUC with direction fixed



All 56 sets reaching nominal p, by collection then p. Red separates higher in HR, blue lower. Shading is area under the curve, dashed line chance. p from the Wilcoxon rank-sum test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

HR vs LR, acute change


singscore per set, 7 subjects, AUC with direction fixed



All 56 sets reaching nominal p, by collection then p. Red separates higher in HR, blue lower. Shading is area under the curve, dashed line chance. p from the Wilcoxon rank-sum test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

HR vs LR, acute change


singscore per set, 7 subjects, AUC with direction fixed



All 56 sets reaching nominal p, by collection then p. Red separates higher in HR, blue lower. Shading is area under the curve, dashed line chance. p from the Wilcoxon rank-sum test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

HR vs LR, acute change

singscore per set, 7 subjects, AUC with direction fixed




All 56 sets reaching nominal p, by collection then p. Red separates higher in HR, blue lower. Shading is area under the curve, dashed line chance. p from the Wilcoxon rank-sum test, q from BH within collection and task. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, training change (T2 – T1)

Spearman, subjects pooled across arms


HR LR



All 518 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, training change (T2 – T1)

Spearman, subjects pooled across arms




All 518 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header ρ is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, training change (T2 – T1)

Spearman, subjects pooled across arms

HR LR




All 518 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, training change (T2 – T1)

Spearman, subjects pooled across arms


HR LR



All 518 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, training change (T2 – T1)


Spearman, subjects pooled across arms



All 518 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header ρ is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, training change (T2 – T1)

Spearman, subjects pooled across arms



All 518 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, training change (T2 – T1)

Spearman, subjects pooled across arms







GOBP: MT Cytoskel.
Org. Involved
In Mitosis vs d_1rm_ext
rho = -0.67 p 0.012 q 0.34

GOBP: Resp. to
Estradiol vs d_1rm_ext
rho = -0.67 p 0.012 q 0.34

GOBP: Positive
Reg. Neuron
Projection
Development vs d_nfbire_l
rho = +0.65 p 0.012 q 0.97

GOBP: Cellular
Senescence vs d_1rm_ext
rho = +0.67 p 0.012 q 0.34







GOBP: Double Strand
Break Repair vs d_1rm_ext
rho = -0.67 p 0.012 q 0.34

GOBP: Lymphocyte
Homeostasis vs d_1rm_ext
rho = -0.67 p 0.012 q 0.34

GOBP: T Cell
Homeostasis vs d_1rm_ext
rho = -0.67 p 0.012 q 0.34

GOBP: Immune Response
Regulating
Cell Surface
Receptor
Signaling vs d_1rm_ext
rho = +0.67 p 0.013 q 0.34







GOBP: Nucleotide
Biosynthesis vs d_fcscs_II
rho = +0.64 p 0.013 q 0.96

GOBP: Negative Reg.
Locomotion vs d_nfbire_mixed
rho = +0.64 p 0.013 q 0.99

GOBP: Stem Cell
Differentiation vs comp_hypertrophy
rho = -0.64 p 0.013 q 0.99

GOBP: Protein
Localization To
Extracellular
Region vs d_fcscs_II
rho = -0.64 p 0.013 q 0.96



set score, training change (T2 – T1), one point per subject


All 518 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, training change (T2 – T1)


Spearman, subjects pooled across arms




GOBP: Hemostasis vs d_1rm_legpress
rho = -0.64 p 0.013 q 0.99




GOBP: Negative Reg.
Transmembrane
Transport vs d_1rm_legpress
rho = +0.64 p 0.013 q 0.99




GOBP: MT Based
Transport vs comp_hypertrophy
rho = -0.64 p 0.014 q 0.99




GOBP: Reg. Heart
Contraction vs volume_load
rho = +0.64 p 0.014 q 0.87




GOBP: Protein
Localization To
Mito. vs d_1rm_ext
rho = +0.66 p 0.014 q 0.34




GOBP: Cell Surface
Receptor
Protein Serine
Threonine
Kinase
Signaling vs d_1rm_legpress
rho = -0.64 p 0.014 q 0.99




GOBP: Alpha Beta T
Cell Activation vs d_1rm_ext
rho = -0.66 p 0.014 q 0.34




GOBP: Reg.
Hemopoiesis vs d_1rm_ext
rho = -0.66 p 0.014 q 0.34




GOBP: Hormone
Transport vs d_fcsa_mixed
rho = -0.64 p 0.015 q 0.98




GOBP: Chromosome
Segregation vs d_1rm_ext
rho = -0.66 p 0.015 q 0.34



GOBP: Connective
Tissue
Development vs d_1rm_ext
rho = +0.66 p 0.015 q 0.34



GOBP: Negative Reg.
Monoatomic Ion
Transport vs d_1rm_legpress
rho = +0.63 p 0.015 q 0.99




set score, training change (T2 – T1), one point per subject

All 518 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, training change (T2 – T1)

Spearman, subjects pooled across arms


HR LR



All 518 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, training change (T2 – T1)

Spearman, subjects pooled across arms




All 518 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, training change (T2 – T1)

Spearman, subjects pooled across arms

HR LR




All 518 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, training change (T2 – T1)

Spearman, subjects pooled across arms



HR LR



All 518 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, training change (T2 – T1)



Spearman, subjects pooled across arms



All 518 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, training change (T2 – T1)

Spearman, subjects pooled across arms




All 518 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, training change (T2 – T1)

Spearman, subjects pooled across arms

HR LR




All 518 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, training change (T2 – T1)

Spearman, subjects pooled across arms

HR LR




All 518 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, training change (T2 – T1)

Spearman, subjects pooled across arms



HR LR



All 518 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, training change (T2 – T1)


Spearman, subjects pooled across arms



All 518 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, training change (T2 – T1)


Spearman, subjects pooled across arms



All 518 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, training change (T2 – T1)

Spearman, subjects pooled across arms




All 518 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, training change (T2 – T1)

Spearman, subjects pooled across arms

HR LR




All 518 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, training change (T2 – T1)


Spearman, subjects pooled across arms




GOBP: Myeloid Cell
Differentiation vs d_fcsa_II
rho = -0.56 p 0.037 q 0.96




GOBP: Establishment
Of Cell
Polarity vs d_fcsa_mixed
rho = -0.56 p 0.037 q 0.98




GOBP: Cytosolic
Transport vs d_nfibre_mixed
rho = +0.56 p 0.037 q 0.99




GOBP: Mitophagy vs d_1rm_ext
rho = +0.58 p 0.037 q 0.45




GOBP: Resp. to
Osmotic Stress vs d_nfibre_I
rho = +0.56 p 0.038 q 0.97




GOBP: Cardiac Muscle
Contraction vs d_1rm_legpress
rho = +0.56 p 0.038 q 0.99




GOBP: Positive Reg.
Apoptotic
Signaling vs d_1rm_legpress
rho = -0.56 p 0.038 q 0.99




GOBP: Resp. to
Endoplasmic
Reticulum
Stress vs d_1rm_ext
rho = +0.58 p 0.038 q 0.46




GOBP: Negative Reg.
Cell Cycle
Process vs d_nfibre_I
rho = -0.56 p 0.039 q 0.97




GOBP: Reg. Extrinsic
Apoptotic
Signaling vs d_nfibre_I
rho = -0.56 p 0.039 q 0.97



GOBP: NTP Metabolism vs d_fcsa_mixed
rho = +0.56 p 0.039 q 0.98



GOBP: Cell Junction
Org. vs d_mcsa
rho = +0.56 p 0.039 q 0.99



set score, training change (T2 – T1), one point per subject

All 518 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, training change (T2 – T1)

Spearman, subjects pooled across arms







GOBP: Detoxification vs d_mcsa
rho = +0.56 p 0.039 q 0.99

GOBP: Cell Killing vs volume_load
rho = +0.56 p 0.039 q 0.87

GOBP: Postsynapse
Org. vs volume_load
rho = +0.56 p 0.039 q 0.87

GOBP: Hormone
Transport vs d_fcsc_I
rho = -0.56 p 0.039 q 0.99







GOBP: Reg.
Macroautophagy vs d_fcsc_I
rho = -0.56 p 0.039 q 0.99

GOBP: Reg. Cell
Matrix Adhesion vs d_fcsc_II
rho = -0.56 p 0.039 q 0.96

GOBP: Resp. to Virus vs d_fcsc_II
rho = -0.56 p 0.039 q 0.96

GOBP: Resp. to Virus vs d_fcsc_mixed
rho = -0.56 p 0.039 q 0.98







GOBP: Reg. Protein
Localization To
Nucleus vs d_nfibre_mixed
rho = -0.56 p 0.039 q 0.99

GOBP: Dephosphorylation vs d_mcsa
rho = -0.56 p 0.039 q 0.99

GOBP: Tumor Necrosis
Factor
Superfamily
Cytokine
Production vs d_mcsa
rho = -0.56 p 0.039 q 0.99

GOBP: Type I
Interferon
Production vs d_mcsa
rho = -0.56 p 0.039 q 0.99





set score, training change (T2 – T1), one point per subject

All 518 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, training change (T2 – T1)


Spearman, subjects pooled across arms



All 518 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, training change (T2 – T1)

Spearman, subjects pooled across arms




All 518 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, training change (T2 – T1)


Spearman, subjects pooled across arms

HR LR


GOBP: Recombinational
Repair vs d_fcsa_mixed
rho = -0.55 p 0.043 q 0.98




GOBP: Reg. Synaptic
Plasticity vs d_mcsa
rho = -0.55 p 0.043 q 0.99




GOBP: Meiotic Cell
Cycle vs d_1rm_ext
rho = -0.57 p 0.043 q 0.47




GOBP: Type II
Interferon
Production vs d_1rm_ext
rho = -0.57 p 0.043 q 0.47




GOBP: Neuron
Migration vs d_nfibre_l
rho = -0.55 p 0.044 q 0.97




GOBP: Cellular
Senescence vs d_1rm_legpress
rho = -0.55 p 0.044 q 0.99




GOBP: FA Biosynthesis vs d_1rm_ext
rho = -0.56 p 0.044 q 0.47




GOBP: Lymphocyte
Activation
Involved In
Immune Response vs d_1rm_ext
rho = -0.56 p 0.044 q 0.47




GOBP: Cellular Resp.
to Alcohol vs comp_hypertrophy
rho = +0.54 p 0.045 q 0.99




GOBP: Recombinational
Repair vs comp_hypertrophy
rho = -0.54 p 0.045 q 0.99



GOBP: Resp. to Virus vs comp_hypertrophy
rho = -0.54 p 0.045 q 0.99



GOBP: Positive
Reg. Protein
Secretion vs d_fcsa_l
rho = -0.54 p 0.045 q 0.99




set score, training change (T2 – T1), one point per subject

All 518 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, training change (T2 – T1)

Spearman, subjects pooled across arms


HR LR



All 518 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, training change (T2 – T1)



Spearman, subjects pooled across arms



All 518 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, training change (T2 – T1)

Spearman, subjects pooled across arms




All 518 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, training change (T2 – T1)

Spearman, subjects pooled across arms


HR LR



All 518 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, training change (T2 – T1)

Spearman, subjects pooled across arms




All 518 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, training change (T2 – T1)

Spearman, subjects pooled across arms

HR LR




All 518 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, training change (T2 – T1)

Spearman, subjects pooled across arms



HR LR



All 518 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, training change (T2 – T1)

Spearman, subjects pooled across arms




All 518 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, training change (T2 – T1)

Spearman, subjects pooled across arms


HR LR



All 518 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, training change (T2 – T1)


Spearman, subjects pooled across arms



All 518 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, training change (T2 – T1)


Spearman, subjects pooled across arms



All 518 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header ρ is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, training change (T2 – T1)


Spearman, subjects pooled across arms




All 518 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, training change (T2 – T1)


Spearman, subjects pooled across arms




Reactome: Ion Homeostasis vs d_1rm_legpre:
rho = +0.60 p 0.024 q 0.99




Reactome: Mitotic Prophase vs d_1rm_ext
rho = -0.62 p 0.024 q 0.3




Reactome: Mhc Class II Antigen Presentation vs comp_hypertrophy
rho = -0.60 p 0.025 q 0.98




Reactome: Platelet Activation Signaling & Aggregation vs d_fcsa_mixed
rho = -0.60 p 0.025 q 0.99




Reactome: DNA Replication vs d_1rm_ext
rho = -0.62 p 0.025 q 0.3




Reactome: Co Inhibition By Pd 1 vs d_1rm_ext
rho = -0.61 p 0.026 q 0.31




Reactome: Anchoring Of The Basal Body To The Plasma Membrane vs d_fcsa_l
rho = -0.59 p 0.027 q 0.99




Reactome: Signaling By Ntrks vs d_fcsa_mixed
rho = -0.59 p 0.027 q 0.99




Reactome: Signaling By Nuclear Receptors vs volume_load
rho = -0.59 p 0.027 q 0.93




Reactome: Platelet Activation Signaling & Aggregation vs d_fcsa_l
rho = -0.58 p 0.029 q 0.99



Reactome: Signaling By Braf & Raf1 Fusions vs d_nfibre_mixed
rho = -0.58 p 0.03 q 0.98



Reactome: DNA Damage Recognition In Gg Ner vs d_mcsa
rho = -0.58 p 0.03 q 0.99




set score, training change (T2 – T1), one point per subject

All 518 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, training change (T2 – T1)

Spearman, subjects pooled across arms



HR LR



All 518 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, training change (T2 – T1)


Spearman, subjects pooled across arms



All 518 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, training change (T2 – T1)

Spearman, subjects pooled across arms




All 518 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header ρ is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, training change (T2 – T1)

Spearman, subjects pooled across arms

HR LR




All 518 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, training change (T2 – T1)

Spearman, subjects pooled across arms

HR LR




All 518 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, level at T1


Spearman, subjects pooled across arms




GOBP: DNA Replication
Dependent
vs d_1rm_ext
rho = +0.83 p 0.00024 q 0.21




GOBP: Cytoskel.
Dependent
Intracell.
Transport vs comp_hypertrophy
rho = +0.77 p 0.00069 q 0.62




GOBP: Resp. to
Monosaccharide vs d_1rm_legpress
rho = -0.77 p 7e-04 q 0.25




GOBP: Action
Potential vs d_1rm_legpress
rho = -0.77 p 0.00077 q 0.25




GOBP: Monosaccharide
Catabolism vs volume_load
rho = -0.77 p 0.00083 q 0.74




GOBP: Modified AA
Biosynthesis vs d_1rm_legpress
rho = -0.77 p 0.00085 q 0.25




GOBP: Pallium
Development vs d_mcsa
rho = +0.76 p 0.0011 q 0.95




GOBP: Cytoskel.
Dependent
Intracell.
Transport vs d_fcsc_II
rho = +0.75 p 0.0014 q 0.98




GOBP: Nuclear
Transport vs d_1rm_ext
rho = +0.76 p 0.0015 q 0.32




GOBP: Reg. Protein
Import Into
Nucleus vs d_1rm_ext
rho = +0.75 p 0.0019 q 0.32



GOBP: Protein Export
From Nucleus vs d_1rm_ext
rho = +0.75 p 0.002 q 0.32



GOBP: Resp. to
Alkaloid vs d_fcsc_II
rho = -0.72 p 0.0022 q 0.98




set score, level at T1, one point per subject

All 576 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, level at T1

Spearman, subjects pooled across arms


HR LR



All 576 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, level at T1


Spearman, subjects pooled across arms



All 576 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, level at T1

Spearman, subjects pooled across arms




All 576 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, level at T1


Spearman, subjects pooled across arms




GOBP: Membrane
Depolarization vs d_mcsa
rho = -0.66 p 0.0078 q 0.99




GOBP: Resp. to
Leukemia
Inhibitory
Factor vs d_1rm_legpress
rho = -0.66 p 0.0079 q 0.53




GOBP: CD4 Positive
Alpha Beta T
Cell Activation vs d_1rm_ext
rho = +0.68 p 0.0079 q 0.33




GOBP: Recombinational
Repair vs d_1rm_ext
rho = +0.67 p 0.0082 q 0.33




GOBP: Resp. to
Reactive Oxygen
Species vs d_1rm_ext
rho = -0.67 p 0.0082 q 0.33




GOBP: Carboxylic Acid
Transmembrane
Transport vs d_fcsc_II
rho = -0.65 p 0.0082 q 0.98




GOBP: Cytoskel.
Dependent
Intracell.
Transport vs d_fcsc_mixed
rho = +0.65 p 0.0087 q 1




GOBP: Nucleoside
Diphosphate
Metabolism vs volume_load
rho = -0.65 p 0.0087 q 0.84




GOBP: Negative Reg.
Kinase Activity vs d_1rm_ext
rho = +0.67 p 0.0088 q 0.34




GOBP: Calcium
Mediated
Signaling vs d_mcsa
rho = -0.65 p 0.0092 q 0.99



GOBP: Carbohydrate
Catabolism vs volume_load
rho = -0.65 p 0.0092 q 0.84



GOBP: Reg. G Protein
Coupled
Receptor
Signaling vs d_fcsc_II
rho = -0.64 p 0.0097 q 0.98




set score, level at T1, one point per subject

All 576 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, level at T1


Spearman, subjects pooled across arms



All 576 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, level at T1


Spearman, subjects pooled across arms



All 576 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, level at T1


Spearman, subjects pooled across arms



All 576 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, level at T1



Spearman, subjects pooled across arms



All 576 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, level at T1

Spearman, subjects pooled across arms




All 576 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, level at T1


Spearman, subjects pooled across arms




GOBP: Positive Reg.
Developmental
Growth vs volume_load
rho = -0.59 p 0.02 q 0.84




GOBP: Single
Fertilization vs volume_load
rho = +0.59 p 0.02 q 0.84




GOBP: Double Strand
Break Repair vs d_1rm_ext
rho = +0.61 p 0.02 q 0.39




GOBP: Import Into
Nucleus vs d_1rm_ext
rho = +0.61 p 0.02 q 0.39




GOBP: Methylation vs d_1rm_ext
rho = +0.61 p 0.021 q 0.39




GOBP: Positive Reg.
Monoatomic Ion
Transport vs d_1rm_ext
rho = +0.61 p 0.021 q 0.39




GOBP: Reg. G Protein
Coupled
Receptor
Signaling vs comp_hypertrophy
rho = -0.59 p 0.021 q 0.99




GOBP: Resp. to Purine
Containing
Compound vs comp_hypertrophy
rho = -0.59 p 0.021 q 0.99




GOBP: MT Based
Transport vs d_fcsa_II
rho = +0.59 p 0.021 q 0.98




GOBP: Telomere Org. vs d_1rm_ext
rho = +0.61 p 0.021 q 0.39



GOBP: Translational
Elongation vs d_1rm_ext
rho = -0.61 p 0.021 q 0.39



GOBP: Negative Reg.
Molecular
Function vs d_nfibre_I
rho = -0.59 p 0.021 q 0.99




set score, level at T1, one point per subject

All 576 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, level at T1



Spearman, subjects pooled across arms



All 576 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, level at T1


Spearman, subjects pooled across arms



All 576 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, level at T1



Spearman, subjects pooled across arms



All 576 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, level at T1


Spearman, subjects pooled across arms



All 576 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, level at T1


Spearman, subjects pooled across arms



All 576 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, level at T1

Spearman, subjects pooled across arms




All 576 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, level at T1


Spearman, subjects pooled across arms




GOBP: Single
Fertilization vs d_1rm_legpress
rho = +0.55 p 0.033 q 0.53




GOBP: Reg. Hormone
Secretion vs d_1rm_legpress
rho = -0.55 p 0.033 q 0.53




GOBP: Nuclear Export vs d_1rm_ext
rho = +0.57 p 0.033 q 0.45




GOBP: Reg. Protein
Transport vs d_1rm_ext
rho = +0.57 p 0.033 q 0.45




GOBP: Positive Reg.
Transmembrane
Transport vs d_nfibre_l
rho = -0.55 p 0.033 q 0.99




GOBP: Reg. Kinase
Activity vs comp_hypertrophy
rho = +0.55 p 0.034 q 0.99




GOBP: Synaptic
Vesicle
Recycling vs d_mcsa
rho = +0.55 p 0.034 q 0.99




GOBP: Nuclear
Transcribed
mRNA Catabolism vs volume_load
rho = +0.55 p 0.034 q 0.84




GOBP: Reg. Cardiac
Muscle
Contraction
By Reg. The
Release Of
Sequestered
Calcium Ion vs volume_load
rho = -0.55 p 0.034 q 0.84



GOBP: Reg. Cell
Substrate
Adhesion vs d_1rm_ext
rho = +0.57 p 0.034 q 0.45



GOBP: Vesicle
Localization vs d_1rm_ext
rho = +0.57 p 0.034 q 0.45




set score, level at T1, one point per subject

All 576 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, level at T1

Spearman, subjects pooled across arms



All 576 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, level at T1

Spearman, subjects pooled across arms







GOBP: Reg.
Neurogenesis vs d_1rm_ext
rho = -0.56 p 0.037 q 0.45

GOBP: Monosaccharide
Metabolism vs d_1rm_legpress
rho = -0.54 p 0.037 q 0.53

GOBP: Negative Reg.
Transmembrane
Transport vs d_1rm_legpress
rho = -0.54 p 0.037 q 0.53

GOBP: Reg. Amide
Metabolism vs d_1rm_ext
rho = -0.56 p 0.038 q 0.45







GOBP: T Cell
Activation
Involved In
Immune Response vs d_1rm_ext
rho = +0.56 p 0.038 q 0.45

GOBP: Learning vs comp_hypertrophy
rho = -0.54 p 0.038 q 0.99

GOBP: Protein
Transmembrane
Transport vs comp_hypertrophy
rho = -0.54 p 0.038 q 0.99

GOBP: Reg. Proteas.
Ub-Dep. Protein
Catabolism vs d_fcsl_II
rho = -0.54 p 0.038 q 0.98







GOBP: Establishment
Of Protein
Localization To
Membrane vs volume_load
rho = -0.54 p 0.038 q 0.84

GOBP: Glucose
Metabolism vs volume_load
rho = -0.54 p 0.038 q 0.84

GOBP: Negative
Reg. Defense
Response vs d_1rm_legpress
rho = -0.54 p 0.039 q 0.53

GOBP: Reg. Nervous
System
Development vs d_1rm_ext
rho = -0.56 p 0.039 q 0.45




set score, level at T1, one point per subject

All 576 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, level at T1


Spearman, subjects pooled across arms



All 576 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, level at T1


Spearman, subjects pooled across arms



All 576 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, level at T1


Spearman, subjects pooled across arms



All 576 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, level at T1

Spearman, subjects pooled across arms




All 576 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, level at T1


Spearman, subjects pooled across arms




GOBP: Carboxylic Acid
Transmembrane
Transport vs comp_hypertrophy
rho = -0.52 p 0.044 q 0.99




GOBP: Negative Reg.
Monoatomic Ion
Transmembrane
Transport vs d_fcsl_II
rho = -0.52 p 0.044 q 0.98




GOBP: Sterol
Biosynthesis vs d_fcsl_II
rho = -0.52 p 0.044 q 0.98




GOBP: Learning vs d_fcsl_mixed
rho = -0.52 p 0.044 q 1




GOBP: Positive Reg.
Apoptotic
Signaling vs d_mcsa
rho = -0.52 p 0.044 q 0.99




GOBP: Reg. Release
Of Sequestered
Calcium Ion
Into Cytosol
By Sarcoplasmic
Reticulum vs d_mcsa
rho = -0.52 p 0.044 q 0.99




GOBP: NADH
Dehydrogenase
Complex
Assembly vs volume_load
rho = -0.52 p 0.044 q 0.84




GOBP: Neurotransmitter
Transport vs volume_load
rho = +0.52 p 0.044 q 0.84




GOBP: Reg. Resp. to
Wounding vs volume_load
rho = -0.52 p 0.044 q 0.84




GOBP: Resp. System
Development vs volume_load
rho = -0.52 p 0.044 q 0.84



GOBP: Negative Reg.
Organelle Org. vs d_1rm_legpress
rho = +0.52 p 0.045 q 0.53



GOBP: Positive Reg.
Carbohydrate
Metabolism vs d_1rm_legpress
rho = -0.52 p 0.045 q 0.53



set score, level at T1, one point per subject

All 576 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.


Set score against phenotype, level at T1

Spearman, subjects pooled across arms

HR LR


GOBP: Ras Protein
Signal

Transduction vs d_1rm_legpress
rho = -0.52 p 0.045 q 0.53




GOBP: Reg. Neuron
Projection

Development vs d_1rm_legpress
rho = -0.52 p 0.045 q 0.53




GOBP: Positive
Reg. Protein

Transport vs d_1rm_ext
rho = +0.54 p 0.045 q 0.45




GOBP: RNA

Localization vs d_1rm_ext
rho = +0.54 p 0.045 q 0.45




GOBP: Resp. to
Carbohydrate vs d_1rm_ext

rho = +0.54 p 0.046 q 0.45




GOBP: Reg. G Protein
Coupled Receptor

Signaling vs d_nfibre_l
rho = +0.52 p 0.046 q 0.99




GOBP: Positive Reg.
Catalytic

Activity vs comp_hypertrophy
rho = +0.52 p 0.046 q 0.99




GOBP: Signal
Transduction

By p53 Class
Mediator vs comp_hypertrophy
rho = -0.52 p 0.046 q 0.99




GOBP: MT Based

Transport vs d_fcsm_mixed
rho = +0.52 p 0.046 q 1




GOBP: Negative Reg.

Cell Cycle vs d_nfibre_mixed
rho = +0.52 p 0.046 q 0.99




GOBP: Reg. Cell
Substrate

Junction Org. vs d_mcsa
rho = +0.52 p 0.046 q 0.99



GOBP: Carboxylic Acid
Transmembrane

Transport vs volume_load
rho = -0.52 p 0.046 q 0.84




set score, level at T1, one point per subject

All 576 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, level at T1

Spearman, subjects pooled across arms



All 576 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, level at T1

Spearman, subjects pooled across arms





HR LR

GOBP: Mito. Resp.
Chain Complex
Assembly vs d_1rm_ext
rho = -0.54 p 0.047 q 0.45

GOBP: Resp. to
Nutrient vs d_fcsl_I
rho = -0.52 p 0.048 q 1

GOBP: Vesicle
Localization vs d_mcsa
rho = +0.52 p 0.048 q 0.99

GOBP: Reg. Intracell.
Transport vs d_1rm_legpress
rho = -0.52 p 0.049 q 0.53







GOBP: Reg. Cardiac
Muscle
Contraction
By Calcium Ion
Signaling vs comp_hypertrophy
rho = -0.51 p 0.05 q 0.99

GOBP: Vesicle
Localization vs comp_hypertrophy
rho = +0.51 p 0.05 q 0.99

GOBP: Negative
Reg. Cell
Development vs d_fcsl_II
rho = -0.51 p 0.05 q 0.98

GOBP: Pyridine
Containing
Compound
Metabolism vs d_fcsl_II
rho = -0.51 p 0.05 q 0.98

phenotype







GOBP: Reg. Actomyosin
Structure Org. vs d_fcsl_mixed
rho = +0.51 p 0.05 q 1

GOBP: Reg.
Carbohydrate
Metabolism vs d_fcsl_mixed
rho = -0.51 p 0.05 q 1

GOBP: Embryonic Organ
Development vs volume_load
rho = -0.51 p 0.05 q 0.84

GOBP: Reg. Muscle
System Process vs volume_load
rho = -0.51 p 0.05 q 0.84




set score, level at T1, one point per subject

All 576 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, level at T1

Spearman, subjects pooled across arms




All 576 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, level at T1

Spearman, subjects pooled across arms


HR LR



All 576 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, level at T1

Spearman, subjects pooled across arms




set score, level at T1, one point per subject

All 576 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, level at T1


Spearman, subjects pooled across arms



All 576 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, level at T1



Spearman, subjects pooled across arms



All 576 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, level at T1



Spearman, subjects pooled across arms



All 576 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, level at T1


Spearman, subjects pooled across arms



All 576 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, level at T1


Spearman, subjects pooled across arms



All 576 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, level at T1



Spearman, subjects pooled across arms



All 576 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, level at T1

Spearman, subjects pooled across arms





set score, level at T1, one point per subject

All 576 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, level at T1

Spearman, subjects pooled across arms




All 576 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, level at T1

Spearman, subjects pooled across arms



HR LR



All 576 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, level at T1


Spearman, subjects pooled across arms



All 576 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, level at T1


Spearman, subjects pooled across arms



All 576 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, level at T1



Spearman, subjects pooled across arms



All 576 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, level at T1



Spearman, subjects pooled across arms



All 576 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, level at T1


Spearman, subjects pooled across arms



All 576 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, level at T1

Spearman, subjects pooled across arms




All 576 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, level at T1


Spearman, subjects pooled across arms




Reactome: Esr Mediated Signaling vs d_1rm_ext
rho = +0.55 p 0.043 q 0.14




Reactome: Myd88 Independent Tlr4 Cascade vs d_1rm_legpress
rho = -0.53 p 0.044 q 0.56




Reactome: Phase Ii Conjugation Of Compounds vs d_1rm_legpress
rho = -0.53 p 0.044 q 0.56




Reactome: G1 S DNA Damage Checkpoints vs d_1rm_ext
rho = +0.54 p 0.044 q 0.14




Reactome: Ubiquitin Mediated Degradation Of Phosphorylated Cdc25a vs d_1rm_ext
rho = +0.54 p 0.044 q 0.14




Reactome: Antigen Processing Cross Presentation vs d_mcsa
rho = +0.52 p 0.044 q 0.61




Reactome: Sars Cov 2 Infection vs d_mcsa
rho = -0.52 p 0.044 q 0.61




Reactome: Intrinsic Pathway For Apoptosis vs volume_load
rho = -0.52 p 0.044 q 0.78




Reactome: Resolution Of Sister Chromatid Cohesion vs volume_load
rho = +0.52 p 0.044 q 0.78




Reactome: Aup1 Hnrrnp D0 Binds & Destabilizes mRNA vs d_1rm_ext
rho = +0.54 p 0.045 q 0.14



Reactome: Glycogen Metabolism vs d_mcsa
rho = +0.52 p 0.046 q 0.61



Reactome: Tp53 Regulates Metabolic Genes vs volume_load
rho = -0.52 p 0.046 q 0.78





set score, level at T1, one point per subject

All 576 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, level at T1

Spearman, subjects pooled across arms




All 576 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, acute change (T3 – T2)

Spearman, subjects pooled across arms

HR LR




All 511 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, acute change (T3 – T2)

Spearman, subjects pooled across arms

HR LR



All 511 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.


Set score against phenotype, acute change (T3 – T2)

Spearman, subjects pooled across arms




GOBP: Positive
Reg. Telomere


Maintenance vs d_1rm_ext
rho = -0.72 p 0.0038 q 0.96




GOBP: Positive
Reg. Protein
Secretion vs comp_hypertrophy
rho = +0.70 p 0.0039 q 0.49




GOBP: Protein
Homotetramerization vs d_fcsl_II
rho = -0.69 p 0.0042 q 0.91




GOBP: Reg. Lymphocyte
Differentiation vs d_fcsl_mixed
rho = -0.69 p 0.0042 q 1




GOBP: Reg. Protein
Localization To
Nucleus vs d_nfibre_mixed
rho = +0.69 p 0.0044 q 0.67




GOBP: Amide Transport vs comp_hypertrophy
rho = -0.69 p 0.0045 q 0.49




GOBP: Reg. Lymphocyte
Differentiation vs d_nfibre_mixed
rho = +0.69 p 0.0045 q 0.67




GOBP: Cellular
Resp. to
Topologically
Incorrect
Protein vs d_mcsa
rho = +0.69 p 0.0045 q 0.73




GOBP: Protein
Depolymerization vs comp_hypertrophy
rho = -0.68 p 0.0051 q 0.49




GOBP: Cytoplasmic MT
Org. vs d_mcsa
rho = +0.68 p 0.0054 q 0.73



GOBP: Positive Reg.
Apoptotic
Signaling vs comp_hypertrophy
rho = +0.67 p 0.0058 q 0.49



GOBP: Reg. Neuron
Apoptotic
Process vs d_mcsa
rho = +0.67 p 0.0058 q 0.73



set score, acute change (T3 – T2), one point per subject


All 511 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, acute change (T3 – T2)


Spearman, subjects pooled across arms




GOBP: Protein
Homotetramerization vs comp_hypertrophy
 $\rho = -0.67$ $p = 0.0058$ $q = 0.49$




GOBP: Resp. to Heat vs d_mcsa
 $\rho = +0.67$ $p = 0.0066$ $q = 0.73$




GOBP: Endosomal
Transport vs comp_hypertrophy
 $\rho = +0.66$ $p = 0.0069$ $q = 0.49$




GOBP: Acetyl Coa
Metabolism vs comp_hypertrophy
 $\rho = -0.66$ $p = 0.0069$ $q = 0.49$




GOBP: Viral Genome
Replication vs d_nfbire_mixed
 $\rho = -0.66$ $p = 0.0069$ $q = 0.84$




GOBP: Cellular Resp.
to Oxygen
Levels vs d_1rm_legpress
 $\rho = -0.66$ $p = 0.007$ $q = 0.99$




GOBP: Protein
Tetramerization vs d_fcscs_I
 $\rho = -0.66$ $p = 0.0073$ $q = 0.99$




GOBP: Reg.
Nucleocytoplasmic
Transport vs volume_load
 $\rho = +0.66$ $p = 0.0073$ $q = 0.99$




GOBP: Reg. Lymphocyte
Differentiation vs d_nfbire_I
 $\rho = +0.66$ $p = 0.0077$ $q = 0.92$




GOBP: Sensory
Perception
Of Mechanical
Stimulus vs d_fcscs_I
 $\rho = -0.66$ $p = 0.0078$ $q = 0.99$



GOBP: Protein
Tetramerization vs d_fcscs_II
 $\rho = -0.66$ $p = 0.0078$ $q = 0.91$



GOBP: Reg. Intracell.
Transport vs comp_hypertrophy
 $\rho = +0.66$ $p = 0.0078$ $q = 0.49$




set score, acute change (T3 – T2), one point per subject

All 511 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header ρ is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, acute change (T3 – T2)

Spearman, subjects pooled across arms

HR LR



All 511 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, acute change (T3 – T2)

Spearman, subjects pooled across arms




GOBP: Positive Reg.

Proteolysis

Involved

In Protein


Catabolism vs d_mcsa
rho = +0.64 p 0.01 q 0.73



GOBP: Reg. Mito.

Membrane


Potential vs d_nfibre_mixed
rho = +0.64 p 0.01 q 0.84



GOBP: Primary Alcohol

Metabolism vs d_fcsa_l

rho = +0.63 p 0.011 q 0.91



GOBP: Cellular Resp.



to Heat vs d_mcsa

rho = +0.63 p 0.011 q 0.73

GOBP: rRNA Metabolism vs d_mcsa

rho = +0.63 p 0.011 q 0.73

phenotype




GOBP: Cellular Resp.

to Abiotic

Stimulus vs d_1rm_ext


rho = -0.65 p 0.012 q 0.96



GOBP: Positive Reg.

WNT Signaling vs d_nfibre_l

rho = -0.63 p 0.012 q 0.92



GOBP: Reg. Nuclear

Division vs d_nfibre_l

rho = -0.63 p 0.012 q 0.92

GOBP: Protein

Localization To

Extracellular

Region vs d_fcsa_l

rho = +0.63 p 0.012 q 0.99

GOBP: Reg. Chromosome





Segregation vs d_nfibre_l

rho = -0.63 p 0.013 q 0.92

GOBP: Protein

Homotetramerization vs d_fcsa_l

rho = -0.62 p 0.013 q 0.99



set score, acute change (T3 – T2), one point per subject

All 511 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.


Set score against phenotype, acute change (T3 – T2)

Spearman, subjects pooled across arms




GOBP: Vesicle
Mediated
Transport To
The Plasma


Membrane vs d_fcsa_II
rho = +0.62 p 0.013 q 0.91




GOBP: Alpha AA
Biosynthesis vs comp_hypertrophy
rho = -0.62 p 0.013 q 0.53




GOBP: Cilium Org. vs comp_hypertrophy
rho = +0.62 p 0.013 q 0.53




GOBP: Cytoplasmic MT
Org. vs comp_hypertrophy
rho = +0.62 p 0.013 q 0.53




GOBP: Reg. Lymphocyte
Differentiation vs d_fcsa_II
rho = -0.62 p 0.013 q 0.91




GOBP: Sensory
Perception
Of Mechanical
Stimulus vs d_fcsa_mixed
rho = -0.62 p 0.013 q 1




GOBP: Endoplasmic
Reticulum Org. vs d_nfbre_mixed
rho = -0.62 p 0.013 q 0.84




GOBP: Chromosome
Segregation vs d_mcsa
rho = +0.62 p 0.013 q 0.74




GOBP: Hormone
Transport vs d_1rm_legpress
rho = +0.62 p 0.014 q 0.99




GOBP: Dicarboxylic
Acid Metabolism vs comp_hypertrophy
rho = -0.62 p 0.014 q 0.53



GOBP: Spindle Org. vs comp_hypertrophy
rho = +0.62 p 0.014 q 0.53



GOBP: Negative Reg.
Monoatomic Ion
Transport vs d_nfbre_mixed
rho = -0.62 p 0.014 q 0.84



set score, acute change (T3 – T2), one point per subject

All 511 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.


Set score against phenotype, acute change (T3 – T2)

Spearman, subjects pooled across arms

HR LR


GOBP: Resp. to
Ionizing

Radiation vs d_1rm_ext
rho = -0.64 p 0.014 q 0.96




GOBP: Intrinsic
Apoptotic

Signaling vs comp_hypertrophy
rho = +0.61 p 0.015 q 0.53




GOBP: Positive
Reg. Protein

Polymerization vs comp_hypertrophy
rho = +0.61 p 0.015 q 0.53




GOBP: Reg. Mito. Org. vs d_nfbre_mixed
rho = +0.61 p 0.015 q 0.84




GOBP: Reg. Protein
Containing
Complex

Disassembly vs d_nfbre_mixed
rho = +0.61 p 0.015 q 0.84




GOBP: Neuron
Migration vs comp_hypertrophy

rho = +0.61 p 0.016 q 0.53




GOBP: Resp. to
Endoplasmic
Reticulum

Stress vs comp_hypertrophy
rho = +0.61 p 0.016 q 0.53




GOBP: Protein
Depolymerization vs d_fcsc_a_II

rho = -0.61 p 0.016 q 0.91




GOBP: Protein
Localization To
Extracellular

Region vs d_fcsc_a_mixed
rho = +0.61 p 0.016 q 1




GOBP: Reg. Post
Translational

Protein Mod. vs d_mcsa
rho = +0.61 p 0.016 q 0.74




GOBP: Membrane
Depolarization vs d_nfbre_I

rho = +0.61 p 0.016 q 0.92



GOBP: MT
Polymerization
Or

Depolymerization vs comp_hypertrophy
rho = +0.61 p 0.016 q 0.53




set score, acute change (T3 – T2), one point per subject

All 511 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, acute change (T3 – T2)


Spearman, subjects pooled across arms



All 511 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, acute change (T3 – T2)

Spearman, subjects pooled across arms




All 511 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, acute change (T3 – T2)

Spearman, subjects pooled across arms

HR LR




All 511 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, acute change (T3 – T2)


Spearman, subjects pooled across arms




GOBP: Organ Growth vs d_fcsc_II
rho = +0.59 p 0.021 q 0.91




GOBP: Polyol
Metabolism vs d_fcsc_II
rho = -0.59 p 0.021 q 0.91




GOBP: Reg. Canonical
WNT Signaling vs d_fcsc_mixed
rho = +0.59 p 0.021 q 1




GOBP: Nadpplus
Metabolism vs d_nfbre_mixed
rho = +0.59 p 0.021 q 0.84




GOBP: Positive Reg.
Chromosome Org. vs d_1rm_ext
rho = -0.61 p 0.021 q 0.96




GOBP: Reg. MT
Polymerization
Or
Depolymerization vs comp_hypertrophy
rho = +0.59 p 0.022 q 0.53




GOBP: Resp. to
Topologically
Incorrect
Protein vs comp_hypertrophy
rho = +0.59 p 0.022 q 0.53




GOBP: Positive Reg.
Cell Projection
Org. vs d_fcsc_II
rho = +0.59 p 0.022 q 0.91




GOBP: Reg. WNT
Signaling vs d_fcsc_II
rho = +0.59 p 0.022 q 0.91




GOBP: Amide Transport vs d_mcsa
rho = -0.59 p 0.022 q 0.78



GOBP: Negative
Reg. Protein
Localization vs d_1rm_legpress
rho = +0.58 p 0.022 q 0.99



GOBP: Protein Complex
Oligomerization vs d_nfbre_I
rho = +0.58 p 0.023 q 0.92




set score, acute change (T3 – T2), one point per subject

All 511 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, acute change (T3 – T2)

Spearman, subjects pooled across arms

HR LR




All 511 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, acute change (T3 – T2)

Spearman, subjects pooled across arms

HR LR




All 511 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, acute change (T3 – T2)

Spearman, subjects pooled across arms

HR LR




All 511 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, acute change (T3 – T2)


Spearman, subjects pooled across arms




GOBP: Positive
Reg. Protein
Localization To
Nucleus vs d_nfbre_I
rho = +0.57 p 0.026 q 0.92




GOBP: Protein
Targeting vs d_nfbre_I
rho = +0.57 p 0.026 q 0.92




GOBP: Substantia
Nigra
Development vs d_nfbre_I
rho = -0.57 p 0.026 q 0.92




GOBP: Immune Response
Regulating
Cell Surface
Receptor
Signaling vs d_1rm_ext
rho = -0.59 p 0.027 q 0.96




GOBP: MT
Polymerization vs d_fcsa_II
rho = +0.57 p 0.027 q 0.91




GOBP: Endosomal
Transport vs d_fcsa_mixed
rho = +0.57 p 0.027 q 1




GOBP: Organophosphate
Catabolism vs d_nfbre_mixed
rho = +0.57 p 0.027 q 0.84




GOBP: Negative Reg.
Cell Cycle
Process vs d_mcscs
rho = +0.57 p 0.027 q 0.83




GOBP: Resp. to
Osmotic Stress vs comp_hypertrophy
rho = -0.57 p 0.027 q 0.57




GOBP: Positive
Reg. Protein
Localization To
Nucleus vs d_fcscs_I
rho = -0.57 p 0.027 q 0.99



GOBP: Protein Complex
Oligomerization vs d_fcscs_I
rho = -0.57 p 0.027 q 0.99



GOBP: Reg.
Muscle Cell
Differentiation vs d_nfbre_I
rho = +0.57 p 0.028 q 0.92




set score, acute change (T3 – T2), one point per subject

All 511 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, acute change (T3 – T2)

Spearman, subjects pooled across arms



HR LR



All 511 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, acute change (T3 – T2)


Spearman, subjects pooled across arms



All 511 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, acute change (T3 – T2)

Spearman, subjects pooled across arms




All 511 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, acute change (T3 – T2)


Spearman, subjects pooled across arms




GOBP: Reg. Heart
Contraction vs d_1rm_legpress
rho = -0.55 p 0.033 q 0.99




GOBP: Positive Reg.
Calcium Ion
Transport vs d_1rm_ext
rho = -0.57 p 0.033 q 0.96




GOBP: Reg. Cellular
Resp. to Growth
Factor Stimulus vs d_fcsc_II
rho = +0.55 p 0.034 q 0.91




GOBP: Cell Killing vs d_mcsa
rho = +0.55 p 0.034 q 0.83




GOBP: Reg. Cardiac
Muscle
Contraction
By Reg. The
Release Of
Sequestered
Calcium Ion vs d_nfibre_mixed
rho = -0.55 p 0.034 q 0.84




GOBP: Reg. Protein
Containing
Complex
Disassembly vs d_nfibre_I
rho = +0.55 p 0.034 q 0.92




GOBP: Platelet
Activation vs d_1rm_ext
rho = -0.57 p 0.035 q 0.96




GOBP: Ras Protein
Signal
Transduction vs d_1rm_ext
rho = -0.57 p 0.035 q 0.96




GOBP: Nucleoside
Diphosphate
Metabolism vs d_nfibre_mixed
rho = +0.55 p 0.035 q 0.84




GOBP: Translational
Elongation vs d_nfibre_mixed
rho = -0.55 p 0.035 q 0.84



GOBP: Glycerolipid
Metabolism vs d_mcsa
rho = -0.55 p 0.035 q 0.83



GOBP: Reg.
Cytoplasmic
Translation vs d_mcsa
rho = +0.55 p 0.035 q 0.83





set score, acute change (T3 – T2), one point per subject

All 511 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, acute change (T3 – T2)


Spearman, subjects pooled across arms



All 511 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, acute change (T3 – T2)

Spearman, subjects pooled across arms




All 511 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, acute change (T3 – T2)

Spearman, subjects pooled across arms


HR LR



All 511 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, acute change (T3 – T2)

Spearman, subjects pooled across arms




All 511 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, acute change (T3 – T2)


Spearman, subjects pooled across arms




GOBP: Positive Reg.
Immune Effector
Process vs comp_hypertrophy
 $\rho = +0.53$ p 0.043 q 0.62




GOBP: Positive Reg.
Leukocyte
Mediated
Immunity vs comp_hypertrophy
 $\rho = +0.53$ p 0.043 q 0.62




GOBP: Glutathione
Metabolism vs d_fcscs_I
 $\rho = -0.53$ p 0.043 q 0.99




GOBP: Cell Surface
Receptor
Protein Serine
Threonine
Kinase
Signaling vs d_fcscs_II
 $\rho = +0.53$ p 0.043 q 0.91




GOBP: Alpha AA
Biosynthesis vs d_fcscs_mixed
 $\rho = -0.53$ p 0.043 q 1




GOBP: Positive
Reg. Protein
Localization To
Nucleus vs d_fcscs_mixed
 $\rho = -0.53$ p 0.043 q 1




GOBP: Reg. Mito.
Membrane
Potential vs d_nfibre_I
 $\rho = +0.53$ p 0.043 q 0.92




GOBP: Negative Reg.
Leukocyte Cell
Adhesion vs d_fcscs_mixed
 $\rho = -0.53$ p 0.043 q 1




GOBP: Cardiac
Muscle Cell
Contraction vs d_1rm_legpress
 $\rho = -0.53$ p 0.044 q 0.99




GOBP: Reg. Protein
Localization To
Nucleus vs comp_hypertrophy
 $\rho = -0.53$ p 0.044 q 0.62



GOBP: Resp. to Heat vs comp_hypertrophy
 $\rho = +0.53$ p 0.044 q 0.62



GOBP: Cardiac Chamber
Development vs comp_hypertrophy
 $\rho = +0.52$ p 0.044 q 0.62




set score, acute change (T3 – T2), one point per subject

All 511 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, acute change (T3 – T2)

Spearman, subjects pooled across arms


HR LR




All 511 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header ρ is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, acute change (T3 – T2)


Spearman, subjects pooled across arms




GOBP: Acetyl Coa
Biosynthesis vs d_mcsa
rho = -0.52 p 0.044 q 0.83




GOBP: Reg. Synaptic
Plasticity vs d_mcsa
rho = +0.52 p 0.044 q 0.83




GOBP: Translational
Initiation vs d_mcsa
rho = +0.52 p 0.044 q 0.83




GOBP: Neutral Lipid
Metabolism vs d_1rm_legpress
rho = +0.52 p 0.045 q 0.99




GOBP: Vesicle
Mediated
Transport In
Synapse vs d_1rm_ext
rho = -0.54 p 0.045 q 0.96




GOBP: Cardiac Muscle
Contraction vs d_1rm_legpress
rho = -0.52 p 0.046 q 0.99




GOBP: Reg. Protein
Import Into
Nucleus vs comp_hypertrophy
rho = -0.52 p 0.046 q 0.62




GOBP: Reg. WNT
Signaling vs comp_hypertrophy
rho = +0.52 p 0.046 q 0.62




GOBP: Alpha AA
Biosynthesis vs d_fcscs_II
rho = -0.52 p 0.046 q 0.91




GOBP: Reg. Intracell.
Transport vs d_fcscs_II
rho = +0.52 p 0.046 q 0.91



GOBP: Reg. Protein
Import Into
Nucleus vs d_fcscs_II
rho = -0.52 p 0.046 q 0.91



GOBP: Reg.
Transmembrane
Receptor
Protein Serine
Threonine
Kinase
Signaling vs d_fcscs_II
rho = +0.52 p 0.046 q 0.91




set score, acute change (T3 – T2), one point per subject

All 511 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, acute change (T3 – T2)



Spearman, subjects pooled across arms



All 511 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, acute change (T3 – T2)

Spearman, subjects pooled across arms




All 511 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, acute change (T3 – T2)

Spearman, subjects pooled across arms


HR LR



All 511 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, acute change (T3 – T2)


Spearman, subjects pooled across arms



All 511 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, acute change (T3 – T2)


Spearman, subjects pooled across arms



All 511 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, acute change (T3 – T2)

Spearman, subjects pooled across arms




All 511 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, acute change (T3 – T2)


Spearman, subjects pooled across arms

HR LR


KEGG_Legacy: Ppar Signaling vs d_mcsa
rho = -0.52 p 0.044 q 0.55



Reactome: Anchoring Of
The Basal Body
To The Plasma
Membrane vs comp_hypertrophy
rho = +0.86 p 3.8e-05 q 0.012




Reactome: Ion Homeostasis vs d_1rm_legpres
rho = -0.78 p 0.00054 q 0.18




Reactome: Antigen
Processing Ub
ATP Independent
Proteas.


Degradation vs d_nfibre_I
rho = +0.75 p 0.0012 q 0.4




Reactome: Cardiac
Conduction vs d_1rm_legpres
rho = -0.74 p 0.0016 q 0.26




Reactome: Phase I
Functionalization
Of Compounds vs d_mcsa
rho = -0.74 p 0.0016 q 0.54



Reactome: Reg. Plk1
Activity At G2
M Transition vs comp_hypertrophy
rho = +0.72 p 0.0022 q 0.3




Reactome: Rho Gtpases
Activate
Formins vs comp_hypertrophy
rho = +0.71 p 0.003 q 0.3




Reactome: Antigen
Processing Ub
ATP Independent
Proteas.


Degradation vs d_nfibre_mixed
rho = +0.71 p 0.003 q 0.64




Reactome: Cellular
Senescence vs d_1rm_ext
rho = +0.73 p 0.0032 q 0.97



Reactome: Rhobtb2 GTPase
Cycle vs d_nfibre_I
rho = +0.71 p 0.0033 q 0.54



Reactome: Resolution
Of Sister
Chromatid
Cohesion vs comp_hypertrophy
rho = +0.70 p 0.0037 q 0.3





set score, acute change (T3 – T2), one point per subject

All 511 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, acute change (T3 – T2)


Spearman, subjects pooled across arms



All 511 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, acute change (T3 – T2)


Spearman, subjects pooled across arms



All 511 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, acute change (T3 – T2)



Spearman, subjects pooled across arms



All 511 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, acute change (T3 – T2)

Spearman, subjects pooled across arms




All 511 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, acute change (T3 – T2)


Spearman, subjects pooled across arms




Reactome: Cilium Assembly vs d_nfbire_l
rho = -0.57 p 0.028 q 0.66




Reactome: Nuclear Events Mediated By Nfe2l2 vs d_nfbire_l
rho = +0.57 p 0.028 q 0.66




Reactome: Resolution Of Sister Chromatid Cohesion vs d_nfbire_mixed
rho = -0.56 p 0.028 q 0.64




Reactome: Ribosome Associated Quality Control vs d_mcsa
rho = +0.56 p 0.028 q 0.99




Reactome: Pkr Mediated Signaling vs d_nfbire_l
rho = -0.56 p 0.029 q 0.66




Reactome: Runx1 Regulates Transcription Of Genes Involved In Differentiation Of Hscs vs d_fcsc_l
rho = -0.56 p 0.03 q 0.86




Reactome: Cilium Assembly vs d_nfbire_mixed
rho = -0.56 p 0.03 q 0.64




Reactome: Interferon Signaling vs d_nfbire_mixed
rho = -0.56 p 0.03 q 0.64




Reactome: Cytosolic tRNA Aminoacylation vs d_1rm_ext
rho = +0.58 p 0.03 q 0.97




Reactome: Hsp90 Chaperone Cycle For Steroid Hormone Receptors Shr In The Presence Of Ligand vs d_nfbire_l
rho = -0.56 p 0.03 q 0.66



Reactome: Runx1 Regulates Transcription Of Genes Involved In Differentiation Of Hscs vs d_nfbire_l
rho = +0.56 p 0.03 q 0.66



Reactome: Metabolism Of Vitamins & Cofactors vs d_nfbire_mixed
rho = +0.55 p 0.032 q 0.64





set score, acute change (T3 – T2), one point per subject

All 511 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, acute change (T3 – T2)


Spearman, subjects pooled across arms



All 511 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, acute change (T3 – T2)


Spearman, subjects pooled across arms



All 511 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, acute change (T3 – T2)


Spearman, subjects pooled across arms




All 511 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.

Set score against phenotype, acute change (T3 – T2)

Spearman, subjects pooled across arms



phenotype



All 511 set-outcome pairs reaching nominal p, by collection then p. Lines are fitted within each arm; the header rho is the pooled correlation, q from BH within collection, window and outcome. Nominal p, uncorrected. Each collection is read against its own expectation: GOBP 44.9 of 897, GO_Slim 2.9 of 58, Hallmark 1.7 of 33, KEGG_Legacy 3.1 of 62, Reactome 16.4 of 328.