
Pathways per window, one per cluster of overlapping sets
fgsea FDR < 0.05 in both groups of a window (between groups: two of three time points; interaction: either)
one set per tree cluster (Jaccard height 0.85), up to ten per window, shown in all nine contrasts; * calls of opposite sign
Training
Acute
Between groups
Interaction
Striated muscle contraction
Actin myosin filaments sliding
ECM receptor interaction
Mitochondrial protein degradation
Citric acid cycle TCA cycle
Fatty acid catabolic process
Mitochondrial gene expression
mRNA splicing
Striated muscle contraction
SRP dependent cotranslational protein targeting t...
Insulin signaling pathway
Ribonucleotide catabolic process
Actin filament organization
Respiratory electron transport
Mitochondrial protein import
Fatty acid catabolic process
Mitochondrion organization
Mitochondrial protein degradation
Valine leucine and isoleucine degradation
Cardiac muscle contraction
Class I MHC mediated antigen processing presentation
SRP dependent cotranslational protein targeting t... *
Formation of ATP by chemiosmotic coupling
Mitotic spindle checkpoint
SRP dependent cotranslational protein targeting t...
Proton transmembrane transport
Complex IV assembly
Regulation of post translational protein modifica...
Regulation of microtubule based process
Oocyte meiosis
Neutrophil degranulation
Mitochondrial protein degradation
HR
LR
HR
LR
T1
T2
T3
Training
Acute
NES
3
2
1
0
-1
-2
-3
-log10 FDR
2
6
12+
Database
Hallmark
Reactome
KEGG
GO BP