




All 33 sets by 44 biopsies, grouped by arm and time point; column labels are subjects. Fill: singscore minus the set's mean over biopsies. Colours stop at the 99th percentile of |value|, 0.043. Rows are ordered within collection by average−linkage clustering (1 − Pearson r) of singscore, for display only. Grey in the trait tracks: not measured (T3 has no traits).

Contrast overview: Hallmark




All 33 sets by the nine contrasts. Fill: fgsea normalised enrichment score; status: p and BH q within contrast, collections pooled. Colours stop at the 99th percentile of |value|, 2.4. Rows are ordered within collection by average−linkage clustering (1 − Pearson r) of singscore, for display only. Table: c_data/set_tests.rds, set_tests.




All 328 sets by 44 biopsies, grouped by arm and time point; column labels are subjects. Fill: singscore minus the set's mean over biopsies. Colours stop at the 99th percentile of |value|, 0.05. Rows are ordered within collection by average−linkage clustering (1 − Pearson r) of singscore, for display only. Grey in the trait tracks: not measured (T3 has no traits).

Contrast overview: Reactome



All 328 sets by the nine contrasts. Fill: fgsea normalised enrichment score; status: p and BH q within contrast, collections pooled. Colours stop at the 99th percentile of |value|, 2.4. Rows are ordered within collection by average−linkage clustering (1 − Pearson r) of singscore, for display only. Table: c_data/set_tests.rds, set_tests.




All 62 sets by 44 biopsies, grouped by arm and time point; column labels are subjects. Fill: singscore minus the set's mean over biopsies. Colours stop at the 99th percentile of |value|, 0.053. Rows are ordered within collection by average−linkage clustering (1 − Pearson r) of singscore, for display only. Grey in the trait tracks: not measured (T3 has no traits).

Contrast overview: KEGG_Legacy




All 62 sets by the nine contrasts. Fill: fgsea normalised enrichment score; status: p and BH q within contrast, collections pooled. Colours stop at the 99th percentile of |value|, 2.4. Rows are ordered within collection by average−linkage clustering (1 − Pearson r) of singscore, for display only. Table: c_data/set_tests.rds, set_tests.




All 897 sets by 44 biopsies, grouped by arm and time point; column labels are subjects. Fill: singscore minus the set's mean over biopsies. Colours stop at the 99th percentile of |value|, 0.045. Rows are ordered within collection by average−linkage clustering (1 − Pearson r) of singscore, for display only. Grey in the trait tracks: not measured (T3 has no traits).

Contrast overview: GOBP




All 897 sets by the nine contrasts. Fill: fgsea normalised enrichment score; status: p and BH q within contrast, collections pooled. Colours stop at the 99th percentile of |value|, 2.4. Rows are ordered within collection by average−linkage clustering (1 − Pearson r) of singscore, for display only. Table: c_data/set_tests.rds, set_tests.



All 58 sets by 44 biopsies, grouped by arm and time point; column labels are subjects. Fill: singscore minus the set's mean over biopsies. Colours stop at the 99th percentile of |value|, 0.04. Rows are ordered within collection by average−linkage clustering (1 − Pearson r) of singscore, for display only. Grey in the trait tracks: not measured (T3 has no traits).


Contrast overview: GO_Slim



All 58 sets by the nine contrasts. Fill: fgsea normalised enrichment score; status: p and BH q within contrast, collections pooled. Colours stop at the 99th percentile of |value|, 2.4. Rows are ordered within collection by average−linkage clustering (1 − Pearson r) of singscore, for display only. Table: c_data/set_tests.rds, set_tests.

Training_C1, fgsea collapse survivors at FDR < 0.05


39 sets. Page 1 of 1.



fgsea on the moderated t ranking; BH within contrast over all collections; collapsePathways keeps sets that stay significant given a stronger set. Table: c_data/set_contrasts.xlsx, significant.

Training_C2, fgsea collapse survivors at FDR < 0.05

21 sets. Page 1 of 1.




fgsea on the moderated t ranking; BH within contrast over all collections; collapsePathways keeps sets that stay significant given a stronger set. Table: c_data/set_contrasts.xlsx, significant.

Acute_C1, fgsea collapse survivors at FDR < 0.05

94 sets. Page 1 of 3.



fgsea on the moderated t ranking; BH within contrast over all collections; collapsePathways keeps sets that stay significant given a stronger set. Table: c_data/set_contrasts.xlsx, significant.



fgsea on the moderated t ranking; BH within contrast over all collections; collapsePathways keeps sets that stay significant given a stronger set. Table: c_data/set_contrasts.xlsx, significant.

Acute_C1, fgsea collapse survivors at FDR < 0.05


94 sets. Page 3 of 3.



fgsea on the moderated t ranking; BH within contrast over all collections; collapsePathways keeps sets that stay significant given a stronger set. Table: c_data/set_contrasts.xlsx, significant.

Acute_C2, fgsea collapse survivors at FDR < 0.05

22 sets. Page 1 of 1.




fgsea on the moderated t ranking; BH within contrast over all collections; collapsePathways keeps sets that stay significant given a stronger set. Table: c_data/set_contrasts.xlsx, significant.


Baseline_C1vC2, fgsea collapse survivors at FDR < 0.05
66 sets. Page 1 of 2.
Vesicle−Mediated Transport
Positive Reg. Protein Localization
Positive Reg. Phosphorus Metabolism
Reg. Proteolysis
Reg. Intracell. Transport
Cell Surface Receptor Protein Serine Threonine Kinase Signaling
Methylation
Reg. Vasculature Development
Xenobiotic Metabolism
Protein Maturation
Negative Reg. Cell Projection Org.
Sars Cov 2 Activates Modulates Innate & Adaptive Immune Responses
Establishment Of Organelle Localization
Reg. Synaptic Plasticity
Mitotic Spindle
Autophagy
Mitotic Cell Cycle
MAPK Signaling
UPR
Formation Of Tubulin Folding Intermediates By Cct Tric
Interferon Signaling
Cellular Responses To Mechanical Stimuli
Nucleobase Metabolism
Glycolysis Gluconeogenesis
Canonical Nf Kappab Signal Transduction
Intra Golgi & Retrograde Golgi To Er Traffic
Reg. Post Translational Protein Mod.
Phase Ii Conjugation Of Compounds
Resp. to Temperature Stimulus
Hsp90 Chaperone Cycle For Steroid Hormone Receptors Shr In The Presence Of Ligand
Negative Reg. MAPK Cascade
Mitotic G2/M Phases
DNA Repair
Neddylation
Mitotic Spindle Checkpoint
Protein Catabolism
Antigen Processing & Presentation
Adaptive Immune Response Based On Somatic Recombination Of Immune Receptors Built From Immunoglobulin Superfamily Domains
Class I Mhc Mediated Antigen Processing Presentation
Protein Mod. By Small Protein Removal
−2.0
−1.5
−1.0
−0.5
0.0
normalised enrichment score
proteins
50
100
150
200
GO_Slim
GOBP
Hallmark
KEGG_Legacy
Reactome
fgsea on the moderated t ranking; BH within contrast over all collections; collapsePathways keeps sets that stay significant given a stronger set. Table: c_data/se

Baseline_C1vC2, fgsea collapse survivors at FDR < 0.05


66 sets. Page 2 of 2.




fgsea on the moderated t ranking; BH within contrast over all collections; collapsePathways keeps sets that stay significant given a stronger set. Table: c_data/set_contrasts.xlsx, significant.


Trained_C1vC2, fgsea collapse survivors at FDR < 0.05


55 sets. Page 1 of 2.




fgsea on the moderated t ranking; BH within contrast over all collections; collapsePathways keeps sets that stay significant given a stronger set. Table: c_data/set_contrasts.xlsx, significant.


Trained_C1vC2, fgsea collapse survivors at FDR < 0.05
55 sets. Page 2 of 2.
Resp. ETC
ETC
Parkinsons Disease
Aerobic Resp. + ETC
OXPHOS
Cellular Respiration
Mito. Resp. Chain Complex Assembly
ATP Metabolism
Gen. of Precursor Metabolites
Ribose Phosphate Biosynthesis
Establishment Of Protein Localization To Mito.
FA Beta Oxidation
Nucleobase−Containing Small Molecule Metabolism
Mito. Protein Degradation
0
1
2
3
normalised enrichment score
GO_Slim
GOBP
Hallmark
KEGG_Legacy
Reactome
proteins
50
100
150
200
250
fgsea on the moderated t ranking; BH within contrast over all collections; collapsePathways keeps sets that stay significant given a stronger set. Table: c_data/set_contrasts.xlsx, significant.


Acute_C1vC2, fgsea collapse survivors at FDR < 0.05
32 sets. Page 1 of 1.
Reg. Chromosome Org.
Cilium Assembly
Recruitment Of Numa To Mitotic Centrosomes
Mononuclear Cell Migration
Glial Cell Differentiation
Platelet Activation Signaling & Aggregation
Semaphorin Interactions
Telomere Org.
Myoblast Fusion
Tight Junction
Striated Muscle Contraction
Actomyosin Structure Org.
Maintenance of Polarity
Potential Therapeutics For Sars
Dengue Virus Host Interactions
Protein RNA Complex Org.
Erad Pathway
Cytoplasmic Translation
RNA Splicing Via Transesterification Reactions
Cytoskel. Org.
Cell Differentiation
Nucleobase−Containing Small Molecule Metabolism
Glycolysis
Carbohydrate Metabolism
Metabolism Of Carbohydrates & Carbohydrate Derivatives
Purine Metabolism
Cilium Movement
Cellular Respiration
NADH Dehydrogenase Complex Assembly
Citrate Cycle TCA Cycle
Fructose & Mannose Metabolism
Mito. ETC NADH To UQ
−2
−1
0
1
2
normalised enrichment score
GO_Slim
GOBP
Hallmark
KEGG_Legacy
Reactome
proteins
100
200
300
400
fgsea on the moderated t ranking; BH within contrast over all collections; collapsePathways keeps sets that stay significant given a stronger set. Table: c_data/set_contrasts.xlsx, significant.




fgsea on the moderated t ranking; BH within contrast over all collections; collapsePathways keeps sets that stay significant given a stronger set. Table: c_data/set_contrasts.xlsx, significant.




fgsea on the moderated t ranking; BH within contrast over all collections; collapsePathways keeps sets that stay significant given a stronger set. Table: c_data/set_contrasts.xlsx, significant.


Acute_Interaction, fgsea collapse survivors at FDR < 0.05


58 sets. Page 2 of 2.




fgsea on the moderated t ranking; BH within contrast over all collections; collapsePathways keeps sets that stay significant given a stronger set. Table: c_data/set_contrasts.xlsx, significant.


Training_C1, fry sets at p < 0.05
108 sets. Page 1 of 3.
Muscle Adaptation
Circulatory System Process
Skeletal Muscle Organ Development
Reg. Kinase Activity
Muscle Contraction
Calcium Ion Transmembrane Import Into Cytosol
Muscle Cell Development
Cardiac Muscle Contraction
Myofibril Assembly
Striated Muscle Contraction
Sarcomere Org.
Multicellular Organismal Movement
Myogenesis
Hypertrophic Cardiomyopathy Hcm
Positive Reg. Molecular Function
Positive Reg. Monoatomic Ion Transport
Skeletal Muscle Contraction
Myotube Cell Development
Assembly in Morphogenesis
Endoplasmic Reticulum Org.
Striated Muscle Adaptation
Resp. to Ionizing Radiation
Negative Reg. Molecular Function
Heart Process
ECM Org.
Dilated Cardiomyopathy
Mitotic Prophase
Muscle Organ Development
Heart Morphogenesis
Reg. Monoatomic Ion Transport
Muscle Organ Morphogenesis
Reg. Muscle System Process
EMT
Reg. Muscle Contraction
ARVC
Reg. Transferase Activity
Reg. Calcium Mediated Signaling
Reg. Monoatomic Ion Transmembrane Transport
Positive Reg. Monoatomic Ion Transmembrane Transport
−2.0
−1.5
−1.0
−0.5
0.0
signed −log10 p (positive: up)
GO_Slim
GOBP
Hallmark
KEGG_Legacy
Reactome
proteins
50
100
fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.


Training_C1, fry sets at p < 0.05
108 sets. Page 2 of 3.
FA Beta Oxidation
Resp. to Organophosphorus
Protein Localization
AA Metabolism
Organic Acid Catabolism
FA Biosynthesis
Lipid Mod.
Lipid Oxidation
Reg. Lipid Localization
FA Catabolism
Metabolism Of Vitamins & Cofactors
Selective Autophagy
Negative Reg. Proteas. Protein Catabolism
Polysaccharide Biosynthesis
Modified AA Biosynthesis
Protein Insertion Into Membrane
Lipid Catabolism
Locomotory Behavior
Reg. Ketone Metabolism
Cytochrome Complex Assembly
Propanoate Metabolism
Insulin Signaling
Adipocytokine Signaling
Small Molecule Catabolism
Negative Reg. Proteolysis
FA Metabolism
Signaling By Nuclear Receptors
Protein Tetramerization
Ketone Biosynthesis
Metabolism Of Water Soluble Vitamins & Cofactors
Negative Reg. Proteolysis Involved In Protein Catabolism
Amide Biosynthesis
Protein Targeting
Lipid Localization
Learning Or Memory
Calcium Mediated Signaling
Muscle System Process
Cardiac Chamber Development
−1
0
1
signed −log10 p (positive: up)
GO_Slim
GOBP
Hallmark
KEGG_Legacy
Reactome
proteins
40
80
120
160
fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.



fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.



Training_C2, fry sets at p < 0.05
149 sets. Page 1 of 4.
Ub Specific Processing Proteases
Cell Cycle G1 S Phase Transition
Cell Cycle Checkpoints
DNA Replication Pre Initiation
Switching Of Origins To A Post Replicative State
Degradation Of Cry & Per Proteins
Apc C Mediated Degradation Of Cell Cycle Proteins
DNA Replication
Developmental Cell Growth
Ampk Induced Erad & Lysosome Mediated Degradation Of PD−L1 CD274
Tumor Necrosis Factor Superfamily Cytokine Production
Forebrain Development
Positive Reg. Growth
Deubiquitination
Fc Epsilon Receptor Fceri Signaling
Cdk Mediated Phosph. & Removal Of Cdc6
Apc C Cdh1 Mediated Degradation Of Cdc20 & Other Apc C Cdh1 Targeted Proteins In Late Mitosis Early G1
Activation Of Apc C & Apc C Cdc20 Mediated Degradation Of Mitotic Proteins
Interleukin 1 Family Signaling
C Type Lectin Receptors Clrs
Negative Reg. Cell Cycle
Antigen Processing Ubiquitination Proteasome Degradation
Neddylation
Purine Nucleoside Monophosphate Metabolism
Fceri Mediated Nf Kb Activation
Amp Metabolism
Toll Like Receptor 9 Tlr9 Cascade
Glutathione Conjugation
G2 M Checkpoints
Clec7a Dectin 1 Signaling
Interleukin 1 Signaling
Type I Interferon Production
Developmental Growth Involved In Morphogenesis
Myd88 Independent Tlr4 Cascade
Gnrh Signaling
Toll Like Receptor Tlr1 Tlr2 Cascade
Interleukin 17 Signaling
Metabolism Of Nucleotides
Positive Reg. Cell Growth
Protein Ubiquitination
−2
−1
0
signed −log10 p (positive: up)
proteins
20
30
40
50
60
70
GOBP
KEGG_Legacy
Reactome
fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.


Training_C2, fry sets at p < 0.05


149 sets. Page 2 of 4.




fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.



Training_C2, fry sets at p < 0.05
149 sets. Page 3 of 4.
Endothelial Cell Migration
Organophosphate Ester Transport
Establishment Of PM Protein Localization
Ensheathment Of Neurons
EMT
Blood Vessel Endothelial Cell Migration
Neutral Lipid Metabolism
Receptor Mediated Endocytosis
Positive Reg. Protein Localization To Membrane
Cytosolic tRNA Aminoacylation
PM Protein Localization
Rhog GTPase Cycle
Schwann Cell Differentiation
Cell Substrate Adhesion
Trans Golgi Network Vesicle Budding
Resp. to Ethanol
Actin Filament Org.
Tight Junction
Reg. Protein Localization To Cell Periphery
L1cam Interactions
Osteoblast Differentiation
Peroxisome
Reg. Hydrolase Activity
Cellular Resp. to Alcohol
Resp. to Mechanical Stimulus
Sensory Perception Of Mechanical Stimulus
Aminoacyl tRNA Biosynthesis
Polysaccharide Biosynthesis
Clathrin Mediated Endocytosis
Formation Of The Dystrophin Glycoprotein Complex DGC
Non−Integrin ECM
Mito. Protein Import
Regeneration
Cellular Resp. to Acid Chemical
Receptor Internalization
Reg. Cdh1 Posttranslational Processing & Trafficking To Plasma Membrane
Protein−Containing Complex Assembly
Cellular Resp. to Chemical Stress
Golgi Vesicle Transport
0.0
0.5
1.0
1.5
signed −log10 p (positive: up)
GO_Slim
GOBP
Hallmark
KEGG_Legacy
Reactome
proteins
50
100
150
200
250
fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.



Training_C2, fry sets at p < 0.05
149 sets. Page 4 of 4.
p53 Pathway
Establishment Of Protein Localization To Membrane
Post Golgi Vesicle Mediated Transport
Membrane Org.
Vesicle Mediated Transport To The Plasma Membrane
Sensory System Development
Negative Reg. Secretion
Resp. to Alcohol
Positive Reg. Neuron Projection Development
Apical Junction
Cytosolic Transport
Sensory Processing Of Sound
AA Activation
Endocytic Recycling
tRNA Aminoacylation
Retrograde Transport Endosome To Golgi
ECM Org.
Rac2 GTPase Cycle
Cell Matrix Adhesion
Protein Localization To Cell Periphery
Arginine & Proline Metabolism
Negative Reg. Autophagy
Gland Development
Ossification
Glycoprotein Biosynthesis
Golgi Associated Vesicle Biogenesis
Reg. Endothelial Cell Migration
Protein Localization To Membrane
0
1
2
3
4
signed −log10 p (positive: up)
GO_Slim
GOBP
Hallmark
KEGG_Legacy
Reactome
proteins
40
80
120
160
fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.



Acute_C1, fry sets at p < 0.05
398 sets. Page 1 of 10.
NTP Metabolism
Glucose Metabolism
Butanoate Metabolism
Monocarboxylic Acid Catabolism
Monocarboxylic Acid Biosynthesis
Pyruvate Metabolism
Insulin Signaling
Pyridine Containing Compound Metabolism
Citrate Cycle TCA Cycle
Tricarboxylic Acid Cycle
Monosaccharide Metabolism
Organophosphate Catabolism
Protein Targeting To Mito.
AA Catabolism
Small Molecule Catabolism
Establishment Of Protein Localization To Mito.
Carbohydrate Catabolism
Gen. of Precursor Metabolites
Protein Localization
Lipid Oxidation
Lipid Mod.
Carbohydrate Metabolism
Cellular Resp. to Osmotic Stress
Organic Acid Catabolism
Metabolism Of Carbohydrates & Carbohydrate Derivatives
FA Beta Oxidation
Adipogenesis
Ribose Phosphate Metabolism
FA Metabolism
Mito. FA Beta Oxidation
Modified AA Biosynthesis
Purine Metabolism
Peroxisomal Protein Import
Diseases Of Metabolism
Nucleobase−Containing Small Molecule Metabolism
Carbohydrate Derivative Metabolism
Ketone Biosynthesis
Resp. to Organophosphorus
−3
−2
−1
0
signed −log10 p (positive: up)
GO_Slim
GOBP
Hallmark
KEGG_Legacy
Reactome
proteins
50
100
150
200
250
fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.



fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.


Acute_C1, fry sets at p < 0.05
398 sets. Page 3 of 10.
Learning
Nadpplus Metabolism
Acyl Coa Biosynthesis
Ribose Phosphate Biosynthesis
Glucan Metabolism
Mito. Membrane Org.
Resp. to Osmotic Stress
Temperature Homeostasis
Carbohydrate Derivative Catabolism
AA Metabolism
Inner Mito. Membrane Org.
Glucose Metabolism
Branched Chain AA Metabolism
FA Metabolism
Mitophagy
Peroxisome
Resp. to Purine Containing Compound
Metabolism Of Water Soluble Vitamins & Cofactors
Protein Homotetramerization
FA Transport
Mito. Translation
Mito. Protein Import
Resp. to Nutrient
Establishment Of Protein Localization To Mito. Membrane
Sulfur Compound Biosynthesis
Reg. Lipid Localization
Branched Chain AA Catabolism
Nucleotide Biosynthesis
Bile Acid Metabolism
Modified AA Metabolism
Protein Localization To Mito.
Lipid Metabolism
Nucleoside Diphosphate Catabolism
Mito. Resp. Chain Complex Assembly
Myd88 Independent Tlr4 Cascade
Pyruvate Metabolism
−1.5
−1.0
−0.5
0.0
signed −log10 p (positive: up)
proteins
50
100
150
200
GO_Slim
GOBP
Hallmark
KEGG_Legacy
Reactome
fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.


Acute_C1, fry sets at p < 0.05
398 sets. Page 4 of 10.
Translational Elongation
Copii Coated Vesicle Budding
Reg. Pattern Recognition Receptor Signaling
Defense Resp. to Bacterium
Rhoh GTPase Cycle
Fcgamma Receptor Fcgr Dependent Phagocytosis
Reg. Organelle Assembly
Symbiont Entry Into Host
tRNA Metabolism
Clathrin Mediated Endocytosis
Sensory System Development
Cell Adhesion
Rhobtb GTPase Cycle
Reg. Cell Shape
Cell Killing
Cytoskel. Dependent Intracell. Transport
Leukocyte Mediated Cytotoxicity
Reg. WNT Signaling
Type I Interferon Production
Resolution Of Sister Chromatid Cohesion
Reg. Syncytium Formation By Plasma Membrane Fusion
Leishmania Infection
Cytoplasmic Translation
Cell Junction Assembly
Membrane Biogenesis
Cardiac Muscle Contraction
Cellular Resp. to Unfolded Protein
Positive Reg. Protein Catabolism
Muscle System Process
Reg. Resp. to Endoplasmic Reticulum Stress
Positive Reg. Protein Localization To Membrane
Positive Reg. Phosphorus Metabolism
Reg. Translation
Neuronal System
Pyridine Containing Compound Catabolism
Amp Metabolism
Mito. Protein Degradation
Resp. ETC
−1.0
−0.5
0.0
0.5
1.0
1.5
signed −log10 p (positive: up)
proteins
40
80
120
160
GO_Slim
GOBP
Reactome
fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.



Acute_C1, fry sets at p < 0.05
398 sets. Page 5 of 10.
Dengue Virus Genome Translation & Replication
Neuromuscular Process
Syncytium Formation
Myoblast Fusion
Viral Gene Expression
Rhobtb2 GTPase Cycle
Sensory Processing Of Sound
Cellular Component Disassembly
Homotypic Cell Adhesion
Nuclear Chromosome Segregation
Reg. Actin Filament Polymerization
Actin Filament Bundle Org.
Positive Reg. Protein Mod. Process
Gliogenesis
Copi Dependent Golgi To Er Retrograde Traffic
Reg. Cellular Resp. to Growth Factor Stimulus
Resp. to Heat
Muscle Contraction
Reg. Muscle Contraction
Negative Reg. Resp. to Biotic Stimulus
Sodium Ion Transport
L1cam Interactions
Synaptic Vesicle Recycling
Rho GTPase Cycle
Reg. Leukocyte Migration
Plasma Membrane Org.
Leukocyte Migration
Cellular Responses To Mechanical Stimuli
Spindle Org.
rRNA Metabolism
Resp. to UV
Intra Golgi & Retrograde Golgi To Er Traffic
Mhc Class Ii Antigen Presentation
Myotube Differentiation
Antigen Processing & Presentation
Vesicle Mediated Transport In Synapse
Reg. Heart Rate
Wound Healing
0.0
0.5
1.0
1.5
signed −log10 p (positive: up)
GO_Slim
GOBP
KEGG_Legacy
Reactome
proteins
50
100
fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.

Acute_C1, fry sets at p < 0.05

398 sets. Page 6 of 10.




fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.



Acute_C1, fry sets at p < 0.05
398 sets. Page 7 of 10.
Nucleus Org.
Signaling By Alk In Cancer
Interleukin 12 Signaling
Protein Containing Complex Disassembly
Natural Killer Cell Mediated Immunity
Pkr Mediated Signaling
Muscle Cell Differentiation
Striated Muscle Diff.
Muscle Hypertrophy
Platelet Aggregation
Positive Reg. Translation
Recruitment Of Numa To Mitotic Centrosomes
Reg. Chromosome Org.
Protein RNA Complex Org.
Biological Process Involved In Interaction With Host
Reg. RNA Splicing
Negative Reg. Phosph.
Inflammatory Response
Stem Cell Differentiation
Telomere Org.
Positive Reg. DNA Metabolism
Cardiac Muscle Tissue Development
Semaphorin Interactions
Reg. DNA Binding Transcription Factor Activity
Biological Process Involved In Symbiotic Interaction
Establishment Of Organelle Localization
Gene & Protein Expression By JAK Stat Signaling After Interleukin 12 Stimulation
Glial Cell Differentiation
Reg. Striated Muscle Contraction
Lymphocyte Mediated Immunity
Cardiac Cell Development
Myoblast Differentiation
Programmed Cell Death
Copi Independent Golgi To Er Retrograde Traffic
Heart Process
Cellular Resp. to Topologically Incorrect Protein
Recycling Pathway Of L1
Negative Reg. Organelle Org.
Positive Reg. Cell Cycle Process
0.0
0.5
1.0
1.5
signed −log10 p (positive: up)
proteins
50
100
150
200
GO_Slim
GOBP
Reactome
fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.

Acute_C1, fry sets at p < 0.05

398 sets. Page 8 of 10.




fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.




fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.


Acute_C1, fry sets at p < 0.05

398 sets. Page 10 of 10.



fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.



Acute_C2, fry sets at p < 0.05
136 sets. Page 1 of 4.
Reg. Phagocytosis
Reg. Epithelial Cell Proliferation
Establishment Of PM Protein Localization
Negative Reg. Phosph.
Reg. Cellular Resp. to Insulin Stimulus
Vesicle Mediated Transport To The Plasma Membrane
Reg. Cell Matrix Adhesion
Cell Substrate Adhesion
Reg. Cell Substrate Adhesion
Cellular Resp. to Osmotic Stress
Receptor Mediated Endocytosis
Protein Localization To Membrane
Peroxisome
Gliogenesis
Organelle Fusion
Schwann Cell Differentiation
Resp. to Osmotic Stress
Resp. to Transforming Growth Factor Beta
Retrograde Transport Endosome To Golgi
Positive Reg. Cell Substrate Adhesion
Cellular Resp. to Chemical Stress
Reg. Inflammatory Response
Synapse Assembly
Glial Cell Differentiation
Ensheathment Of Neurons
Glycerolipid Metabolism
Cell Matrix Adhesion
Fat Cell Differentiation
Positive Reg. Neuron Projection Development
Immune Response Regulating Cell Surface Receptor Signaling
Protein Localization To Cell Periphery
Multicellular Organism Growth
Sensory System Development
EMT
Gland Development
Adaptive Thermogenesis
Membrane Org.
Neutral Lipid Metabolism
Temperature Homeostasis
Clathrin Endocytosis
−3
−2
−1
0
signed −log10 p (positive: up)
GO_Slim
GOBP
Hallmark
KEGG_Legacy
Reactome
proteins
40
80
120
160
fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.




fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.


Acute_C2, fry sets at p < 0.05


136 sets. Page 3 of 4.




fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.


Acute_C2, fry sets at p < 0.05
136 sets. Page 4 of 4.
Rab Geranylgeranylation
Negative Reg. Secretion
Plasma Membrane Org.
Recycling Pathway Of L1
Positive Reg. Protein Localization To Membrane
Lipid Metabolism
Vesicle Mediated Transport In Synapse
Epithelial Cell Proliferation
Golgi To Er Retrograde Transport
Intra Golgi & Retrograde Golgi To Er Traffic
Cell Junction Org.
Positive Reg. Protein Transport
Negative Reg. Kinase Activity
Protein Dephosphorylation
Reg. Endocytosis
Natural Killer Cell Mediated Cytotoxicity
−1.0
−0.5
0.0
signed −log10 p (positive: up)
proteins
50
100
150
200
GO_Slim
GOBP
KEGG_Legacy
Reactome
fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.


Baseline_C1vC2, fry sets at p < 0.05
218 sets. Page 1 of 6.
Negative Reg. Cell Cycle Process
Lysosomal Transport
Autophagosome Maturation
Protein Maturation
Mitotic Cell Cycle Phase Transition
Xenobiotic Metabolism
Aggrephagy
Locomotory Behavior
DNA Damage Recognition In Gg Ner
Class I Mhc Mediated Antigen Processing Presentation
Negative Reg. Proteolysis
Clathrin Endocytosis
Nucleobase Metabolism
Vacuolar Transport
Synapse Assembly
Protein Polyubiquitination
Torc1 Signaling
Autophagy
Cell Cycle Checkpoint Signaling
Reg. Synaptic Plasticity
Positive Reg. Vasculature Development
Hcmv Infection
Protein Ubiquitination
Reg. Leukocyte Mediated Immunity
Positive Reg. Tumor Necrosis Factor Superfamily Cytokine Production
Tumor Necrosis Factor Superfamily Cytokine Production
DNA Repair
Nucleotide Excision Repair
Global Genome Nucleotide Excision Repair Gg Ner
Reg. Adaptive Immune Response
Negative Reg. Mitotic Cell Cycle
T Cell Mediated Immunity
Negative Reg. Cell Cycle
Endosome To Lysosome Transport
Negative Reg. MAPK Cascade
Canonical Nf Kappab Signal Transduction
Protein Mod. By Small Protein Removal
Sars Cov 2 Activates Modulates Innate & Adaptive Immune Responses
Positive Reg. Canonical Nf Kappab Signal Transduction
Adaptive Immune Response Based On Somatic Recombination Of Immune Receptors Built From Immunoglobulin Superfamily Domains
−3
−2
−1
0
signed −log10 p (positive: up)
proteins
25
50
75
100
GO_Slim
GOBP
Hallmark
Reactome
fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.



Baseline_C1vC2, fry sets at p < 0.05
218 sets. Page 2 of 6.
Cell Cycle G1 S Phase Transition
Leukocyte Mediated Immunity
CD4 Positive Alpha Beta T Cell Activation
Leukocyte Homeostasis
Hiv Life Cycle
Positive Reg. Phosphorus Metabolism
Cellular Component Disassembly
Type Ii Interferon Production
Negative Reg. Ub−Dep. Protein Catabolism
Mitotic Metaphase & Anaphase
Methylation
Purine Metabolism
Interferon Signaling
Type I Interferon Production
Metabolism Of Nucleotides
Cell Surface Receptor Protein Serine Threonine Kinase Signaling
Mitotic Prometaphase
Macromolecule Methylation
Cell Activation Involved In Immune Response
Selective Autophagy
Resp. to Temperature Stimulus
Antimicrobial Mechanism Of IFN Stimulated Genes
Lymphocyte Mediated Immunity
Leukocyte Proliferation
Mitotic Cell Cycle
Nuclear Envelope Ne Reassembly
Mitotic Spindle Checkpoint
Reg. Mitotic Cell Cycle Phase Transition
Biological Process Involved In Interaction With Host
Transforming Growth Factor Beta Receptor Signaling
Reg. Vasculature Development
Tor Signaling
Reg. Lymphocyte Mediated Immunity
Resolution Of Sister Chromatid Cohesion
Organelle Membrane Fusion
Lymphocyte Activation Involved In Immune Response
Positive Reg. Leukocyte Mediated Immunity
Reg. Cell Cycle Phase Transition
DNA Repair
Protein Catabolism
−2.0
−1.5
−1.0
−0.5
0.0
signed −log10 p (positive: up)
GO_Slim
GOBP
Hallmark
KEGG_Legacy
Reactome
proteins
50
100
150
fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.



fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.

Baseline_C1vC2, fry sets at p < 0.05

218 sets. Page 4 of 6.



fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.

Baseline_C1vC2, fry sets at p < 0.05


218 sets. Page 5 of 6.




fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.


Baseline_C1vC2, fry sets at p < 0.05

218 sets. Page 6 of 6.





fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.



Trained_C1vC2, fry sets at p < 0.05
307 sets. Page 1 of 8.
Endothelial Cell Migration
Organelle Membrane Fusion
Rac2 GTPase Cycle
Extracellular Matrix Org.
Post Golgi Vesicle Mediated Transport
Exocytosis
Resp. to Transforming Growth Factor Beta
Cytosolic Transport
Viral Life Cycle
Retrograde Transport Endosome To Golgi
Reg. Vasculature Development
Protein Localization To Cell Periphery
Positive Reg. Neuron Projection Development
Reg. Cellular Resp. to Growth Factor Stimulus
ECM Org.
Plasma Membrane Org.
Vesicle Mediated Transport To The Plasma Membrane
Reg. Epithelial Cell Proliferation
Symbiont Entry Into Host
Negative Reg. Kinase Activity
Reg. Body Fluid Levels
Biological Process Involved In Interaction With Host
Receptor Mediated Endocytosis
Membrane Org.
Synapse Assembly
Negative Reg. Phosph.
Hiv Life Cycle
Reg. Phosph.
Reg. Exocytosis
Biological Process Involved In Symbiotic Interaction
Reg. Transferase Activity
Wound Healing
Vesicle Budding From Membrane
Clathrin Mediated Endocytosis
EMT
Reg. Kinase Activity
Clathrin Endocytosis
Membrane Biogenesis
Sensory System Development
−4
−3
−2
−1
0
signed −log10 p (positive: up)
proteins
40
80
120
160
GO_Slim
GOBP
Hallmark
Reactome
fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.




fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.


Trained_C1vC2, fry sets at p < 0.05
307 sets. Page 3 of 8.
Hemostasis
Cell Differentiation
Homotypic Cell Adhesion
Synaptic Vesicle Recycling
Smooth Muscle Contraction
Signaling By Met
Reg. Viral Life Cycle
Cytoskel. Org.
Membrane Docking
Vesicle Mediated Transport In Synapse
Endocytic Recycling
Copii Coated Vesicle Budding
Phosphatidylinositol 3 Kinase Protein Kinase B Signal Transduction
Apical Junction
RhoC GTPase Cycle
Positive Reg. Molecular Function
Reg. Cell Substrate Adhesion
Inflammatory Response
Cellular Resp. to Acid Chemical
Reg. Transmembrane Receptor Protein Serine Threonine Kinase Signaling
Copi Mediated Anterograde Transport
Protein Secretion
Intracell. Protein Transport
Recycling Pathway Of L1
Transforming Growth Factor Beta Receptor Signaling
Negative Reg. Gene Expression Epigenetic
RhoA GTPase Cycle
UPR
Reg. DNA Repair
Reg. Protein Localization To Cell Periphery
Copi Independent Golgi To Er Retrograde Traffic
L1cam Interactions
Reg. Endothelial Cell Migration
Intra Golgi & Retrograde Golgi To Er Traffic
Golgi Vesicle Transport
Positive Reg. Protein Localization To Membrane
Positive Reg. DNA Repair
Transport To The Golgi & Subsequent Mod.
Er To Golgi Anterograde Transport
Mhc Class Ii Antigen Presentation
−2.0
−1.5
−1.0
−0.5
0.0
signed −log10 p (positive: up)
GO_Slim
GOBP
Hallmark
Reactome
proteins
100
200
300
400
fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.


Trained_C1vC2, fry sets at p < 0.05
307 sets. Page 4 of 8.
Muscle Cell Apoptotic Process
Vesicle Localization
Positive Reg. MAPK Cascade
Rhoh GTPase Cycle
Natural Killer Cell Mediated Immunity
Positive Reg. Monoatomic Ion Transmembrane Transport
Resp. to Elevated Platelet Cytosolic Ca2
Nucleotide Excision Repair
Global Genome Nucleotide Excision Repair Gg Ner
Cellular Responses To Mechanical Stimuli
Endosomal Transport
Positive Reg. Transmembrane Transport
DNA Damage Recognition In Gg Ner
Autophagy
Macroautophagy
Negative Reg. Autophagy
Vasopressin Regulated Water Reabsorption
Coagulation
Glial Cell Differentiation
Platelet Activation
Establishment Of PM Protein Localization
Nuclear Transcribed mRNA Catabolism
Actin Filament Org.
Endoplasmic Reticulum To Golgi Vesicle Mediated Transport
Negative Reg. MAPK Cascade
Intracell. Receptor Signaling
Vacuolar Transport
Trans Golgi Network Vesicle Budding
Heterochromatin Org.
Negative Reg. Transmembrane Receptor Protein Serine Threonine Kinase Signaling
Platelet Aggregation
Mitotic Cell Cycle
Reg. Viral Process
Vesicle Org.
Positive Reg. Cell Activation
Viral Release From Host Cell
Myeloid Cell Differentiation
Gland Development
Leukocyte Mediated Immunity
Antigen Processing & Presentation
−2.0
−1.5
−1.0
−0.5
0.0
signed −log10 p (positive: up)
GO_Slim
GOBP
Hallmark
KEGG_Legacy
Reactome
proteins
25
50
75
100
125
fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.




fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.



Trained_C1vC2, fry sets at p < 0.05
307 sets. Page 6 of 8.
Reg. Cytoplasmic Pattern Recognition Receptor Signaling
Antigen Processing & Presentation
Lysosomal Transport
Leukocyte Transendothelial Migration
Interleukin 12 Family Signaling
Drug Metabolism Cytochrome P450
Glial Cell Development
Hcmv Early Events
Biological Oxidations
Canonical WNT Signaling
Vacuole Org.
Steroid Hormone Receptor Signaling
Reg. Non Canonical Nf Kappab Signal Transduction
Pkr Mediated Signaling
Protein Polymerization
Negative Reg. Transport
Positive Reg. Phosphorus Metabolism
Phase I Functionalization Of Compounds
Peptidyl AA Mod.
Canonical Nf Kappab Signal Transduction
Platelet Activation Signaling & Aggregation
Cytokinetic Process
Reg. Phagocytosis
Macromolecule Methylation
Resp. to Radiation
Actin Polymerization Or Depolymerization
Reg. Insulin Secretion
Programmed Cell Death
Glycoprotein Metabolism
Cell Junction Org.
Reg. DNA Recombination
Rab Geranylgeranylation
Degradation Of The ECM
Protein Containing Complex Disassembly
Reg. Autophagy
Reg. Leukocyte Migration
Resp. to Leukemia Inhibitory Factor
Reg. Adaptive Immune Response
Cellular Oxidant Detoxification
Mitotic Spindle
−1.5
−1.0
−0.5
0.0
signed −log10 p (positive: up)
proteins
50
100
150
200
GO_Slim
GOBP
Hallmark
KEGG_Legacy
Reactome
fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.

Trained_C1vC2, fry sets at p < 0.05

307 sets. Page 7 of 8.




fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.




fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.


Acute_C1vC2, fry sets at p < 0.05

16 sets. Page 1 of 1.




fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.


Training_Interaction, fry sets at p < 0.05
81 sets. Page 1 of 3.
Retrograde Transport Endosome To Golgi
Cell Substrate Junction Org.
Muscle Organ Development
Muscle Cell Development
Muscle Contraction
Muscle Cell Differentiation
Striated Muscle Contraction
Myotube Cell Development
Hypertrophic Cardiomyopathy Hcm
Degradation Of The ECM
Reg. Kinase Activity
Positive Reg. Monoatomic Ion Transmembrane Transport
Osteoblast Differentiation
Extracellular Matrix Org.
Heart Morphogenesis
Trans Golgi Network Vesicle Budding
Resp. to Leukemia Inhibitory Factor
Dilated Cardiomyopathy
Myogenesis
Resp. to Mechanical Stimulus
Reg. Transferase Activity
Viral Myocarditis
Actin Filament Org.
Vesicle Mediated Transport To The Plasma Membrane
Apical Junction
Golgi Associated Vesicle Biogenesis
Rac2 GTPase Cycle
Formation Of The Dystrophin Glycoprotein Complex DGC
Non−Integrin ECM
ARVC
Tight Junction
Negative Reg. Molecular Function
Ossification
ECM Org.
Sensory Processing Of Sound
Post Golgi Vesicle Mediated Transport
EMT
Sensory System Development
p53 Pathway
−4
−3
−2
−1
0
signed −log10 p (positive: up)
GO_Slim
GOBP
Hallmark
KEGG_Legacy
Reactome
proteins
25
50
75
100
125
fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.



Training_Interaction, fry sets at p < 0.05
81 sets. Page 2 of 3.
Metabolism Of Nucleotides
Negative Reg. Proteas. Protein Catabolism
Negative Reg. Proteolysis
Negative Reg. Ub−Dep. Protein Catabolism
Protein Ubiquitination
Negative Reg. Proteolysis Involved In Protein Catabolism
Nucleoside Monophosphate Metabolism
Neuron Migration
Negative Reg. Cell Cycle
Purine Metabolism
Protein Mod. By Small Protein Removal
Amp Metabolism
Nucleobase Metabolism
Positive Reg. Cell Growth
Learning Or Memory
Purine Nucleoside Monophosphate Metabolism
Modified AA Biosynthesis
Glycolysis Gluconeogenesis
Reg. Non Canonical Nf Kappab Signal Transduction
Positive Reg. Catalytic Activity
Assembly in Morphogenesis
Myotube Differentiation
Myofibril Assembly
Glial Cell Differentiation
Receptor Mediated Endocytosis
Schwann Cell Differentiation
Cardiac Chamber Development
Positive Reg. Monoatomic Ion Transport
Negative Reg. Gene Expression Epigenetic
Leukocyte Transendothelial Migration
Striated Muscle Adaptation
Adherens Junction
Epigenetic Reg. Gene Expression
Cardiac Muscle Cell Differentiation
Cell Differentiation
Regeneration
Actomyosin Structure Org.
Glycoprotein Metabolism
Cellular Resp. to Acid Chemical
Striated Muscle Diff.
−1
0
1
2
signed −log10 p (positive: up)
GO_Slim
GOBP
KEGG_Legacy
Reactome
proteins
100
200
300
400
fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.


Training_Interaction, fry sets at p < 0.05

81 sets. Page 3 of 3.



fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.


Acute_Interaction, fry sets at p < 0.05
383 sets. Page 1 of 10.
Positive Reg. Protein Mod. Process
Nuclear Receptor Mediated Signaling
Cytosolic tRNA Aminoacylation
Negative Reg. MAPK Cascade
Establishment Of Organelle Localization
Reproductive System Development
RhoC GTPase Cycle
Positive Reg. Translation
Locomotory Behavior
Endocytic Recycling
Positive Reg. DNA Metabolism
Cytokinetic Process
Positive Reg. Proteolysis
Negative Reg. Resp. to External Stimulus
Reg. Supramolecular Fiber Org.
Reg. Cytoplasmic Pattern Recognition Receptor Signaling
IL2 STAT5 Signaling
Positive Reg. Protein Localization
Protein Methylation
Negative Reg. Resp. to Endoplasmic Reticulum Stress
Mitotic Metaphase Chromosome Alignment
WNT Signaling
Interleukin 17 Signaling
Mito. Resp. Chain Complex Assembly
Complex I Biogenesis
Nucleoside Monophosphate Metabolism
Mito. ETC NADH To UQ
Ribose Phosphate Biosynthesis
Nucleotide Biosynthesis
Purine Nucleoside Monophosphate Metabolism
Protein Targeting To Mito.
Establishment Of Protein Localization To Mito.
ATP Metabolism
NADH Dehydrogenase Complex Assembly
NTP Metabolism
Nucleobase−Containing Small Molecule Metabolism
Modified AA Biosynthesis
Mitophagy
Ribose Phosphate Metabolism
Carbohydrate Derivative Metabolism
−2
−1
0
1
signed −log10 p (positive: up)
proteins
50
100
150
200
250
GO_Slim
GOBP
Hallmark
Reactome
fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.



Acute_Interaction, fry sets at p < 0.05
383 sets. Page 2 of 10.
Viral Genome Replication
Actin Polymerization Or Depolymerization
Resp. to Estradiol
Vesicle Localization
Hepaticobiliary System Development
Endocytosis
Cytoskel. Dependent Intracell. Transport
Reg. Signal Transduction By p53 Class Mediator
Rac1 GTPase Cycle
Mitotic Cell Cycle
Leukocyte Mediated Cytotoxicity
Reg. Membrane Potential
Cellular Resp. to Oxidative Stress
Protein Maturation
Nuclear Chromosome Segregation
Cellular Oxidant Detoxification
Actomyosin Structure Org.
Positive Reg. Phosphatidylinositol 3 Kinase Protein Kinase B Signal Transduction
Cellular Component Disassembly
Protein Containing Complex Disassembly
Resp. to Molecule Of Bacterial Origin
Mitotic Sister Chromatid Segregation
Metaphase Chromosome Alignment
Positive Reg. Monoatomic Ion Transmembrane Transport
Bone Development
Negative Reg. Catalytic Activity
Dendrite Development
Reg. PM Protein Localization
Reg. Actin Filament Org.
Cell Cycle Checkpoint Signaling
Negative Reg. Autophagy
Protein Depolymerization
Degradation Of The ECM
Allograft Rejection
Aminoacyl tRNA Biosynthesis
Reg. Cell Shape
Reg. Cdh1 Posttranslational Processing & Trafficking To Plasma Membrane
Adherens Junction
Cellular Resp. to Molecule Of Bacterial Origin
Reg. mRNA Processing
0.0
0.5
1.0
1.5
signed −log10 p (positive: up)
GO_Slim
GOBP
Hallmark
KEGG_Legacy
Reactome
proteins
25
50
75
100
125
fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.

Acute_Interaction, fry sets at p < 0.05


383 sets. Page 3 of 10.




fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.




fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.




fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.



Acute_Interaction, fry sets at p < 0.05
383 sets. Page 6 of 10.
Transforming Growth Factor Beta Receptor Signaling
Reg. Exocytosis
Reg. Adaptive Immune Response
Reg. Neuron Projection Development
Extracellular Matrix Org.
Positive Reg. Transmembrane Transport
Translocation Of Slc2a4 Glut4 To The Plasma Membrane
Hemostasis
Reg. Endothelial Cell Migration
Erad Pathway
Regulated Exocytosis
Intracell. Receptor Signaling
Organelle Fusion
Leukocyte Migration
Post Golgi Vesicle Mediated Transport
Positive Reg. MAPK Cascade
Reg. Nuclear Division
Golgi Vesicle Transport
Reg. Leukocyte Mediated Immunity
Peripheral Nervous System Development
N−Linked Glycosylation
Programmed Cell Death
Positive Reg. Leukocyte Cell Adhesion
Reg. Viral Life Cycle
Stress Fiber Assembly
Copii Coated Vesicle Budding
Lymphocyte Mediated Immunity
Reg. Canonical WNT Signaling
Reg. Non Canonical Nf Kappab Signal Transduction
Interferon Signaling
Protein Secretion
Substantia Nigra Development
Neural Nucleus Development
Cellular Responses To Mechanical Stimuli
Resolution Of Sister Chromatid Cohesion
Antigen Processing & Presentation
Hsp90 Chaperone Cycle For Steroid Hormone Receptors Shr In The Presence Of Ligand
UPR
Cytosolic Transport
Reg. Viral Process
0.0
0.5
1.0
1.5
2.0
signed −log10 p (positive: up)
proteins
50
100
150
200
GO_Slim
GOBP
Hallmark
KEGG_Legacy
Reactome
fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.




fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.



fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.


Acute_Interaction, fry sets at p < 0.05
383 sets. Page 9 of 10.
Phosphatidylinositol 3 Kinase Protein Kinase B Signal Transduction
Golgi To Er Retrograde Transport
Copi Independent Golgi To Er Retrograde Traffic
Cytoskel. Org.
Double Strand Break Repair
Reg. Leukocyte Migration
Reg. Endocytosis
Myeloid Cell Differentiation
Receptor Mediated Endocytosis
Reg. DNA−Templated Transcription
Positive Reg. Neuron Projection Development
Hcmv Infection
Reg. Phagocytosis
Nuclear Envelope Ne Reassembly
Positive Reg. Cell Substrate Adhesion
Recycling Pathway Of L1
Maintenance of Polarity
Reg. Body Fluid Levels
DNA−Templated Transcription
Actin Filament Org.
Cell Substrate Adhesion
Apical Junction
Reg. Inflammatory Response
Reg. Chromosome Segregation
Resp. to Transforming Growth Factor Beta
Reg. Cellular Resp. to Growth Factor Stimulus
Membrane Biogenesis
Platelet Activation Signaling & Aggregation
Reg. Cell Substrate Adhesion
Recombinational Repair
Platelet Aggregation
Cell Differentiation
Homotypic Cell Adhesion
Plasma Membrane Org.
Glial Cell Development
Presynaptic Endocytosis
Semaphorin Interactions
Positive Reg. Cell Adhesion
Vasopressin Regulated Water Reabsorption
0
1
2
3
signed −log10 p (positive: up)
GO_Slim
GOBP
Hallmark
KEGG_Legacy
Reactome
proteins
100
200
300
400
fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.


Acute_Interaction, fry sets at p < 0.05
383 sets. Page 10 of 10.
EMT
Glial Cell Differentiation
Membrane Org.
Negative Reg. Kinase Activity
Sensory System Development
Reg. Kinase Activity
Negative Reg. Phosph.
Gliogenesis
Reg. Transferase Activity
Rac2 GTPase Cycle
Inflammatory Response
Positive Reg. Molecular Function
Golgi Associated Vesicle Biogenesis
Ensheathment Of Neurons
Synapse Assembly
Reg. Phosph.
Mononuclear Cell Migration
Resp. to Elevated Platelet Cytosolic Ca2
Factors Involved In Megakaryocyte Development & Platelet Production
Wound Healing
Vesicle Budding From Membrane
Clathrin Mediated Endocytosis
0
1
2
3
4
signed −log10 p (positive: up)
proteins
40
80
120
160
GO_Slim
GOBP
Hallmark
Reactome
fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.