




All 33 sets by 44 biopsies, grouped by arm and time point; column labels are subjects. Fill: singscore minus the set's mean over biopsies. Colours stop at the 99th percentile of |value|, 0.043. Rows are ordered within collection by average−linkage clustering (1 − Pearson r) of singscore, for display only. Grey in the trait tracks: not measured (T3 has no traits).

Contrast overview: Hallmark




All 33 sets by the nine contrasts. Fill: fgsea normalised enrichment score; status: p and BH q within contrast, collections pooled. Colours stop at the 99th percentile of |value|, 2.4. Rows are ordered within collection by average−linkage clustering (1 − Pearson r) of singscore, for display only. Table: c_data/set_tests.rds, set_tests.




All 328 sets by 44 biopsies, grouped by arm and time point; column labels are subjects. Fill: singscore minus the set's mean over biopsies. Colours stop at the 99th percentile of |value|, 0.05. Rows are ordered within collection by average−linkage clustering (1 − Pearson r) of singscore, for display only. Grey in the trait tracks: not measured (T3 has no traits).

Contrast overview: Reactome




All 328 sets by the nine contrasts. Fill: fgsea normalised enrichment score; status: p and BH q within contrast, collections pooled. Colours stop at the 99th percentile of |value|, 2.4. Rows are ordered within collection by average−linkage clustering (1 − Pearson r) of singscore, for display only. Table: c_data/set_tests.rds, set_tests.

Biopsy overview: KEGG_Legacy




All 62 sets by 44 biopsies, grouped by arm and time point; column labels are subjects. Fill: singscore minus the set's mean over biopsies. Colours stop at the 99th percentile of |value|, 0.053. Rows are ordered within collection by average−linkage clustering (1 − Pearson r) of singscore, for display only. Grey in the trait tracks: not measured (T3 has no traits).

Contrast overview: KEGG_Legacy




All 62 sets by the nine contrasts. Fill: fgsea normalised enrichment score; status: p and BH q within contrast, collections pooled. Colours stop at the 99th percentile of |value|, 2.4. Rows are ordered within collection by average−linkage clustering (1 − Pearson r) of singscore, for display only. Table: c_data/set_tests.rds, set_tests.




All 897 sets by 44 biopsies, grouped by arm and time point; column labels are subjects. Fill: singscore minus the set's mean over biopsies. Colours stop at the 99th percentile of |value|, 0.045. Rows are ordered within collection by average−linkage clustering (1 − Pearson r) of singscore, for display only. Grey in the trait tracks: not measured (T3 has no traits).

Contrast overview: GOBP




All 897 sets by the nine contrasts. Fill: fgsea normalised enrichment score; status: p and BH q within contrast, collections pooled. Colours stop at the 99th percentile of |value|, 2.4. Rows are ordered within collection by average−linkage clustering (1 − Pearson r) of singscore, for display only. Table: c_data/set_tests.rds, set_tests.




All 58 sets by 44 biopsies, grouped by arm and time point; column labels are subjects. Fill: singscore minus the set's mean over biopsies. Colours stop at the 99th percentile of |value|, 0.04. Rows are ordered within collection by average−linkage clustering (1 − Pearson r) of singscore, for display only. Grey in the trait tracks: not measured (T3 has no traits).

Contrast overview: GO_Slim




All 58 sets by the nine contrasts. Fill: fgsea normalised enrichment score; status: p and BH q within contrast, collections pooled. Colours stop at the 99th percentile of |value|, 2.4. Rows are ordered within collection by average−linkage clustering (1 − Pearson r) of singscore, for display only. Table: c_data/set_tests.rds, set_tests.



Training_C1, fgsea collapse survivors at FDR < 0.05
29 sets. Page 1 of 1.
OXPHOS
Proton Transport
Aerobic Resp. + ETC
Mito. Protein Degradation
Cellular Respiration
Gen. of Precursor Metabolites
Sars Cov 1 Modulates Host Translation Machinery
Protein Localization To Mito.
Potential Therapeutics For Sars
Mito. Org.
Resp. to Alcohol
Protein Localization
FA Metabolism
Protein Folding
Neddylation
Antigen Processing Ubiquitination Proteasome Degradation
Muscle System Process
Myogenesis
Clec7a Dectin 1 Signaling
Cell Cycle G1 S Phase Transition
Negative Reg. Cytokine Production
Reg. Calcium Mediated Signaling
DNA Replication
DNA Repair
Chromatin Org.
Muscle Organ Development
Skeletal Muscle Contraction
Myofibril Assembly
Striated Muscle Contraction
−2
−1
0
1
2
normalised enrichment score
proteins
50
100
150
200
GO_Slim
GOBP
Hallmark
Reactome
fgsea on the moderated t ranking; BH within contrast over all collections; collapsePathways keeps sets that stay significant given a stronger set. Table: c_data/set_contrasts.xlsx, significant.

Training_C2, fgsea collapse survivors at FDR < 0.05

24 sets. Page 1 of 1.



fgsea on the moderated t ranking; BH within contrast over all collections; collapsePathways keeps sets that stay significant given a stronger set. Table: c_data/set_contrasts.xlsx, significant.



Acute_C1, fgsea collapse survivors at FDR < 0.05
85 sets. Page 1 of 3.
Positive Reg. Proteolysis
Immune System Process
Resp. to Topologically Incorrect Protein
Platelet Aggregation
Reg. DNA−Templated Transcription
Interferon Signaling
Interleukin 12 Family Signaling
Negative Reg. Organelle Org.
Diseases Of Signal Transduction By Growth Factor Receptors & Second Messengers
Neutrophil Degranulation
Programmed Cell Death
Metabolism Of Vitamins & Cofactors
Modified AA Metabolism
Purine Metabolism
Mito. Transport
Ketone Biosynthesis
Calcium Signaling
Adipogenesis
Carbohydrate Metabolism
Glycogen Metabolism
Sulfur Compound Metabolism
Mito. Translation
Inner Mito. Membrane Org.
Glycolysis
Cytochrome Complex Assembly
Protein Localization
Mito. Biogenesis
Alpha AA Metabolism
Dicarboxylic Acid Metabolism
Small Molecule Catabolism
FA Metabolism
Nucleobase−Containing Small Molecule Metabolism
Mito. Org.
Mito. Protein Degradation
Mito. Resp. Chain Complex Assembly
Tricarboxylic Acid Cycle
Gen. of Precursor Metabolites
OXPHOS
Aerobic Resp. + ETC
−3
−2
−1
0
1
2
normalised enrichment score
GO_Slim
GOBP
Hallmark
KEGG_Legacy
Reactome
proteins
50
100
150
200
250
fgsea on the moderated t ranking; BH within contrast over all collections; collapsePathways keeps sets that stay significant given a stronger set. Table: c_data/set_contrasts.xlsx, significant.

Acute_C1, fgsea collapse survivors at FDR < 0.05

85 sets. Page 2 of 3.




fgsea on the moderated t ranking; BH within contrast over all collections; collapsePathways keeps sets that stay significant given a stronger set. Table: c_data/set_contrasts.xlsx, significant.


Acute_C1, fgsea collapse survivors at FDR < 0.05
85 sets. Page 3 of 3.
RNA Splicing Via Transesterification Reactions
mRNA Metabolism
RNA Splicing
Dengue Virus Host Interactions
Negative Reg. Syncytium Formation By Plasma Membrane Fusion
0
1
2
normalised enrichment score
GO_Slim
GOBP
Reactome
proteins
40
50
60
70
80
fgsea on the moderated t ranking; BH within contrast over all collections; collapsePathways keeps sets that stay significant given a stronger set. Table: c_data/set_contrasts.xlsx, significant.

Acute_C2, fgsea collapse survivors at FDR < 0.05


16 sets. Page 1 of 1.




fgsea on the moderated t ranking; BH within contrast over all collections; collapsePathways keeps sets that stay significant given a stronger set. Table: c_data/set_contrasts.xlsx, significant.

Baseline_C1vC2, fgsea collapse survivors at FDR < 0.05


38 sets. Page 1 of 1.




fgsea on the moderated t ranking; BH within contrast over all collections; collapsePathways keeps sets that stay significant given a stronger set. Table: c_data/set_contrasts.xlsx, significant.





fgsea on the moderated t ranking; BH within contrast over all collections; collapsePathways keeps sets that stay significant given a stronger set. Table: c_data/set_contrasts.xlsx, significant.




fgsea on the moderated t ranking; BH within contrast over all collections; collapsePathways keeps sets that stay significant given a stronger set. Table: c_data/set_contrasts.xlsx, significant.


Acute_C1vC2, fgsea collapse survivors at FDR < 0.05
116 sets. Page 2 of 3.
Negative Reg. DNA Metabolism
Sars Cov Infections
Natural Killer Cell Mediated Immunity
Reg. Synapse Structure Or Activity
Establishment Of Organelle Localization
Cytoskel. Dependent Intracell. Transport
Potential Therapeutics For Sars
Mitotic G2/M Phases
Immune System Process
Mononuclear Cell Migration
Intra Golgi & Retrograde Golgi To Er Traffic
Reg. Intracell. Transport
Signaling By Hedgehog
Interferon Signaling
Homotypic Cell Adhesion
Hsp90 Chaperone Cycle For Steroid Hormone Receptors Shr In The Presence Of Ligand
Positive Reg. Protein Localization
Mhc Class Ii Antigen Presentation
Vesicle−Mediated Transport
Interleukin 12 Family Signaling
Resp. to Leukemia Inhibitory Factor
Semaphorin Interactions
Signaling By Interleukins
Phagocytosis
Reg. Protein Catabolism
Golgi Associated Vesicle Biogenesis
DNA Recombination
UPR
Resp. to Heat
Cell Communication
Epidermis Development
Membraneless Org. Assembly
Myeloid Cell Differentiation
Cell Adhesion
Cell Motility
Death Receptor Signaling
Viral Process
Allograft Rejection
Reg. Potassium Ion Transport
Positive Reg. WNT Signaling
0.0
0.5
1.0
1.5
2.0
normalised enrichment score
proteins
50
100
150
200
GO_Slim
GOBP
Hallmark
Reactome
fgsea on the moderated t ranking; BH within contrast over all collections; collapsePathways keeps sets that stay significant given a stronger set. Table: c_data/set_contrasts.xlsx, significant.


Acute_C1vC2, fgsea collapse survivors at FDR < 0.05
116 sets. Page 3 of 3.
mRNA Metabolism
Dengue Virus Infection
Maintenance of Polarity
Mitotic Spindle
Leishmania Infection
Myoblast Fusion
Positive Reg. Protein Polymerization
Rho GTPase Effectors
RNA Splicing
Platelet Activation Signaling & Aggregation
Positive Reg. Protein Containing Complex Assembly
Diseases Of Signal Transduction By Growth Factor Receptors & Second Messengers
G2M Checkpoint
DNA Biosynthesis
Reg. Cellular Component Size
Protein Polymerization
Positive Reg. Cell Projection Org.
Cilium Assembly
Reg. Protein Containing Complex Assembly
Cytoskel. Org.
MYC Targets V1
Antigen Processing & Presentation
Cytoplasmic MT Org.
Reg. Organelle Assembly
mRNA Polyadenylation
Signaling By Alk In Cancer
Ribosome Quality Control Rqc Complex Extracts & Degrades Nascent Peptide
Eukaryotic Translation Elongation
Neutrophil Degranulation
Positive Reg. DNA Metabolism
Cellular Resp. to Heat Stress
Cytoplasmic Translation
Rho GTPase Cycle
Reg. MT Process
N−Linked Glycosylation
Reg. Cell Shape
0.0
0.5
1.0
1.5
2.0
normalised enrichment score
proteins
50
100
150
200
GO_Slim
GOBP
Hallmark
KEGG_Legacy
Reactome
fgsea on the moderated t ranking; BH within contrast over all collections; collapsePathways keeps sets that stay significant given a stronger set. Table: c_data/set_contrasts.xlsx, significant.



Training_Interaction, fgsea collapse survivors at FDR < 0.05
9 sets. Page 1 of 1.
Parkinsons Disease
Sars Cov 2 Modulates Host Translation Machinery
Sars Cov 1 Host Interactions
Activation Of The mRNA Upon Binding Of The Cap Binding Complex & Eifs & Subsequent Binding To 43s
Srp Dependent Cotranslational Protein Targeting To Membrane
Transmembrane Transport
Muscle Cell Development
Chromatin Org.
Striated Muscle Contraction
−2
−1
0
1
2
normalised enrichment score
proteins
50
100
150
200
GO_Slim
GOBP
KEGG_Legacy
Reactome
fgsea on the moderated t ranking; BH within contrast over all collections; collapsePathways keeps sets that stay significant given a stronger set. Table: c_data/set_contrasts.xlsx, significant.




fgsea on the moderated t ranking; BH within contrast over all collections; collapsePathways keeps sets that stay significant given a stronger set. Table: c_data/set_contrasts.xlsx, significant.

Acute_Interaction, fgsea collapse survivors at FDR < 0.05

80 sets. Page 2 of 2.




fgsea on the moderated t ranking; BH within contrast over all collections; collapsePathways keeps sets that stay significant given a stronger set. Table: c_data/set_contrasts.xlsx, significant.




fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.

Training_C2, fry sets at p < 0.05

94 sets. Page 1 of 3.




fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.




fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.


Training_C2, fry sets at p < 0.05

94 sets. Page 3 of 3.




fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.



Acute_C1, fry sets at p < 0.05
544 sets. Page 1 of 14.
Temperature Homeostasis
Metabolism Of Vitamins & Cofactors
Glucose Metabolism
Organic Acid Biosynthesis
L AA Metabolism
Dicarboxylic Acid Metabolism
Monosaccharide Metabolism
Cellular Respiration
FA Beta Oxidation
Ribose Phosphate Metabolism
L AA Catabolism
Carbohydrate Metabolism
Carbohydrate Derivative Metabolism
Cytochrome Complex Assembly
Acyl Coa Metabolism
Metabolism Of Carbohydrates & Carbohydrate Derivatives
Carbohydrate Catabolism
Mito. FA Beta Oxidation
Gen. of Precursor Metabolites
TCA Cycle
Pyridine Containing Compound Metabolism
AA Catabolism
Peroxisomal Protein Import
Ketone Biosynthesis
Small Molecule Catabolism
Glycolysis
Alpha AA Metabolism
Organic Acid Catabolism
FA Metabolism
Polyol Metabolism
Resp. to Organophosphorus
Cellular Resp. to Osmotic Stress
Citrate Cycle TCA Cycle
Tricarboxylic Acid Cycle
Adipogenesis
Nucleobase−Containing Small Molecule Metabolism
Pyruvate Metabolism
−5
−4
−3
−2
−1
0
signed −log10 p (positive: up)
GO_Slim
GOBP
Hallmark
KEGG_Legacy
Reactome
proteins
50
100
150
200
250
fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.




fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.



fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.




fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.



Acute_C1, fry sets at p < 0.05
544 sets. Page 5 of 14.
Erythrocyte Homeostasis
Reg. Nervous System Development
Muscle Contraction
Resolution Of Sister Chromatid Cohesion
Cellular Resp. to Molecule Of Bacterial Origin
WNT Signaling
Substantia Nigra Development
Neural Nucleus Development
Semaphorin Interactions
Platelet Activation
Myeloid Leukocyte Migration
Positive Reg. Cell Cycle Process
Reg. Translational Initiation
Positive Reg. Proteas. Ub−Dep. Protein Catabolism
Positive Reg. Intracell. Transport
Negative Reg. Proteolysis Involved In Protein Catabolism
Negative Reg. Protein Catabolism
Cellular Resp. to Oxidative Stress
Cytokinesis
Cell Surface Receptor Protein Serine Threonine Kinase Signaling
Reg. WNT Signaling
Epithelial Tube Morphogenesis
Phagocytosis
Protein−Containing Complex Assembly
Smooth Muscle Contraction
Assembly in Morphogenesis
Reg. Intracell. Transport
Tight Junction
Reg. Oxidative Stress Induced Intrinsic Apoptotic Signaling
Ribosome Biogenesis
Telencephalon Development
Activation Of The mRNA Upon Binding Of The Cap Binding Complex & Eifs & Subsequent Binding To 43s
Cell Recognition
UPR
Rhythmic Process
tRNA Metabolism
Cardiac Conduction
0.0
0.5
1.0
1.5
signed −log10 p (positive: up)
GO_Slim
GOBP
KEGG_Legacy
Reactome
proteins
50
100
150
200
250
fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.


Acute_C1, fry sets at p < 0.05


544 sets. Page 6 of 14.




fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.


Acute_C1, fry sets at p < 0.05
544 sets. Page 7 of 14.
Influenza Viral RNA Transcription & Replication
Reg. Actin Filament Bundle Assembly
Reg. Transferase Activity
Cellular Resp. to Starvation
Reg. Cardiac Muscle Contraction
Cell Motility
Reg. Circadian Rhythm
Negative Reg. Resp. to Endoplasmic Reticulum Stress
Circadian Rhythm
Response Of Eif2ak4 Gcn2 To AA Deficiency
Ribosome
Rho Protein Signal Transduction
Myeloid Cell Homeostasis
Anchoring Of The Basal Body To The Plasma Membrane
Selenoamino Acid Metabolism
Srp Dependent Cotranslational Protein Targeting To Membrane
Muscle System Process
Trans Golgi Network Vesicle Budding
Cellular Component Disassembly
Osteoblast Differentiation
Reg. Protein Stability
Reg. Actin Filament Process
Reg. Heart Rate
Sars Cov 2 Host Interactions
Golgi Associated Vesicle Biogenesis
Ribosome Assembly
Reg. Telomere Maintenance Via Telomere Lengthening
Nucleus Org.
Sodium Ion Transport
Reg. Actin Filament Length
Cellular Resp. to Heat Stress
Mitotic Spindle Org.
Factors Involved In Megakaryocyte Development & Platelet Production
Skeletal Muscle Contraction
Cellular Resp. to Type Ii Interferon
Platelet Aggregation
Sodium Ion Transmembrane Transport
Cellular Resp. to Acid Chemical
RNA Localization
Negative Reg. Post Translational Protein Mod.
0.0
0.5
1.0
1.5
signed −log10 p (positive: up)
GO_Slim
GOBP
KEGG_Legacy
Reactome
proteins
50
100
150
fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.



Acute_C1, fry sets at p < 0.05
544 sets. Page 8 of 14.
Reg. Actin Cytoskel.
Cilium Org.
Maintenance Of Location
Cardiac Muscle Tissue Development
rRNA Processing
Resp. to Topologically Incorrect Protein
Resp. to Endoplasmic Reticulum Stress
Calcium Mediated Signaling
DNA Repair
Neuromuscular Process
Nonsense Mediated Decay Nmd
Reg. Resp. to Endoplasmic Reticulum Stress
MT Based Transport
Reg. Muscle Contraction
Negative Reg. Protein Containing Complex Assembly
Reg. Actin Filament Polymerization
Chromatin Org.
Heart Morphogenesis
MT Cytoskel. Org. Involved In Mitosis
Positive Reg. Cell Projection Org.
Resp. to Calcium Ion
Non Canonical Nf Kappab Signal Transduction
Actomyosin Structure Org.
Negative Reg. Catalytic Activity
Reproductive Process
Recruitment Of Numa To Mitotic Centrosomes
Positive Reg. DNA Metabolism
Negative Reg. Ub−Dep. Protein Catabolism
Protein Containing Complex Disassembly
Leukocyte Transendothelial Migration
Programmed Cell Death
Reg. Supramolecular Fiber Org.
Positive Reg. Proteas. Protein Catabolism
Cellular Resp. to Biotic Stimulus
Nuclear Transport
Axo Dendritic Transport
Signaling By Braf & Raf1 Fusions
Cardiac Cell Development
Muscle Hypertrophy
0.0
0.5
1.0
1.5
2.0
signed −log10 p (positive: up)
proteins
50
100
150
200
GO_Slim
GOBP
KEGG_Legacy
Reactome
fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.


Acute_C1, fry sets at p < 0.05
544 sets. Page 9 of 14.
Eph Ephrin Signaling
Defense Resp. to Other Organism
Positive Reg. Neurogenesis
Positive Reg. Nervous System Development
Resp. Syncytial Virus Infection Pathway
Heart Process
Reg. MT Cytoskel. Org.
Cellular Resp. to Unfolded Protein
Influenza Infection
Taxis
Sars Cov 1 Infection
Resp. to Acid Chemical
Eukaryotic Translation Initiation
Actin Polymerization Or Depolymerization
Intrinsic Apoptotic Signaling
Viral Life Cycle
Cardiac Muscle Cell Differentiation
Leukocyte Mediated Cytotoxicity
Actin Filament Org.
Mitotic Spindle Checkpoint
Muscle Contraction
Reg. Ub−Dep. Protein Catabolism
Positive Reg. Post Translational Protein Mod.
Sars Cov 2 Infection
Reg. Plk1 Activity At G2 M Transition
Reg. Protein Ubiquitination
Rho Gtpases Activate Formins
Reg. Chromosome Org.
Telomere Org.
Mitotic Prometaphase
Reg. Non Canonical Nf Kappab Signal Transduction
Ameboidal Type Cell Migration
Positive Reg. Plasma Membrane Bounded Cell Projection Assembly
Pkr Mediated Signaling
Reg. Neuron Apoptotic Process
RNA Templated DNA Biosynthesis
Adherens Junction
Reg. Expression Of Slits & Robos
Cytoskel. Dependent Intracell. Transport
0.0
0.5
1.0
1.5
2.0
signed −log10 p (positive: up)
GO_Slim
GOBP
KEGG_Legacy
Reactome
proteins
50
100
fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.



Acute_C1, fry sets at p < 0.05
544 sets. Page 10 of 14.
Rho Gtpases Activate Pkns
Stem Cell Differentiation
Establishment Of Organelle Localization
Establishment Of RNA Localization
Death Receptor Signaling
Reg. Cell Projection Assembly
Positive Reg. DNA Repair
Recruitment Of Mitotic Centrosome Proteins & Complexes
Aurka Activation By Tpx2
Natural Killer Cell Mediated Immunity
Positive Reg. Apoptotic Signaling
Myoblast Differentiation
WNT Signaling
Muscle Cell Differentiation
Negative Reg. Gene Expression Epigenetic
Pathogenic Escherichia Coli Infection
Leukocyte Migration
Immune System Process
Striated Muscle Diff.
Reg. DNA Repair
Reg. Striated Muscle Contraction
Resp. to Heat
Leukocyte Mediated Immunity
Cytoplasmic Translational Initiation
Reg. Membrane Potential
Translational Elongation
Circulatory System Process
Reg. Release Of Sequestered Calcium Ion Into Cytosol By Sarcoplasmic Reticulum
Myotube Differentiation
Positive Reg. Proteolysis Involved In Protein Catabolism
Vasopressin Regulated Water Reabsorption
Telomere Maintenance Via Telomere Lengthening
Cellular Resp. to Heat
Reg. Cellular Component Size
Platelet Activation Signaling & Aggregation
Spindle Assembly
DNA Biosynthesis
Eukaryotic Translation Elongation
Intrinsic Apoptotic Signaling In Resp. to Oxidative Stress
Ribosome Associated Quality Control
0.0
0.5
1.0
1.5
2.0
2.5
signed −log10 p (positive: up)
proteins
50
100
150
200
GO_Slim
GOBP
KEGG_Legacy
Reactome
fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.


Acute_C1, fry sets at p < 0.05

544 sets. Page 11 of 14.




fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.


Acute_C1, fry sets at p < 0.05
544 sets. Page 12 of 14.
Cell Chemotaxis
Positive Reg. Translation
Reg. Cell Shape
Antimicrobial Mechanism Of IFN Stimulated Genes
Interferon Signaling
Cytoplasmic MT Org.
Rho GTPase Effectors
Regulated Exocytosis
Resp. to Virus
DNA Recombination
Reg. Cell Morphogenesis
Heterochromatin Org.
Dengue Virus Genome Translation & Replication
Reg. Apoptotic Signaling
Chromosome Localization
Spindle Org.
Reg. Translation
MT Polymerization
Reg. Intrinsic Apoptotic Signaling
Reg. Heart Contraction
Reg. Protein Polymerization
DNA−Templated Transcription
Negative Reg. Molecular Function
Viral Gene Expression
Cell Communication By Electrical Coupling
Reg. DNA−Templated Transcription
Ribosome Quality Control Rqc Complex Extracts & Degrades Nascent Peptide
Syncytium Formation
Myoblast Fusion
Translational Initiation
Reg. MT Process
Erad Pathway
Reg. Syncytium Formation By Plasma Membrane Fusion
Reg. Signal Transduction By p53 Class Mediator
Negative Reg. Cytoskel. Org.
Reg. Proteas. Ub−Dep. Protein Catabolism
Negative Reg. Neuron Apoptotic Process
Sister Chromatid Segregation
Metaphase Chromosome Alignment
0
1
2
3
signed −log10 p (positive: up)
GO_Slim
GOBP
Reactome
proteins
50
100
fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.



Acute_C1, fry sets at p < 0.05
544 sets. Page 13 of 14.
Negative Reg. Translation
Reg. RNA Splicing
Reg. Viral Process
E2F Targets
Mononuclear Cell Migration
Spliceosome
Rhobtb2 GTPase Cycle
DNA Templated Transcription Initiation
Resp. to Leukemia Inhibitory Factor
Nuclear Transcribed mRNA Catabolism
Embryonic Organ Development
Reg. Cytoplasmic Translation
Membraneless Org. Assembly
Positive Reg. Proteolysis
Defense Resp. to Bacterium
Double Strand Break Repair
Positive Reg. Protein Containing Complex Assembly
Positive Reg. mRNA Metabolism
Negative Reg. Organelle Org.
Epigenetic Reg. Gene Expression
Chromatin Org.
Allograft Rejection
Rhobtb GTPase Cycle
Positive Reg. Protein Polymerization
Protein Polymerization
Cell Differentiation
Negative Reg. Catabolism
Reg. Blood Circulation
Establishment Of Cell Polarity
Nuclear Export
Reg. Protein Containing Complex Assembly
Apoptotic Execution Phase
Positive Reg. Protein Mod. Process
Reg. DNA Recombination
Reg. The Force Of Heart Contraction
Cytoskel. Org.
MT Polymerization Or Depolymerization
Viral Process
Maintenance of Polarity
0
1
2
3
4
5
signed −log10 p (positive: up)
GO_Slim
GOBP
Hallmark
KEGG_Legacy
Reactome
proteins
100
200
300
400
fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.


Acute_C1, fry sets at p < 0.05

544 sets. Page 14 of 14.




fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.


Acute_C2, fry sets at p < 0.05
72 sets. Page 1 of 2.
Apoptosis
Establishment Of PM Protein Localization
Organelle Fusion
Reg. Cellular Resp. to Insulin Stimulus
Cellular Resp. to Acid Chemical
Resp. to Organophosphorus
Organelle Membrane Fusion
Polyol Metabolism
Protein Homooligomerization
Blood Vessel Endothelial Cell Migration
Protein Complex Oligomerization
Reg. Neurogenesis
Resp. to Steroid Hormone
Establishment Of Protein Localization To Membrane
Cellular Resp. to Oxidative Stress
Ketone Biosynthesis
Dephosphorylation
Multicellular Organism Growth
Protein Localization To Cell Junction
Resp. to Insulin
Olefinic Compound Metabolism
Protein Targeting
Protein K48 Linked Ubiquitination
Resp. to Peptide Hormone
PM Protein Localization
Protein Polyubiquitination
Cell Surface Receptor Protein Serine Threonine Kinase Signaling
Immune Response Regulating Cell Surface Receptor Signaling
Peroxisomal Protein Import
Renal Cell Carcinoma
Peroxisome
Glycerolipid Metabolism
Adaptive Thermogenesis
Reg. Inflammatory Response
Protein Localization To Cell Periphery
Neutral Lipid Metabolism
Gland Development
Cellular Resp. to Chemical Stress
Temperature Homeostasis
−3
−2
−1
0
signed −log10 p (positive: up)
GO_Slim
GOBP
KEGG_Legacy
Reactome
proteins
20
40
60
fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.




fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.



Baseline_C1vC2, fry sets at p < 0.05
80 sets. Page 1 of 2.
Transcriptional Regulation By Runx1
Interleukin 1 Family Signaling
Signaling By Interleukins
Circadian Clock
Cross Presentation Of Soluble Exogenous Antigens Endosomes
Positive Reg. Lipid Metabolism
Post Golgi Vesicle Mediated Transport
Proteasome
DNA Biosynthesis
Cell Activation Involved In Immune Response
Reg. mRNA Stability By Proteins That Bind Au Rich Elements
Interferon Gamma Response
Signaling By Braf & Raf1 Fusions
Resp. to Oxidative Stress
Reg. Leukocyte Differentiation
Degradation Of Beta Catenin By The Destruction Complex
Auf1 Hnrnp D0 Binds & Destabilizes mRNA
Metabolism Of Polyamines
Positive Reg. DNA Metabolism
Mitotic Prophase
Double Strand Break Repair
Mitotic G1 Phase & G1 S Transition
MT−Based Movement
Negative Reg. Organelle Org.
Reg. Cdh1 Function
Reg. Cell Cycle G1 S Phase Transition
MAPK1 MAPK3 Signaling
Degradation Of Gli1 By The Proteasome
Switching Of Origins To A Post Replicative State
Degradation Of Cry & Per Proteins
Apc C Mediated Degradation Of Cell Cycle Proteins
Negative Reg. Cytokine Production
Protein Folding
UCH Proteinases
Circadian Rhythm
Chromatid Separation
Interleukin 1 Signaling
Proteasome Assembly
Reg. Blood Pressure
Protein Transmembrane Transport
−2
−1
0
1
signed −log10 p (positive: up)
GO_Slim
GOBP
Hallmark
KEGG_Legacy
Reactome
proteins
20
40
60
80
100
fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.

Baseline_C1vC2, fry sets at p < 0.05


80 sets. Page 2 of 2.



fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.




fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.



fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.

Acute_C1vC2, fry sets at p < 0.05

807 sets. Page 2 of 21.



fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.

Acute_C1vC2, fry sets at p < 0.05

807 sets. Page 3 of 21.




fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.

Acute_C1vC2, fry sets at p < 0.05

807 sets. Page 4 of 21.



fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.



Acute_C1vC2, fry sets at p < 0.05
807 sets. Page 5 of 21.
Defense Resp. to Virus
Hedgehog Off State
Action Potential
Protein Containing Complex Disassembly
Hcmv Early Events
Exocytosis
Co Inhibition By Pd 1
Organelle Disassembly
Locomotory Behavior
Reg. Sodium Ion Transport
Gland Development
Sars Cov 2 Activates Modulates Innate & Adaptive Immune Responses
Resp. to Ethanol
MT Organizing Center Org.
Reg. Immune Effector Process
Multi Multicellular Organism Process
Cytoplasmic Translation
Reg. Inflammatory Response
Negative Reg. Cell Growth
Reg. Reactive Oxygen Species Metabolism
Leukocyte Proliferation
Alpha Beta T Cell Activation
Copii Coated Vesicle Budding
Cellular Resp. to Metal Ion
Negative Reg. Cell Cycle Process
Hormone Mediated Signaling
Release Of Sequestered Calcium Ion Into Cytosol By Endoplasmic Reticulum
Positive Reg. Cell Substrate Adhesion
MTORC1 Signaling
Reg. Muscle Contraction
PCP/CE Pathway
Reg. Lymphocyte Mediated Immunity
Positive Reg. Neuron Projection Development
Reg. Syncytium Formation By Plasma Membrane Fusion
Reg. Transmembrane Transporter Activity
Vascular Process In Circulatory System
Nuclear Envelope Ne Reassembly
Oocyte Meiosis
Detoxification Of Reactive Oxygen Species
Chromatin Org.
0.0
0.5
1.0
1.5
signed −log10 p (positive: up)
proteins
20
40
60
80
100
GOBP
Hallmark
KEGG_Legacy
Reactome
fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.

Acute_C1vC2, fry sets at p < 0.05

807 sets. Page 6 of 21.



fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.



fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.

Acute_C1vC2, fry sets at p < 0.05


807 sets. Page 8 of 21.



fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.

Acute_C1vC2, fry sets at p < 0.05


807 sets. Page 9 of 21.




fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.

Acute_C1vC2, fry sets at p < 0.05

807 sets. Page 10 of 21.



fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.




fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.


Acute_C1vC2, fry sets at p < 0.05


807 sets. Page 12 of 21.




fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.


Acute_C1vC2, fry sets at p < 0.05
807 sets. Page 13 of 21.
Negative Reg. Intrinsic Apoptotic Signaling
Platelet Aggregation
Reg. Protein Ubiquitination
Translational Elongation
Cellular Resp. to Radiation
Reg. Body Fluid Levels
Cell Communication
Negative Reg. Cell Adhesion
Gap Junction
Membrane Fusion
Vesicle Mediated Transport To The Plasma Membrane
Negative Reg. Cell Projection Org.
Hsf1 Dependent Transactivation
MT−Based Movement
Protein Catabolism
Vesicle Org.
Reg. Supramolecular Fiber Org.
Negative Reg. Molecular Function
Muscle Cell Proliferation
Reg. MT Polymerization
WNT Signaling
Positive Reg. Translation
Actin Filament Org.
Negative Reg. Cytoskel. Org.
Cell Junction Org.
Reg. WNT Signaling
Recycling Pathway Of L1
Membraneless Org. Assembly
Erythrocyte Homeostasis
Signaling By Ntrks
Nuclear Transcribed mRNA Catabolism
Taxis
Reg. Homotypic Cell Adhesion
Resp. to Calcium Ion
Hsp90 Chaperone Cycle For Steroid Hormone Receptors Shr In The Presence Of Ligand
Positive Reg. Reactive Oxygen Species Metabolism
Reg. Carbohydrate Biosynthesis
Reproductive Process
Maintenance Of Location
M Phase
0
1
2
signed −log10 p (positive: up)
GO_Slim
GOBP
KEGG_Legacy
Reactome
proteins
50
100
150
fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.


Acute_C1vC2, fry sets at p < 0.05
807 sets. Page 14 of 21.
Nucleocytoplasmic Transport
Positive Reg. mRNA Metabolism
Reg. Hsf1 Mediated Heat Shock Response
Reg. Cardiac Muscle Contraction By Calcium Ion Signaling
Reg. Kinase Activity
Factors Involved In Megakaryocyte Development & Platelet Production
Actin Filament Polymerization
Reg. Phosph.
Protein Folding
Cardiac Conduction
Cellular Resp. to Molecule Of Bacterial Origin
Reg. Membrane Potential
Resp. Syncytial Virus Infection Pathway
Negative Reg. Post Translational Protein Mod.
Ossification
Positive Reg. Phosphorus Metabolism
Reg. Protein Catabolism
Epigenetic Reg. Gene Expression
MAPK Family Signaling Cascades
Positive Reg. Endocytosis
Golgi To Er Retrograde Transport
Cell Surface Receptor Protein Serine Threonine Kinase Signaling
Intra Golgi & Retrograde Golgi To Er Traffic
Neuron Migration
Endosomal Transport
Myeloid Leukocyte Migration
Negative Reg. Protein Mod. Process
Reg. Cardiac Muscle Contraction
PM Protein Localization
Homotypic Cell Adhesion
Defense Resp. to Bacterium
WNT Signaling
Reg. G Protein Coupled Receptor Signaling
Neurotransmitter Receptors & Postsynaptic Signal Transmission
Maturation Of Denv Proteins
Chemokine Signaling
Positive Reg. Telomere Maintenance
Reg. Intracell. Protein Transport
0
1
2
3
signed −log10 p (positive: up)
proteins
20
40
60
80
100
GO_Slim
GOBP
KEGG_Legacy
Reactome
fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.


Acute_C1vC2, fry sets at p < 0.05
807 sets. Page 15 of 21.
Potential Therapeutics For Sars
Cytoskel. Dependent Cytokinesis
Reg. Blood Circulation
Leukocyte Transendothelial Migration
Forebrain Development
Translocation Of Slc2a4 Glut4 To The Plasma Membrane
Reg. Non Canonical Nf Kappab Signal Transduction
Negative Reg. Resp. to Endoplasmic Reticulum Stress
Reg. DNA Recombination
Substrate Adhesion Dependent Cell Spreading
Establishment Of RNA Localization
Reg. Neurogenesis
Reg. Neuron Projection Development
Resolution Of Sister Chromatid Cohesion
Myeloid Cell Homeostasis
Glycoprotein Metabolism
Viral Gene Expression
L1cam Interactions
Positive Reg. WNT Signaling
Non Canonical Nf Kappab Signal Transduction
Mitotic Nuclear Division
Positive Reg. Proteas. Protein Catabolism
Vasopressin Regulated Water Reabsorption
Reg. Synapse Structure Or Activity
Positive Reg. Protein Localization
Reg. Cellular Component Size
Negative Reg. Kinase Activity
Chromatin Org.
Protein Ubiquitination
Negative Reg. Neuron Apoptotic Process
Protein Localization To Nucleus
Epithelial Cell Development
Positive Reg. Chromosome Org.
Negative Reg. Locomotion
Metaphase Chromosome Alignment
Vesicle−Mediated Transport
Cell Communication Involved In Cardiac Conduction
Reg. MT Polymerization Or Depolymerization
Negative Reg. Transport
0
1
2
3
signed −log10 p (positive: up)
proteins
50
100
150
200
GO_Slim
GOBP
KEGG_Legacy
Reactome
fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.


Acute_C1vC2, fry sets at p < 0.05
807 sets. Page 16 of 21.
Negative Reg. Protein Localization
Antigen Processing & Presentation
Positive Reg. Intracell. Transport
Protein Export From Nucleus
Positive Reg. Cell Development
Ameboidal Type Cell Migration
Programmed Cell Death
Mitotic Sister Chromatid Segregation
Chromosome Localization
Positive Reg. DNA Repair
Reg. Resp. to Endoplasmic Reticulum Stress
Reg. Cdh1 Posttranslational Processing & Trafficking To Plasma Membrane
Reg. Cardiac Muscle Contraction By Reg. The Release Of Sequestered Calcium Ion
Resp. to Topologically Incorrect Protein
Reg. Telomere Maintenance
Cellular Resp. to Oxidative Stress
Bacterial Infection Pathways
Endothelium Development
Cilium Assembly
Resp. to Temperature Stimulus
Signaling By Vegf
Rhoh GTPase Cycle
Lymphocyte Mediated Immunity
Reg. Actin Cytoskel.
Glial Cell Differentiation
Midbrain Development
Reg. Phagocytosis
Cellular Resp. to Unfolded Protein
Viral Life Cycle
Mitotic Spindle Org.
Apoptotic Execution Phase
Phagocytosis
Reg. DNA Repair
Pallium Development
N−Linked Glycosylation
Positive Reg. Proteolysis Involved In Protein Catabolism
Resp. to Virus
Gliogenesis
Nuclear Transport
Sister Chromatid Segregation
0
1
2
3
signed −log10 p (positive: up)
proteins
50
100
150
200
GO_Slim
GOBP
KEGG_Legacy
Reactome
fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.

Acute_C1vC2, fry sets at p < 0.05


807 sets. Page 17 of 21.



fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.

Acute_C1vC2, fry sets at p < 0.05


807 sets. Page 18 of 21.




fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.

Acute_C1vC2, fry sets at p < 0.05

807 sets. Page 19 of 21.




fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.



Acute_C1vC2, fry sets at p < 0.05
807 sets. Page 20 of 21.
Reg. mRNA Catabolism
Mononuclear Cell Migration
G2M Checkpoint
Reg. mRNA Processing
RNA Splicing
E2F Targets
Positive Reg. Protein Polymerization
Positive Reg. Protein Containing Complex Assembly
Reg. mRNA Splicing Via Spliceosome
Viral Genome Replication
Positive Reg. Protein Mod. Process
Negative Reg. RNA Catabolism
MT Polymerization Or Depolymerization
Leukocyte Chemotaxis
Interferon Signaling
Interleukin 12 Signaling
Rhobtb GTPase Cycle
Allograft Rejection
Rhobtb2 GTPase Cycle
Protein Polymerization
Gene & Protein Expression By JAK Stat Signaling After Interleukin 12 Stimulation
Reg. Cell Morphogenesis
MT Polymerization
Interleukin 12 Family Signaling
Dengue Virus Host Interactions
mRNA Splicing
Rho GTPase Effectors
Establishment Of Cell Polarity
Reg. Protein Containing Complex Assembly
Dengue Virus Genome Translation & Replication
mRNA Polyadenylation
Cytoplasmic MT Org.
Spindle Org.
Rho GTPase Cycle
Pre−mRNA Processing
Antimicrobial Mechanism Of IFN Stimulated Genes
Reg. RNA Splicing
Nuclear Export
Reg. MT Process
mRNA 3 End Processing
0
2
4
6
signed −log10 p (positive: up)
GOBP
Hallmark
Reactome
proteins
20
40
60
80
fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.

Acute_C1vC2, fry sets at p < 0.05

807 sets. Page 21 of 21.



fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.



fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.

Acute_Interaction, fry sets at p < 0.05


499 sets. Page 1 of 13.




fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.


Acute_Interaction, fry sets at p < 0.05

499 sets. Page 2 of 13.




fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.


Acute_Interaction, fry sets at p < 0.05
499 sets. Page 3 of 13.
Glycoprotein Biosynthesis
Wound Healing
RNA Templated DNA Biosynthesis
Epithelial Tube Morphogenesis
Cardiac Muscle Cell Differentiation
Skeletal Muscle Contraction
Endothelial Cell Migration
Vesicle Mediated Transport To The Plasma Membrane
Reg. Cardiac Muscle Contraction By Calcium Ion Signaling
Reg. Phosph.
Positive Reg. Intracell. Protein Transport
Calcium Mediated Signaling
Hsp90 Chaperone Cycle For Steroid Hormone Receptors Shr In The Presence Of Ligand
Negative Reg. Catalytic Activity
Leukocyte Proliferation
Epithelial Cell Development
In Utero Embryonic Development
Vacuole Org.
Negative Reg. Apoptotic Signaling
Ribosome Quality Control Rqc Complex Extracts & Degrades Nascent Peptide
Positive Reg. Protein Localization
Intracell. Receptor Signaling
Chemokine Signaling
Cell Junction Assembly
Biological Process Involved In Symbiotic Interaction
Resp. to Endoplasmic Reticulum Stress
Reg. Canonical WNT Signaling
Multi Multicellular Organism Process
Resp. to Temperature Stimulus
ECM Org.
Positive Reg. MAPK Cascade
Sars Cov 2 Infection
Neutrophil Degranulation
Protein Localization To Cell Junction
Trans Golgi Network Vesicle Budding
Reg. Actin Filament Polymerization
Cell Recognition
Cellular Resp. to Peptide Hormone Stimulus
0.0
0.5
1.0
1.5
signed −log10 p (positive: up)
GO_Slim
GOBP
KEGG_Legacy
Reactome
proteins
50
100
fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.



Acute_Interaction, fry sets at p < 0.05
499 sets. Page 4 of 13.
Negative Reg. Cell Adhesion
Reg. Syncytium Formation By Plasma Membrane Fusion
Vesicle−Mediated Transport
Rho Gtpases Activate Pkns
Negative Reg. Resp. to Endoplasmic Reticulum Stress
Positive Reg. Actin Filament Bundle Assembly
Positive Reg. Endocytosis
Negative Reg. Transmembrane Receptor Protein Serine Threonine Kinase Signaling
Cellular Resp. to Type Ii Interferon
Vesicle Org.
Cytoskel. Dependent Cytokinesis
Reg. Non Canonical Nf Kappab Signal Transduction
Resp. to Transforming Growth Factor Beta
Protein Polyubiquitination
Muscle Cell Differentiation
Reg. Protein Localization To Cell Periphery
Multicellular Organismal Movement
Endosomal Transport
Homeostasis Of Number Of Cells
Positive Reg. DNA Metabolism
Reg. Actin Filament Process
Reg. G Protein Coupled Receptor Signaling
Negative Reg. Protein Mod. Process
Reg. Translational Initiation
N−Linked Glycosylation
Striated Muscle Diff.
Telomere Org.
Resp. to Topologically Incorrect Protein
Reg. Cell Division
Negative Reg. Intrinsic Apoptotic Signaling
Myotube Differentiation
Translocation Of Slc2a4 Glut4 To The Plasma Membrane
Golgi Associated Vesicle Biogenesis
Actomyosin Structure Org.
Phosphatidylinositol 3 Kinase Protein Kinase B Signal Transduction
Positive Reg. Molecular Function
Reg. Release Of Sequestered Calcium Ion Into Cytosol
tRNA Processing
Reg. Actomyosin Structure Org.
0.0
0.5
1.0
1.5
signed −log10 p (positive: up)
proteins
50
100
150
200
GO_Slim
GOBP
Reactome
fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.

Acute_Interaction, fry sets at p < 0.05


499 sets. Page 5 of 13.



fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.



fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.




fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.

Acute_Interaction, fry sets at p < 0.05

499 sets. Page 8 of 13.



fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.


Acute_Interaction, fry sets at p < 0.05
499 sets. Page 9 of 13.
Reg. MT Cytoskel. Org.
Protein DNA Complex Org.
Reg. Neurogenesis
Reg. MT Polymerization Or Depolymerization
Platelet Aggregation
Defense Resp. to Virus
Heterochromatin Org.
Positive Reg. DNA Repair
Reg. Signal Transduction By p53 Class Mediator
Mitotic Spindle Org.
Reg. Transmembrane Receptor Protein Serine Threonine Kinase Signaling
Myeloid Cell Homeostasis
Positive Reg. Cell Development
Myeloid Leukocyte Migration
UPR
Reg. DNA Repair
Establishment Of Organelle Localization
Death Receptor Signaling
Protein Export From Nucleus
Reg. Circadian Rhythm
Positive Reg. Intracell. Transport
Taxis
Substrate Adhesion Dependent Cell Spreading
Reg. Supramolecular Fiber Org.
Stem Cell Differentiation
Reg. Proteas. Ub−Dep. Protein Catabolism
Nuclear Transport
Reg. Neuron Projection Development
PM Protein Localization
Inflammatory Response
Positive Reg. Plasma Membrane Bounded Cell Projection Assembly
Positive Reg. Cytoskel. Org.
Programmed Cell Death
Membraneless Org. Assembly
Reg. Phagocytosis
Cytoskel. Dependent Intracell. Transport
Factors Involved In Megakaryocyte Development & Platelet Production
Reg. Cellular Resp. to Growth Factor Stimulus
Protein−Containing Complex Assembly
0.0
0.5
1.0
1.5
2.0
signed −log10 p (positive: up)
proteins
50
100
150
200
250
GO_Slim
GOBP
Hallmark
Reactome
fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.

Acute_Interaction, fry sets at p < 0.05


499 sets. Page 10 of 13.




fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.

Acute_Interaction, fry sets at p < 0.05

499 sets. Page 11 of 13.




fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.



fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.

Acute_Interaction, fry sets at p < 0.05

499 sets. Page 13 of 13.



fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.