




All 33 sets by 44 biopsies, grouped by arm and time point; column labels are subjects. Fill: singscore minus the set's mean over biopsies. Colours stop at the 99th percentile of |value|, 0.043. Rows are ordered within collection by average−linkage clustering (1 − Pearson r) of singscore, for display only. Grey in the trait tracks: not measured (T3 has no traits).

Contrast overview: Hallmark




All 33 sets by the nine contrasts. Fill: fgsea normalised enrichment score; status: p and BH q within contrast, collections pooled. Colours stop at the 99th percentile of |value|, 2.5. Rows are ordered within collection by average−linkage clustering (1 − Pearson r) of singscore, for display only. Table: c_data/set_tests.rds, set_tests.




All 328 sets by 44 biopsies, grouped by arm and time point; column labels are subjects. Fill: singscore minus the set's mean over biopsies. Colours stop at the 99th percentile of |value|, 0.05. Rows are ordered within collection by average−linkage clustering (1 − Pearson r) of singscore, for display only. Grey in the trait tracks: not measured (T3 has no traits).

Contrast overview: Reactome




All 328 sets by the nine contrasts. Fill: fgsea normalised enrichment score; status: p and BH q within contrast, collections pooled. Colours stop at the 99th percentile of |value|, 2.5. Rows are ordered within collection by average−linkage clustering (1 − Pearson r) of singscore, for display only. Table: c_data/set_tests.rds, set_tests.




All 62 sets by 44 biopsies, grouped by arm and time point; column labels are subjects. Fill: singscore minus the set's mean over biopsies. Colours stop at the 99th percentile of |value|, 0.053. Rows are ordered within collection by average−linkage clustering (1 − Pearson r) of singscore, for display only. Grey in the trait tracks: not measured (T3 has no traits).

Contrast overview: KEGG_Legacy




All 62 sets by the nine contrasts. Fill: fgsea normalised enrichment score; status: p and BH q within contrast, collections pooled. Colours stop at the 99th percentile of |value|, 2.5. Rows are ordered within collection by average−linkage clustering (1 − Pearson r) of singscore, for display only. Table: c_data/set_tests.rds, set_tests.




All 897 sets by 44 biopsies, grouped by arm and time point; column labels are subjects. Fill: singscore minus the set's mean over biopsies. Colours stop at the 99th percentile of |value|, 0.045. Rows are ordered within collection by average−linkage clustering (1 − Pearson r) of singscore, for display only. Grey in the trait tracks: not measured (T3 has no traits).

Contrast overview: GOBP




All 897 sets by the nine contrasts. Fill: fgsea normalised enrichment score; status: p and BH q within contrast, collections pooled. Colours stop at the 99th percentile of |value|, 2.5. Rows are ordered within collection by average−linkage clustering (1 − Pearson r) of singscore, for display only. Table: c_data/set_tests.rds, set_tests.



All 58 sets by 44 biopsies, grouped by arm and time point; column labels are subjects. Fill: singscore minus the set's mean over biopsies. Colours stop at the 99th percentile of |value|, 0.04. Rows are ordered within collection by average−linkage clustering (1 − Pearson r) of singscore, for display only. Grey in the trait tracks: not measured (T3 has no traits).


Contrast overview: GO_Slim




All 58 sets by the nine contrasts. Fill: fgsea normalised enrichment score; status: p and BH q within contrast, collections pooled. Colours stop at the 99th percentile of |value|, 2.5. Rows are ordered within collection by average−linkage clustering (1 − Pearson r) of singscore, for display only. Table: c_data/set_tests.rds, set_tests.


Training_C1, fgsea collapse survivors at FDR < 0.05

28 sets. Page 1 of 1.




fgsea on the moderated t ranking; BH within contrast over all collections; collapsePathways keeps sets that stay significant given a stronger set. Table: c_data/set_contrasts.xlsx, significant.


Training_C2, fgsea collapse survivors at FDR < 0.05
32 sets. Page 1 of 1.
Mito. Protein Degradation
OXPHOS
TCA Cycle
Endocytic Recycling
Protein Localization
Mito. Biogenesis
Huntingtons Disease
Polysaccharide Biosynthesis
Protein Localization To Mito.
Acyl Coa Metabolism
Resp. ETC
Mito. Gene Expression
Mito. Org.
Reg. Transmembrane Transport
Reg. Membrane Potential
Reg. Protein Localization To Nucleus
Forebrain Development
Cardiac Muscle Contraction
Reg. Blood Circulation
Calcium Mediated Signaling
MAPK Signaling
Reg. Muscle Contraction
Bone Development
Metabolism Of Nucleotides
Reg. Proteolysis Involved In Protein Catabolism
Positive Reg. Cell Growth
Antigen Processing Ubiquitination Proteasome Degradation
Neddylation
Nuclear Events Mediated By Nfe2l2
Signaling By Hedgehog
G2 M Checkpoints
Clec7a Dectin 1 Signaling
−2
−1
0
1
2
normalised enrichment score
proteins
50
100
150
GOBP
Hallmark
KEGG_Legacy
Reactome
fgsea on the moderated t ranking; BH within contrast over all collections; collapsePathways keeps sets that stay significant given a stronger set. Table: c_data/set_contrasts.xlsx, significant.



Acute_C1, fgsea collapse survivors at FDR < 0.05
100 sets. Page 1 of 3.
Neutrophil Degranulation
DNA−Templated Transcription
Signaling By Alk In Cancer
Cell Adhesion
Allograft Rejection
Vasopressin Regulated Water Reabsorption
Immune System Process
Programmed Cell Death
Cell Differentiation
Calcium Signaling
Ketone Biosynthesis
Glycogen Metabolism
Cilium Movement
Alpha AA Biosynthesis
Mito. Biogenesis
Lipid Mod.
Modified AA Biosynthesis
Sensory Perception Of Mechanical Stimulus
Gluconeogenesis
Heme Metabolism
Alpha AA Metabolism
Adipogenesis
Mito. Org.
Organic Acid Catabolism
Mito. Translation
Inner Mito. Membrane Org.
FA Metabolism
Acyl Coa Metabolism
Mito. Protein Degradation
Protein Localization
Dicarboxylic Acid Metabolism
Nucleobase−Containing Small Molecule Metabolism
Purine Containing Compound Biosynthesis
Mito. Resp. Chain Complex Assembly
Mito. ETC NADH To UQ
Tricarboxylic Acid Cycle
Gen. of Precursor Metabolites
OXPHOS
Aerobic Resp. + ETC
−3
−2
−1
0
1
normalised enrichment score
GO_Slim
GOBP
Hallmark
KEGG_Legacy
Reactome
proteins
100
200
300
400
fgsea on the moderated t ranking; BH within contrast over all collections; collapsePathways keeps sets that stay significant given a stronger set. Table: c_data/set_contrasts.xlsx, significant.


Acute_C1, fgsea collapse survivors at FDR < 0.05

100 sets. Page 2 of 3.




fgsea on the moderated t ranking; BH within contrast over all collections; collapsePathways keeps sets that stay significant given a stronger set. Table: c_data/set_contrasts.xlsx, significant.


Acute_C1, fgsea collapse survivors at FDR < 0.05
100 sets. Page 3 of 3.
RNA Splicing
mRNA Metabolism
Dengue Virus Infection
Dengue Virus Host Interactions
mRNA Splicing
mRNA 3 End Processing
Positive Reg. Protein Containing Complex Assembly
DNA Biosynthesis
Myoblast Fusion
Cytoplasmic Translation
Maintenance of Polarity
Pathogenic Escherichia Coli Infection
Eukaryotic Translation Elongation
Fcgamma Receptor Fcgr Dependent Phagocytosis
Leishmania Infection
Influenza Infection
UPR
rRNA Processing
Mitotic Spindle
Viral Process
0.0
0.5
1.0
1.5
2.0
2.5
normalised enrichment score
GO_Slim
GOBP
Hallmark
KEGG_Legacy
Reactome
proteins
20
40
60
80
100
fgsea on the moderated t ranking; BH within contrast over all collections; collapsePathways keeps sets that stay significant given a stronger set. Table: c_data/set_contrasts.xlsx, significant.




fgsea on the moderated t ranking; BH within contrast over all collections; collapsePathways keeps sets that stay significant given a stronger set. Table: c_data/set_contrasts.xlsx, significant.



Baseline_C1vC2, fgsea collapse survivors at FDR < 0.05
23 sets. Page 1 of 1.
Striated Muscle Contraction
Resp. ETC
Cardiac Muscle Contraction
OXPHOS
Eph Ephrin Signaling
Tight Junction
Lipid Mod.
Protein Catabolism
Formation Of Tubulin Folding Intermediates By Cct Tric
Resp. to Topologically Incorrect Protein
Protein Maturation
M Phase
Neddylation
Macromolecule Methylation
Negative Reg. Proteolysis
Auf1 Hnrnp D0 Binds & Destabilizes mRNA
Protein Mod. By Small Protein Removal
Negative Reg. Mitotic Cell Cycle
Antigen Processing Ubiquitination Proteasome Degradation
Hsf1 Dependent Transactivation
Reg. Mitotic Cell Cycle Phase Transition
The Role Of Gtse1 In G2 M Progression After G2 Checkpoint
Hsp90 Chaperone Cycle For Steroid Hormone Receptors Shr In The Presence Of Ligand
−2
−1
0
1
2
normalised enrichment score
GO_Slim
GOBP
Hallmark
KEGG_Legacy
Reactome
proteins
50
100
150
fgsea on the moderated t ranking; BH within contrast over all collections; collapsePathways keeps sets that stay significant given a stronger set. Table: c_data/set_contrasts.xlsx, significant.

Trained_C1vC2, fgsea collapse survivors at FDR < 0.05

9 sets. Page 1 of 1.



fgsea on the moderated t ranking; BH within contrast over all collections; collapsePathways keeps sets that stay significant given a stronger set. Table: c_data/set_contrasts.xlsx, significant.



fgsea on the moderated t ranking; BH within contrast over all collections; collapsePathways keeps sets that stay significant given a stronger set. Table: c_data/set_contrasts.xlsx, significant.

Acute_C1vC2, fgsea collapse survivors at FDR < 0.05


101 sets. Page 2 of 3.




fgsea on the moderated t ranking; BH within contrast over all collections; collapsePathways keeps sets that stay significant given a stronger set. Table: c_data/set_contrasts.xlsx, significant.

Acute_C1vC2, fgsea collapse survivors at FDR < 0.05

101 sets. Page 3 of 3.



fgsea on the moderated t ranking; BH within contrast over all collections; collapsePathways keeps sets that stay significant given a stronger set. Table: c_data/set_contrasts.xlsx, significant.



Training_Interaction, fgsea collapse survivors at FDR < 0.05
23 sets. Page 1 of 1.
Ub Specific Processing Proteases
Positive Reg. Protein Localization To Nucleus
Negative Reg. Proteolysis
Nucleoside Monophosphate Metabolism
Mitotic G2/M Phases
Hsf1 Dependent Transactivation
Hsp90 Chaperone Cycle For Steroid Hormone Receptors Shr In The Presence Of Ligand
Glycolytic Process Through Glucose 6 Phosphate
Reg. Proteolysis
AA Catabolism
Reg. Protein Stability
Eph Ephrin Signaling
Muscle Cell Differentiation
Defense Resp. to Bacterium
Glycoprotein Metabolism
Smooth Muscle Contraction
Dilated Cardiomyopathy
Sarcomere Org.
Viral Myocarditis
ECM Org.
EMT
Resp. to Leukemia Inhibitory Factor
Striated Muscle Contraction
−2
−1
0
1
2
normalised enrichment score
GOBP
Hallmark
KEGG_Legacy
Reactome
proteins
25
50
75
100
125
fgsea on the moderated t ranking; BH within contrast over all collections; collapsePathways keeps sets that stay significant given a stronger set. Table: c_data/set_contrasts.xlsx, significant.


Acute_Interaction, fgsea collapse survivors at FDR < 0.05

79 sets. Page 1 of 2.




fgsea on the moderated t ranking; BH within contrast over all collections; collapsePathways keeps sets that stay significant given a stronger set. Table: c_data/set_contrasts.xlsx, significant.


Acute_Interaction, fgsea collapse survivors at FDR < 0.05
79 sets. Page 2 of 2.
Dengue Virus Infection
Positive Reg. Protein Containing Complex Assembly
Resp. to Leukemia Inhibitory Factor
mRNA Metabolism
Recruitment Of Numa To Mitotic Centrosomes
N−Linked Glycosylation
Maintenance of Polarity
Semaphorin Interactions
Golgi Associated Vesicle Biogenesis
Mitotic Spindle
Interleukin 12 Family Signaling
UPR
Spindle Org.
Antigen Processing & Presentation
Vesicle−Mediated Transport
Viral Genome Replication
Reg. Intracell. Transport
Signaling By Alk In Cancer
Intracell. Protein Transport
G2M Checkpoint
Pathogenic Escherichia Coli Infection
Protein Export From Nucleus
Reg. Cell Division
Negative Reg. Locomotion
Resp. to Elevated Platelet Cytosolic Ca2
Reg. Body Fluid Levels
Positive Reg. Plasma Membrane Bounded Cell Projection Assembly
Ameboidal Type Cell Migration
Protein Secretion
Mononuclear Cell Migration
Interferon Signaling
Reg. Cellular Resp. to Growth Factor Stimulus
DNA Templated Transcription Initiation
Reg. Phagocytosis
DNA−Templated Transcription
Viral Process
Non Canonical Nf Kappab Signal Transduction
Cytoskel. Org.
Leishmania Infection
0.0
0.5
1.0
1.5
2.0
normalised enrichment score
proteins
50
100
150
200
GO_Slim
GOBP
Hallmark
KEGG_Legacy
Reactome
fgsea on the moderated t ranking; BH within contrast over all collections; collapsePathways keeps sets that stay significant given a stronger set. Table: c_data/set_contrasts.xlsx, significant.



Training_C1, fry sets at p < 0.05
63 sets. Page 1 of 2.
Mito. Translation Elongation
Protein Stabilization
Learning
Positive Reg. Protein Localization To Nucleus
Resp. to Ketone
Cilium Or Flagellum Dependent Cell Motility
Cilium Movement
Autophagy
Mito. Gene Expression
Sequestering Of Calcium Ion
Reg. Release Of Sequestered Calcium Ion Into Cytosol By Sarcoplasmic Reticulum
Muscle Organ Morphogenesis
Resp. to Ionizing Radiation
Positive Reg. Resp. to Biotic Stimulus
DNA Templated Transcription Initiation
Resp. to Molecule Of Bacterial Origin
Hypertrophic Cardiomyopathy Hcm
Heart Process
Circulatory System Process
Multicellular Organismal Movement
Natural Killer Cell Mediated Cytotoxicity
Reg. Muscle System Process
Skeletal Muscle Contraction
Release Of Sequestered Calcium Ion Into Cytosol By Endoplasmic Reticulum
Epithelial Tube Morphogenesis
Negative Reg. Molecular Function
Sarcoplasmic Reticulum Calcium Ion Transport
Reg. Transferase Activity
Reg. Muscle Contraction
Reg. Calcium Mediated Signaling
Dilated Cardiomyopathy
Resp. to Leukemia Inhibitory Factor
Viral Myocarditis
Reg. Monoatomic Ion Transmembrane Transport
Vascular Smooth Muscle Contraction
Calcium Ion Transmembrane Import Into Cytosol
Heart Morphogenesis
Negative Reg. Cytokine Production
Endoplasmic Reticulum Org.
−2
−1
0
1
signed −log10 p (positive: up)
GO_Slim
GOBP
KEGG_Legacy
Reactome
proteins
20
40
60
80
fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.


Training_C1, fry sets at p < 0.05

63 sets. Page 2 of 2.



fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.


Training_C2, fry sets at p < 0.05
168 sets. Page 1 of 5.
Ub−Dep. Degradation Of Cyclin D
Somitogenesis
Reg. Ornithine Decarboxylase Odc
Gastrulation
Formation Of Paraxial Mesoderm
Stabilization Of p53
Reg. Runx3 Expression & Activity
p53 Dependent G1 DNA Damage Response
Degradation Of Axin
Asymmetric Localization Of Pcp Proteins
Ubiquitin Mediated Degradation Of Phosphorylated Cdc25a
G1 S DNA Damage Checkpoints
Tnfr2 Non Canonical Nf Kb Pathway
Dectin 1 Mediated Noncanonical Nf Kb Signaling
Spop Mediated Proteas. Degradation Of PD−L1 CD274
Nuclear Events Mediated By Nfe2l2
Reg. Ras By Gaps
Hh Mutants Abrogate Ligand Secretion
DNA Replication
Auf1 Hnrnp D0 Binds & Destabilizes mRNA
Gsk3b Mediated Proteas. Degradation Of PD−L1 CD274
Abc Family Proteins Mediated Transport
G2 M Checkpoints
Abc Transporter Disorders
Degradation Of Dvl
Synthesis Of DNA
Switching Of Origins To A Post Replicative State
Degradation Of Cry & Per Proteins
Apc C Mediated Degradation Of Cell Cycle Proteins
C Type Lectin Receptors Clrs
Interleukin 1 Signaling
DNA Replication Pre Initiation
Runx1 Regulates Transcription Of Genes Involved In Differentiation Of Hscs
Hedgehog On State
Cdk Mediated Phosph. & Removal Of Cdc6
Apc C Cdh1 Mediated Degradation Of Cdc20 & Other Apc C Cdh1 Targeted Proteins In Late Mitosis Early G1
Activation Of Apc C & Apc C Cdc20 Mediated Degradation Of Mitotic Proteins
Fceri Mediated Nf Kb Activation
Positive Reg. Cell Growth
Clec7a Dectin 1 Signaling
−2.0
−1.5
−1.0
−0.5
0.0
signed −log10 p (positive: up)
proteins
20
30
40
GOBP
Reactome
fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.


Training_C2, fry sets at p < 0.05
168 sets. Page 2 of 5.
T Cell Homeostasis
Lymphocyte Homeostasis
Reg. Cell Cycle G1 S Phase Transition
Downstream Tcr Signaling
Metabolism Of Polyamines
Proteasome Assembly
Signaling By The B Cell Receptor Bcr
Antigen Processing Ubiquitination Proteasome Degradation
Hedgehog Off State
Reg. Apoptosis
Leukocyte Homeostasis
Signaling By Hedgehog
Positive Reg. Growth
Deubiquitination
Calcium Mediated Signaling
Cellular Resp. to Hypoxia
Disorders Of Transmembrane Transporters
Transcriptional Regulation By Runx1
Signaling By Notch4
Negative Reg. Notch4 Signaling
Ub Specific Processing Proteases
Cell Cycle G1 S Phase Transition
Interleukin 1 Family Signaling
Degradation Of Gli1 By The Proteasome
Downstream Signaling Events Of B Cell Receptor Bcr
Signaling By Notch
Transcriptional Regulation By Runx3
Cilium Or Flagellum Dependent Cell Motility
Cilium Movement
Scf Skp2 Mediated Degradation Of P27 P21
Scf Beta Trcp Mediated Degradation Of Emi1
Orc1 Removal From Chromatin
Fbxl7 Down Regulates Aurka During Mitotic Entry & In Early Mitosis
Activation Of Nf Kappab In B Cells
Vif Mediated Degradation Of Apobec3g
Antigen Processing Ub ATP Independent Proteas. Degradation
Reg. Runx2 Expression & Activity
Ampk Induced Erad & Lysosome Mediated Degradation Of PD−L1 CD274
Hedgehog Ligand Biogenesis
Fc Epsilon Receptor Fceri Signaling
−1.5
−1.0
−0.5
0.0
signed −log10 p (positive: up)
proteins
20
30
40
50
60
70
GOBP
Reactome
fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.

Training_C2, fry sets at p < 0.05


168 sets. Page 3 of 5.



fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.

Training_C2, fry sets at p < 0.05


168 sets. Page 4 of 5.




fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.

Training_C2, fry sets at p < 0.05


168 sets. Page 5 of 5.




fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.





fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.


Acute_C1, fry sets at p < 0.05
659 sets. Page 2 of 17.
Sulfur Compound Metabolism
Establishment Of Protein Localization To Mito. Membrane
Metabolism Of Vitamins & Cofactors
FA Catabolism
Monosaccharide Metabolism
Nucleoside Monophosphate Metabolism
Mito. Protein Import
Lipid Catabolism
Purine Containing Compound Catabolism
Butanoate Metabolism
Glycogen Metabolism
Resp. ETC
Inner Mito. Membrane Org.
NADH Dehydrogenase Complex Assembly
L AA Metabolism
Alpha AA Biosynthesis
Ribose Phosphate Biosynthesis
Organic Acid Biosynthesis
Amide Biosynthesis
L AA Catabolism
Mito. Translation Elongation
Acyl Coa Metabolism
Monosaccharide Catabolism
Organophosphate Catabolism
Metabolism Of Carbohydrates & Carbohydrate Derivatives
Small Molecule Catabolism
FA Metabolism
Purine Metabolism
Nucleoside Diphosphate Catabolism
Nucleotide Biosynthesis
Protein Localization
Mito. Translation
Cytochrome Complex Assembly
Lipid Oxidation
Organic Acid Catabolism
Mito. FA Beta Oxidation
Purine Containing Compound Biosynthesis
Nucleoside Phosphate Biosynthesis
Carbohydrate Catabolism
−2.0
−1.5
−1.0
−0.5
0.0
signed −log10 p (positive: up)
GO_Slim
GOBP
KEGG_Legacy
Reactome
proteins
50
100
fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.




fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.



Acute_C1, fry sets at p < 0.05
659 sets. Page 4 of 17.
Eukaryotic Translation Initiation
Reproductive Process
Negative Reg. Transmembrane Receptor Protein Serine Threonine Kinase Signaling
Mitotic Spindle Checkpoint
Negative Reg. Syncytium Formation By Plasma Membrane Fusion
rRNA Metabolism
Negative Reg. Mitotic Cell Cycle
Actomyosin Structure Org.
Positive Reg. Cell Growth
Protein Processing
Protein Localization To Extracellular Region
Reg. MT Process
Reg. Immune Effector Process
DNA Repair
Activation Of Nmda Receptors & Postsynaptic Events
Muscle Contraction
Reg. Carbohydrate Biosynthesis
Reg. Leukocyte Mediated Immunity
Glial Cell Development
Adenylate Cyclase Modulating G Protein Coupled Receptor Signaling
Reg. Protein Stability
WNT Signaling
Reg. Monoatomic Ion Transmembrane Transport
Peripheral Nervous System Development
ATP Synth.−Coupled ETC
Ribonucleotide Catabolism
Interleukin 17 Signaling
Cristae Formation
Nucleoside Monophosphate Biosynthesis
FA Metabolism
Mito. Gene Expression
OXPHOS
Insulin Signaling
ETC
ATP Biosynthesis
Branched Chain AA Catabolism
Acetyl Coa Biosynthesis
Branched Chain AA Metabolism
−1.5
−1.0
−0.5
0.0
0.5
1.0
1.5
signed −log10 p (positive: up)
GO_Slim
GOBP
KEGG_Legacy
Reactome
proteins
50
100
150
fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.




fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.



fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.




fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.



Acute_C1, fry sets at p < 0.05
659 sets. Page 8 of 17.
Hsp90 Chaperone Cycle For Steroid Hormone Receptors Shr In The Presence Of Ligand
RNA Templated DNA Biosynthesis
Intrinsic Apoptotic Signaling
Reg. Potassium Ion Transport
Positive Reg. Cell Cycle
Reg. Protein Polymerization
Apical Junction
Reg. Cardiac Muscle Contraction
Aminoacyl tRNA Biosynthesis
Negative Reg. Gene Expression Epigenetic
Cytoskel. Dependent Cytokinesis
Sodium Ion Transport
Homotypic Cell Adhesion
Neutrophil Degranulation
Syncytium Formation
Myoblast Fusion
Reg. Telomere Maintenance Via Telomere Lengthening
Hindbrain Development
Negative Reg. Locomotion
Spindle Assembly
Cellular Responses To Mechanical Stimuli
Neurotransmitter Transport
Cytoplasmic Translation
Membrane Fusion
Rac3 GTPase Cycle
Cell Communication Involved In Cardiac Conduction
Cardiocyte Differentiation
p53 Pathway
Translation Of Sars Cov 2 Structural Proteins
Late Sars Cov 2 Infection Events
DNA Replication
Vacuole Org.
Release Of Sequestered Calcium Ion Into Cytosol By Endoplasmic Reticulum
Phosphatidylinositol 3 Kinase Protein Kinase B Signal Transduction
Cell Adhesion
Positive Reg. Catalytic Activity
Sars Cov 1 Infection
Protein Folding
0.0
0.5
1.0
1.5
signed −log10 p (positive: up)
GO_Slim
GOBP
Hallmark
KEGG_Legacy
Reactome
proteins
50
100
fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.

Acute_C1, fry sets at p < 0.05

659 sets. Page 9 of 17.



fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.


Acute_C1, fry sets at p < 0.05
659 sets. Page 10 of 17.
Defense Resp. to Other Organism
Anchoring Of The Basal Body To The Plasma Membrane
Positive Reg. Resp. to Biotic Stimulus
Resp. to Acid Chemical
Transforming Growth Factor Beta Receptor Signaling
Potassium Ion Transport
Resp. to Molecule Of Bacterial Origin
Reg. Telomere Maintenance
Reg. Release Of Sequestered Calcium Ion Into Cytosol By Sarcoplasmic Reticulum
Hcmv Infection
Erythrocyte Homeostasis
Reg. Inflammatory Response
Rac2 GTPase Cycle
Connective Tissue Development
Cellular Resp. to Heat Stress
Recycling Pathway Of L1
Reg. Cellular Component Size
Negative Reg. Resp. to Biotic Stimulus
Positive Reg. Endocytosis
In Utero Embryonic Development
Golgi Vesicle Transport
Membraneless Org. Assembly
Negative Reg. Cell Cycle Process
Resolution Of Sister Chromatid Cohesion
Mhc Class Ii Antigen Presentation
Vesicle Org.
Positive Reg. Post Translational Protein Mod.
Negative Reg. Protein Mod. Process
Lamellipodium Org.
Reg. Intracell. Transport
Mitotic Metaphase Chromosome Alignment
Cellular Component Disassembly
Reg. Striated Muscle Contraction
Potential Therapeutics For Sars
Reg. Blood Pressure
Reg. Organelle Assembly
Reg. Nervous System Development
Reg. Body Fluid Levels
Reg. Plk1 Activity At G2 M Transition
Reg. DNA Binding Transcription Factor Activity
0.0
0.5
1.0
1.5
2.0
signed −log10 p (positive: up)
GO_Slim
GOBP
Reactome
proteins
50
100
fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.

Acute_C1, fry sets at p < 0.05

659 sets. Page 11 of 17.



fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.

Acute_C1, fry sets at p < 0.05

659 sets. Page 12 of 17.



fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.

Acute_C1, fry sets at p < 0.05


659 sets. Page 13 of 17.




fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.

Acute_C1, fry sets at p < 0.05

659 sets. Page 14 of 17.




fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.


Acute_C1, fry sets at p < 0.05
659 sets. Page 15 of 17.
Mitotic Spindle
Positive Reg. Protein Mod. Process
Reg. WNT Signaling
Programmed Cell Death
Chromosome Segregation
Resp. to Endoplasmic Reticulum Stress
Reg. Cell Projection Assembly
Epigenetic Reg. Gene Expression
Cellular Resp. to Biotic Stimulus
Reg. Transferase Activity
Cell Communication By Electrical Coupling
Establishment Of Cell Polarity
Resp. to Elevated Platelet Cytosolic Ca2
Cell Differentiation
Reg. Cell Shape
Nuclear Chromosome Segregation
Cytoskel. Org.
Resp. to Virus
Reg. Chromosome Org.
Positive Reg. Proteolysis
Positive Reg. Protein Polymerization
MYC Targets V1
Reg. Endocytosis
Reg. RNA Splicing
Protein RNA Complex Org.
Nuclear Export
Intracell. Protein Transport
Positive Reg. WNT Signaling
Viral Gene Expression
Positive Reg. Phosph.
Pathogenic Escherichia Coli Infection
Establishment Of RNA Localization
Reg. Signal Transduction By p53 Class Mediator
Reg. Cardiac Muscle Contraction By Reg. The Release Of Sequestered Calcium Ion
Reg. Kinase Activity
Leukocyte Mediated Immunity
Reg. DNA Repair
Chromosome Localization
Negative Reg. Organelle Org.
0
1
2
3
signed −log10 p (positive: up)
GO_Slim
GOBP
Hallmark
KEGG_Legacy
Reactome
proteins
100
200
300
400
fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.

Acute_C1, fry sets at p < 0.05


659 sets. Page 16 of 17.




fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.

Acute_C1, fry sets at p < 0.05


659 sets. Page 17 of 17.




fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.




fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.


Acute_C2, fry sets at p < 0.05
171 sets. Page 2 of 5.
Positive Reg. Phosphatidylinositol 3 Kinase Protein Kinase B Signal Transduction
Rab Geranylgeranylation
Clathrin Mediated Endocytosis
Organelle Membrane Fusion
Sars Cov 2 Activates Modulates Innate & Adaptive Immune Responses
Resp. to Estradiol
Adipocytokine Signaling
Reg. Lipid Metabolism
Positive Reg. Cell Substrate Adhesion
Epithelial Cell Proliferation
Coagulation
Ppar Signaling
Ras Protein Signal Transduction
Membrane Fusion
Reg. Epithelial Cell Proliferation
Positive Reg. Protein Transport
Positive Reg. MAPK Cascade
Cell Surface Receptor Protein Serine Threonine Kinase Signaling
Protein Dephosphorylation
Lipid Catabolism
Reg. Canonical WNT Signaling
Transforming Growth Factor Beta Receptor Signaling
Protein Localization To Cell Junction
Peripheral Nervous System Development
Protein Localization To Membrane
Gliogenesis
Ketone Metabolism
Reg. Lipid Localization
Peroxisomal Protein Import
Renal Cell Carcinoma
Signaling By Ntrks
Schwann Cell Differentiation
Reg. Neurogenesis
Reg. Body Fluid Levels
T Cell Proliferation
Glial Cell Differentiation
Establishment Of Protein Localization To Membrane
Resp. to Steroid Hormone
Retrograde Transport Endosome To Golgi
Natural Killer Cell Mediated Cytotoxicity
−2.0
−1.5
−1.0
−0.5
0.0
signed −log10 p (positive: up)
GOBP
Hallmark
KEGG_Legacy
Reactome
proteins
20
40
60
80
fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.




fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.




fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.

Acute_C2, fry sets at p < 0.05

171 sets. Page 5 of 5.




fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.




fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.


Baseline_C1vC2, fry sets at p < 0.05


56 sets. Page 2 of 2.




fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.


Trained_C1vC2, fry sets at p < 0.05
105 sets. Page 1 of 3.
Inflammatory Response
Connective Tissue Development
Presynaptic Endocytosis
AA Activation
Vesicle Budding From Membrane
Reg. Non Canonical Nf Kappab Signal Transduction
Copii Coated Vesicle Budding
Reg. DNA−Templated Transcription
Sequestering Of Calcium Ion
Resp. to Leukemia Inhibitory Factor
Gland Development
Smooth Muscle Contraction
Cytoplasmic Pattern Recognition Receptor Signaling
Positive Reg. Resp. to Biotic Stimulus
Reg. Endocytosis
DNA−Templated Transcription
Reg. Canonical WNT Signaling
UPR
Reg. Cellular Resp. to Insulin Stimulus
tRNA Metabolism
Positive Reg. Translation
Sensory System Development
DNA Templated Transcription Initiation
Canonical WNT Signaling
Activation Of Innate Immune Response
Intracell. Receptor Signaling
Reg. Inflammatory Response
Membrane Org.
Protein Secretion
Non Canonical Nf Kappab Signal Transduction
Nuclear Transcribed mRNA Catabolism
Reg. Cytoplasmic Pattern Recognition Receptor Signaling
Clathrin Endocytosis
Reg. Blood Pressure
Multicellular Organism Growth
Reg. Pattern Recognition Receptor Signaling
Intracell. Protein Transport
Synapse Assembly
Clathrin Mediated Endocytosis
−3
−2
−1
0
signed −log10 p (positive: up)
proteins
40
80
120
160
GO_Slim
GOBP
Hallmark
Reactome
fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.



Trained_C1vC2, fry sets at p < 0.05
105 sets. Page 2 of 3.
Protein Processing
Hiv Life Cycle
Reg. Kinase Activity
Organelle Fusion
tRNA Aminoacylation
Resp. to Ionizing Radiation
Epithelial Cell Proliferation
Glycoprotein Biosynthesis
Cell Surface Receptor Protein Serine Threonine Kinase Signaling
Cytokinetic Process
Positive Reg. Protein Secretion
Steroid Hormone Receptor Signaling
Wound Healing
Golgi Vesicle Transport
Protein−Containing Complex Assembly
Vesicle−Mediated Transport
Vesicle Org.
Negative Reg. Monoatomic Ion Transport
Cellular Resp. to Acid Chemical
Positive Reg. Protein Transport
Transforming Growth Factor Beta Receptor Signaling
EMT
Positive Reg. Secretion
Reg. WNT Signaling
Aminoacyl tRNA Biosynthesis
N−Linked Glycosylation
Reg. Transferase Activity
Trans Golgi Network Vesicle Budding
Vasopressin Regulated Water Reabsorption
Viral Myocarditis
Glycoprotein Metabolism
Erad Pathway
mRNA Catabolism
Resp. to Transforming Growth Factor Beta
Negative Reg. Molecular Function
Golgi Associated Vesicle Biogenesis
Endoplasmic Reticulum To Golgi Vesicle Mediated Transport
Reproductive System Development
−1.5
−1.0
−0.5
0.0
signed −log10 p (positive: up)
GO_Slim
GOBP
Hallmark
KEGG_Legacy
Reactome
proteins
50
100
150
200
250
fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.





fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.





fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.


Acute_C1vC2, fry sets at p < 0.05
530 sets. Page 2 of 14.
Negative Reg. Resp. to External Stimulus
Reg. Lymphocyte Mediated Immunity
Golgi Org.
PI3K AKT mTOR Signaling
Canonical WNT Signaling
Mitotic Spindle Org.
Golgi Vesicle Transport
Endosomal Transport
DNA Replication
Spindle Assembly
Reg. Postsynapse Org.
Vegf Signaling
Gland Development
Cytochrome Complex Assembly
Nadpplus Metabolism
Dicarboxylic Acid Metabolism
Glycolytic Process Through Glucose 6 Phosphate
Glycolysis
Complex Iv Assembly
Mito. Org.
HMOX1 Cytoprotection
Cilium Or Flagellum Dependent Cell Motility
Cilium Movement
Calcium Signaling
TCA Cycle
Metabolism Of Carbohydrates & Carbohydrate Derivatives
Pyridine Containing Compound Metabolism
Nucleoside Diphosphate Metabolism
Mito. Membrane Org.
Mito. Protein Import
Mito. Translation
Nucleoside Diphosphate Catabolism
Huntingtons Disease
Protein Insertion Into Membrane
Sensory Perception Of Mechanical Stimulus
Parkinsons Disease
OXPHOS
Establishment Of Protein Localization To Mito. Membrane
−1
0
1
signed −log10 p (positive: up)
GO_Slim
GOBP
Hallmark
KEGG_Legacy
Reactome
proteins
50
100
150
fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.


Acute_C1vC2, fry sets at p < 0.05
530 sets. Page 3 of 14.
Activation Of Innate Immune Response
Positive Reg. Protein Secretion
Actin Filament Org.
Reg. Lipid Biosynthesis
Plasma Membrane Org.
Sars Cov 2 Infection
Rhobtb GTPase Cycle
Cellular Resp. to Starvation
Cellular Responses To Mechanical Stimuli
Cellular Resp. to Calcium Ion
Negative Reg. MAPK Cascade
Vesicle Org.
Negative Reg. Molecular Function
Copii Coated Vesicle Budding
Cellular Resp. to Nutrient Levels
Endoplasmic Reticulum Org.
Taxis
Signaling By Braf & Raf1 Fusions
Protein Localization To Extracellular Region
Cell Communication Involved In Cardiac Conduction
Reg. Nucleocytoplasmic Transport
Reg. Cell Size
Vascular Process In Circulatory System
Cellular Oxidant Detoxification
Negative Reg. Catalytic Activity
Cell Junction Org.
Skin Development
Rab Gefs Exchange GTP For GDP On Rabs
Positive Reg. Cell Growth
Cellular Resp. to Steroid Hormone Stimulus
Reg. DNA Binding Transcription Factor Activity
Esr Mediated Signaling
Reg. Cdh1 Posttranslational Processing & Trafficking To Plasma Membrane
Macroautophagy
Oncogenic MAPK Signaling
Positive Reg. Protein Localization To Nucleus
Reg. Resp. to Cytokine Stimulus
Reg. Endothelial Cell Migration
Mitotic Metaphase Chromosome Alignment
Blood Vessel Endothelial Cell Migration
0.0
0.5
1.0
1.5
signed −log10 p (positive: up)
proteins
30
50
70
90
GO_Slim
GOBP
Reactome
fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.


Acute_C1vC2, fry sets at p < 0.05
530 sets. Page 4 of 14.
Cellular Resp. to Type Ii Interferon
Cellular Component Disassembly
Neurotransmitter Receptors & Postsynaptic Signal Transmission
Reg. Cell Growth
Signaling By Alk In Cancer
Type I Interferon Production
Renal System Development
Reg. Cell Junction Assembly
Reg. Canonical WNT Signaling
Chemokine Signaling
Reg. Viral Life Cycle
Pallium Development
Reg. Protein Polymerization
Reg. Cytoplasmic Translation
Positive Reg. Cell Substrate Adhesion
Detoxification Of Reactive Oxygen Species
Glycoprotein Metabolism
Protein Secretion
Negative Reg. Catabolism
Reg. Leukocyte Mediated Immunity
Reg. Viral Process
Resp. to Transforming Growth Factor Beta
Cell Adhesion
Negative Reg. Apoptotic Signaling
p53 Pathway
Vesicle Mediated Transport To The Plasma Membrane
Multicellular Organism Growth
Cell Junction Assembly
Cell Junction Org.
Signaling By Moderate Kinase Activity Braf Mutants
Reg. Resp. to Wounding
Organelle Disassembly
Defense Resp. to Other Organism
Rho Gtpases Activate Pkns
Cargo Trafficking To The Periciliary Membrane
Apical Junction
Apoptotic Execution Phase
Positive Reg. Neurogenesis
Positive Reg. Nervous System Development
Leukocyte Transendothelial Migration
0.0
0.5
1.0
1.5
signed −log10 p (positive: up)
GO_Slim
GOBP
Hallmark
KEGG_Legacy
Reactome
proteins
50
100
fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.


Acute_C1vC2, fry sets at p < 0.05
530 sets. Page 5 of 14.
Autophagy
Hcmv Infection
Reg. Organelle Assembly
Negative Reg. Transport
Cell Substrate Adhesion
Positive Reg. Proteolysis
Mhc Class Ii Antigen Presentation
Cellular Resp. to Chemical Stress
Reg. Translation
Reg. Neuron Apoptotic Process
Integrin Mediated Signaling
Negative Reg. Protein Mod. Process
Formation Of Tubulin Folding Intermediates By Cct Tric
Viral Life Cycle
Chromatin Org.
Cellular Resp. to Radiation
Reg. Neurogenesis
MT Cytoskel. Org. Involved In Mitosis
Reg. Adaptive Immune Response
Negative Reg. Phosph.
Resp. to Starvation
Epithelial Tube Morphogenesis
Protein Folding
Rhog GTPase Cycle
Neutrophil Degranulation
Vesicle Budding From Membrane
Forebrain Development
Protein DNA Complex Org.
Reg. Cell Substrate Adhesion
Membrane Org.
Primary Alcohol Metabolism
Signaling By Interleukins
Positive Reg. Apoptotic Signaling
Cytoskel. Dependent Cytokinesis
Reactive Oxygen Species Pathway
Hepaticobiliary System Development
Positive Reg. Cell Adhesion
Positive Reg. Neuron Projection Development
Intrinsic Apoptotic Signaling
0.0
0.5
1.0
1.5
signed −log10 p (positive: up)
proteins
40
80
120
160
GO_Slim
GOBP
Hallmark
Reactome
fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.


Acute_C1vC2, fry sets at p < 0.05
530 sets. Page 6 of 14.
Stem Cell Differentiation
Positive Reg. Cell Development
In Utero Embryonic Development
Natural Killer Cell Mediated Cytotoxicity
Positive Reg. Catalytic Activity
Nuclear Transcribed mRNA Catabolism
Defense Resp. to Bacterium
Protein Stabilization
Reg. Cardiac Muscle Contraction By Reg. The Release Of Sequestered Calcium Ion
Activation Of Nmda Receptors & Postsynaptic Events
Protein Ubiquitination
Platelet Activation
Cell Surface Receptor Protein Serine Threonine Kinase Signaling
Resp. to Alcohol
Homotypic Cell Adhesion
Rho GTPase Cycle
Vesicle−Mediated Transport
Cytoskel. Org.
Nucleocytoplasmic Transport
Negative Reg. Intrinsic Apoptotic Signaling
Resp. to Calcium Ion
Rhobtb2 GTPase Cycle
Lamellipodium Assembly
Protein Maturation
Autophagy
Protein Polymerization
Positive Reg. Cell Adhesion
Presynaptic Endocytosis
Autophagosome Org.
Hemostasis
Bacterial Infection Pathways
Reg. Tube Size
Transport To The Golgi & Subsequent Mod.
Er To Golgi Anterograde Transport
Positive Reg. Reactive Oxygen Species Metabolism
Positive Reg. Translation
Telencephalon Development
Reg. Synapse Structure Or Activity
Lamellipodium Org.
Nuclear Envelope Ne Reassembly
0.0
0.5
1.0
1.5
signed −log10 p (positive: up)
proteins
50
100
150
200
GO_Slim
GOBP
KEGG_Legacy
Reactome
fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.

Acute_C1vC2, fry sets at p < 0.05


530 sets. Page 7 of 14.



fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.

Acute_C1vC2, fry sets at p < 0.05


530 sets. Page 8 of 14.




fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.

Acute_C1vC2, fry sets at p < 0.05


530 sets. Page 9 of 14.





fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.




fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.



Acute_C1vC2, fry sets at p < 0.05
530 sets. Page 11 of 14.
Potential Therapeutics For Sars
mRNA Splicing
Dengue Virus Host Interactions
Natural Killer Cell Mediated Immunity
Telomere Org.
Positive Reg. Protein Polymerization
Recruitment Of Mitotic Centrosome Proteins & Complexes
Aurka Activation By Tpx2
Leishmania Infection
Positive Reg. Plasma Membrane Bounded Cell Projection Assembly
Anchoring Of The Basal Body To The Plasma Membrane
DNA Recombination
Positive Reg. Intracell. Protein Transport
Resp. to Reactive Oxygen Species
Cilium Org.
mRNA Polyadenylation
mRNA 3 End Processing
Lymphocyte Mediated Immunity
Chromosome Localization
Resp. to Elevated Platelet Cytosolic Ca2
Reg. Protein Containing Complex Assembly
Golgi To Er Retrograde Transport
Resp. to Molecule Of Bacterial Origin
Phagocytosis
Rho Gtpases Activate Formins
Reg. mRNA Catabolism
Translocation Of Slc2a4 Glut4 To The Plasma Membrane
Reg. mRNA Splicing Via Spliceosome
Golgi Associated Vesicle Biogenesis
UPR
Pre−mRNA Processing
Membrane Docking
Cilium Assembly
Fcgamma Receptor Fcgr Dependent Phagocytosis
Ossification
Rhoh GTPase Cycle
Reactive Nitrogen Species Metabolism
0
1
2
signed −log10 p (positive: up)
proteins
20
40
60
80
GO_Slim
GOBP
Hallmark
Reactome
fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.



Acute_C1vC2, fry sets at p < 0.05
530 sets. Page 12 of 14.
Leukocyte Mediated Immunity
RNA Splicing Via Transesterification Reactions
Factors Involved In Megakaryocyte Development & Platelet Production
Cellular Resp. to Heat
Reg. Neuron Projection Development
Resp. to Heat
Antimicrobial Mechanism Of IFN Stimulated Genes
Muscle Cell Proliferation
Positive Reg. DNA Metabolism
Positive Reg. Intracell. Transport
Substantia Nigra Development
Neural Nucleus Development
Pkr Mediated Signaling
Establishment Of Cell Polarity
Reg. DNA−Templated Transcription
Chromosome Segregation
Positive Reg. Endocytosis
Substrate Adhesion Dependent Cell Spreading
Cellular Resp. to Oxidative Stress
Rho GTPase Effectors
Reg. mRNA Processing
Erythrocyte Homeostasis
Leukocyte Proliferation
Platelet Activation Signaling & Aggregation
Reg. Apoptotic Signaling
Negative Reg. Resp. to Endoplasmic Reticulum Stress
Resp. to Endoplasmic Reticulum Stress
Positive Reg. Protein Transport
Erad Pathway
Spliceosome
Positive Reg. Protein Localization
Programmed Cell Death
Glial Cell Development
Reg. Cell Projection Assembly
Cell Chemotaxis
RNA Splicing
Nuclear Chromosome Segregation
Reg. WNT Signaling
DNA−Templated Transcription
0
1
2
3
signed −log10 p (positive: up)
proteins
50
100
150
200
GO_Slim
GOBP
KEGG_Legacy
Reactome
fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.



fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.



Acute_C1vC2, fry sets at p < 0.05
530 sets. Page 14 of 14.
Mononuclear Cell Migration
Interleukin 12 Family Signaling
G2M Checkpoint
Myeloid Cell Differentiation
Interleukin 12 Signaling
Dengue Virus Infection
Gene & Protein Expression By JAK Stat Signaling After Interleukin 12 Stimulation
Glial Cell Differentiation
Double Strand Break Repair
Positive Reg. WNT Signaling
0
1
2
3
4
signed −log10 p (positive: up)
GOBP
Hallmark
Reactome
proteins
30
50
70
90
fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.


Training_Interaction, fry sets at p < 0.05
59 sets. Page 1 of 2.
Tight Junction
p53 Pathway
Non Canonical Nf Kappab Signal Transduction
ECM Org.
Osteoblast Differentiation
Positive Reg. Translation
Positive Reg. Cell Activation
Smooth Muscle Contraction
Reg. Transferase Activity
Connective Tissue Development
Positive Reg. Resp. to Biotic Stimulus
Glycoprotein Biosynthesis
Vascular Smooth Muscle Contraction
EMT
UV Response Dn
Regeneration
Gland Development
Glycerolipid Metabolism
Reg. Non Canonical Nf Kappab Signal Transduction
Dilated Cardiomyopathy
Ossification
Epithelial Tube Morphogenesis
Clathrin Mediated Endocytosis
Glycoprotein Metabolism
Golgi Associated Vesicle Biogenesis
Resp. to Molecule Of Bacterial Origin
Reg. Hormone Secretion
Cellular Resp. to Acid Chemical
DNA Templated Transcription Initiation
Endoplasmic Reticulum Org.
Sensory System Development
Trans Golgi Network Vesicle Budding
Heart Morphogenesis
Rac2 GTPase Cycle
Negative Reg. Molecular Function
Post Golgi Vesicle Mediated Transport
Neutral Lipid Metabolism
Viral Myocarditis
Resp. to Leukemia Inhibitory Factor
−2
−1
0
signed −log10 p (positive: up)
GO_Slim
GOBP
Hallmark
KEGG_Legacy
Reactome
proteins
20
30
40
50
fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.



Training_Interaction, fry sets at p < 0.05
59 sets. Page 2 of 2.
Negative Reg. Proteolysis Involved In Protein Catabolism
Negative Reg. Ub−Dep. Protein Catabolism
Negative Reg. Proteolysis
Negative Reg. Proteas. Protein Catabolism
Cilium Or Flagellum Dependent Cell Motility
Cilium Movement
Negative Reg. Protein Catabolism
Positive Reg. Protein Localization To Nucleus
Ub Specific Processing Proteases
Modified AA Biosynthesis
Antigen Processing Ub ATP Independent Proteas. Degradation
Single Fertilization
T Cell Homeostasis
Lymphocyte Homeostasis
Nucleoside Monophosphate Metabolism
Selective Autophagy
Auf1 Hnrnp D0 Binds & Destabilizes mRNA
Reg. Protein Localization To Nucleus
Transcriptional Regulation By Runx1
0
1
2
3
4
signed −log10 p (positive: up)
proteins
20
30
40
GOBP
Reactome
fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.

Acute_Interaction, fry sets at p < 0.05


646 sets. Page 1 of 17.



fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.




fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.




fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.

Acute_Interaction, fry sets at p < 0.05

646 sets. Page 4 of 17.




fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.



fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.

Acute_Interaction, fry sets at p < 0.05

646 sets. Page 6 of 17.



fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.

Acute_Interaction, fry sets at p < 0.05

646 sets. Page 7 of 17.



fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.

Acute_Interaction, fry sets at p < 0.05

646 sets. Page 8 of 17.




fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.

Acute_Interaction, fry sets at p < 0.05

646 sets. Page 9 of 17.



fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.



fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.

Acute_Interaction, fry sets at p < 0.05

646 sets. Page 11 of 17.



fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.

Acute_Interaction, fry sets at p < 0.05

646 sets. Page 12 of 17.




fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.

Acute_Interaction, fry sets at p < 0.05

646 sets. Page 13 of 17.



fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.



Acute_Interaction, fry sets at p < 0.05
646 sets. Page 14 of 17.
Negative Reg. mRNA Metabolism
Substantia Nigra Development
Neural Nucleus Development
Copi Dependent Golgi To Er Retrograde Traffic
Reg. Neuron Projection Development
Nuclear Chromosome Segregation
Canonical WNT Signaling
Vesicle−Mediated Transport
Cilium Org.
Rac2 GTPase Cycle
Intracell. Receptor Signaling
Cell Surface Receptor Protein Serine Threonine Kinase Signaling
Platelet Activation Signaling & Aggregation
Leukocyte Proliferation
Reg. mRNA Processing
Positive Reg. Intracell. Protein Transport
Establishment Of RNA Localization
Cellular Resp. to Molecule Of Bacterial Origin
Copii Coated Vesicle Budding
Positive Reg. Endocytosis
Natural Killer Cell Mediated Immunity
Gland Development
Glycoprotein Metabolism
Reg. Cellular Resp. to Growth Factor Stimulus
Reg. Nervous System Development
Resp. to Transforming Growth Factor Beta
Reg. mRNA Catabolism
Reg. Pattern Recognition Receptor Signaling
DNA Recombination
Chromosome Localization
Nucleobase Containing Compound Transport
Positive Reg. Protein Containing Complex Assembly
Pre−mRNA Processing
Cell Differentiation
mRNA Splicing
Leukocyte Migration
Mitotic Spindle
Reg. Cell Morphogenesis
0
1
2
3
signed −log10 p (positive: up)
GO_Slim
GOBP
Hallmark
Reactome
proteins
100
200
300
400
fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.

Acute_Interaction, fry sets at p < 0.05

646 sets. Page 15 of 17.




fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.


Acute_Interaction, fry sets at p < 0.05
646 sets. Page 16 of 17.
Myeloid Cell Differentiation
Dengue Virus Infection
Intracell. Protein Transport
Interleukin 12 Signaling
Double Strand Break Repair
Reg. DNA−Templated Transcription
Reg. Phagocytosis
DNA−Templated Transcription
G2M Checkpoint
Non Canonical Nf Kappab Signal Transduction
UPR
Gene & Protein Expression By JAK Stat Signaling After Interleukin 12 Stimulation
DNA Templated Transcription Initiation
Erad Pathway
mRNA Metabolism
Maintenance of Polarity
Reg. Endocytosis
Positive Reg. Protein Transport
Reg. WNT Signaling
Reg. Leukocyte Migration
Golgi Associated Vesicle Biogenesis
Inflammatory Response
Recombinational Repair
Interferon Signaling
Dengue Virus Genome Translation & Replication
Reg. Cell Division
Viral Genome Replication
Reg. Inflammatory Response
Nuclear Transcribed mRNA Catabolism
Reg. mRNA Metabolism
Clathrin Mediated Endocytosis
Reg. Non Canonical Nf Kappab Signal Transduction
Multicellular Organism Growth
Antimicrobial Mechanism Of IFN Stimulated Genes
Substrate Adhesion Dependent Cell Spreading
Muscle Cell Proliferation
Trans Golgi Network Vesicle Budding
Programmed Cell Death
T Cell Proliferation
0
1
2
3
4
5
signed −log10 p (positive: up)
proteins
50
100
150
200
GO_Slim
GOBP
Hallmark
Reactome
fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.

Acute_Interaction, fry sets at p < 0.05

646 sets. Page 17 of 17.



fry on limpa's complete matrix with the fitted design, subject block and within−subject correlation; BH within contrast. Table: set_tests in c_data/set_tests.rds.